

Table 3B: FY01 All Patients, Utilization, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
Hospital Based Utilization												
Patients with some Hospital Based Utilization, %	29.9%	28.0%	27.1%	28.5%	27.2%	37.3%	35.3%	30.6%	24.3%	35.7%	32.0%	30.5%
Hospital based utilization: Overall												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.88	1.95	1.85	1.91	1.79	2.11	2.04	1.79	1.85	1.90	1.90	1.81
SD	1.51	1.64	1.57	1.46	1.30	1.72	1.74	1.38	1.50	1.52	1.47	1.41
Average LOS, mean	16.16	21.27	13.92	26.47	18.26	20.41	18.33	19.26	8.89	15.63	14.65	29.11
SD	38.17	54.02	30.62	54.77	43.99	49.70	44.33	47.76	12.00	40.87	22.81	68.78
Cumulative DOS, mean	26.71	34.03	23.79	43.27	27.86	35.24	31.56	29.69	16.08	26.11	25.53	40.29
SD	48.76	66.08	45.26	69.34	51.40	64.54	55.24	56.12	22.92	53.41	34.78	76.04
Cumulative DOS, %												
1 to 7	35.9%	35.8%	37.1%	25.5%	32.9%	33.8%	30.4%	33.4%	44.6%	40.0%	30.1%	31.7%
8 to 14	21.3%	20.5%	20.3%	18.3%	21.4%	20.3%	21.3%	22.9%	22.0%	21.9%	22.1%	20.8%
15 to 44	28.9%	27.3%	31.3%	31.5%	31.5%	27.3%	31.6%	28.4%	25.9%	25.6%	32.8%	28.3%
45 to 89	8.3%	7.8%	7.1%	12.1%	8.7%	9.1%	9.3%	8.9%	5.7%	6.9%	9.9%	8.4%
90 to 179	3.4%	4.3%	2.4%	7.4%	3.1%	4.9%	4.3%	3.5%	1.5%	2.9%	4.0%	4.3%
180 to 359	1.4%	2.3%	0.8%	3.7%	1.3%	3.1%	2.0%	1.2%	0.2%	1.3%	1.2%	3.9%
360+	0.8%	2.0%	1.0%	1.5%	1.1%	1.5%	1.1%	1.6%	0.0%	1.4%	0.0%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.4%	6.0%	2.3%	7.2%	3.5%	6.4%	4.0%	4.1%	0.6%	3.4%	2.7%	8.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	235.84	258.59	263.17	246.14	247.87	243.75	251.94	255.89	182.00	267.03	169.84	262.22
SD	96.02	97.96	102.55	95.29	104.84	89.92	92.15	101.06	72.83	98.89	51.06	97.07
Hospital patients who had a 150+ day hosp. stay, %	2.1%	4.1%	1.5%	4.6%	2.2%	4.3%	3.0%	2.7%	0.2%	2.5%	1.2%	6.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	289.98	305.09	323.88	298.61	315.41	281.22	288.37	307.72	240.43	311.29	206.91	300.77
SD	76.99	75.40	57.36	69.76	68.91	79.33	73.59	80.95	72.28	70.20	40.50	76.05
Cumulative DOS at Other VISNs	1.18	0.36	1.01	0.61	0.68	0.83	0.64	0.92	0.50	0.91	0.62	0.39
SD	8.17	3.30	5.34	4.46	4.55	5.42	4.12	5.70	4.61	8.12	4.34	3.40
Cumulative DOS at Other Stations	2.55	2.67	1.01	3.41	2.64	3.12	2.28	2.47	0.90	1.32	2.38	2.18
SD	10.44	9.38	5.34	11.03	8.08	11.30	8.00	8.91	5.30	8.86	8.22	8.58

Table 3B: FY01 All Patients, Utilization, by VISN

	All Patients	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Hospital Based Utilization		196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
Patients with some Hospital Based Utilization, %		29.9%	34.1%	28.1%	28.8%	33.6%	31.5%	32.3%	30.8%	29.3%	30.8%	25.4%	25.7%
<u>Hospital based utilization: Overall</u>													
(psych & non-psych- for those with some hosp.util.)													
Inpatient stays, mean		1.88	1.98	1.96	1.80	1.96	1.78	1.95	1.84	1.84	1.81	1.89	1.77
SD		1.51	1.69	1.57	1.34	1.63	1.33	1.70	1.38	1.32	1.37	1.59	1.43
Average LOS, mean		16.16	20.76	8.16	9.49	12.78	13.73	20.71	7.88	13.16	9.85	12.08	13.86
SD		38.17	47.96	14.75	9.74	22.71	20.67	48.65	8.64	26.71	18.83	19.56	21.07
Cumulative DOS, mean		26.71	32.84	15.29	17.34	24.21	23.34	32.33	14.30	23.10	17.11	22.44	23.34
SD		48.76	57.48	23.89	21.87	40.12	31.93	56.95	17.62	40.05	28.08	36.88	35.53
Cumulative DOS, %													
1 to 7		35.9%	30.9%	46.6%	41.0%	37.3%	35.4%	30.0%	44.4%	37.8%	42.0%	38.9%	37.5%
8 to 14		21.3%	20.4%	21.8%	22.7%	21.7%	20.0%	21.1%	24.4%	21.1%	24.8%	20.0%	19.2%
15 to 44		28.9%	30.9%	24.6%	27.4%	28.0%	29.8%	31.0%	25.6%	29.6%	26.5%	29.1%	30.2%
45 to 89		8.3%	9.5%	5.7%	7.1%	7.6%	11.0%	10.3%	4.7%	7.3%	4.2%	8.0%	8.6%
90 to 179		3.4%	5.1%	0.8%	1.7%	3.9%	3.1%	4.2%	0.8%	2.7%	1.9%	2.8%	3.7%
180 to 359		1.4%	1.8%	0.3%	0.1%	1.3%	0.7%	2.0%	0.1%	1.1%	0.6%	1.1%	0.9%
360+		0.8%	1.4%	0.1%	0.0%	0.2%	0.0%	1.4%	0.0%	0.4%	0.0%	0.1%	0.0%
Total		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %		3.4%	5.9%	0.6%	0.4%	2.7%	1.6%	5.2%	0.0%	2.1%	1.5%	1.7%	2.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean		235.84	219.72	218.38	155.33	199.30	180.64	232.66	161.00	235.91	183.39	223.16	184.31
SD		96.02	100.05	92.46	25.54	77.59	65.98	98.60	0.00	87.93	66.47	75.09	67.58
Hospital patients who had a 150+ day hosp. stay, %		2.1%	3.2%	0.5%	0.1%	1.4%	0.6%	3.2%	0.0%	1.3%	0.7%	0.8%	0.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean		289.98	290.06	249.17	180.00	244.83	235.45	292.72	161.00	282.10	229.95	275.06	241.58
SD		76.99	82.06	85.73	0.00	67.46	60.76	74.83	0.00	74.22	64.66	66.86	65.76
Cumulative DOS at Other VISNs		1.18	0.66	0.94	1.24	9.98	0.58	0.93	0.86	1.10	0.83	0.70	0.62
SD		8.17	4.60	5.49	6.85	27.78	3.96	5.24	5.78	7.08	5.08	4.96	3.96
Cumulative DOS at Other Stations		2.55	3.61	1.82	1.24	10.00	1.49	2.13	1.96	2.88	2.19	2.59	1.46
SD		10.44	11.65	6.50	6.85	27.58	6.41	8.70	7.50	11.42	7.20	9.17	5.97

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
<u>Hospital based utilization: Non-Psych</u>												
(non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	14.5%	12.2%	13.5%	13.1%	13.0%	17.0%	15.1%	14.4%	13.8%	17.6%	16.1%	13.0%
Inpatient stays, mean	0.80	0.71	0.80	0.77	0.78	0.81	0.71	0.76	0.97	0.86	0.84	0.75
SD	1.18	1.13	1.19	1.16	1.14	1.27	1.13	1.14	1.26	1.25	1.20	1.26
Average LOS, mean	10.28	12.11	7.42	11.53	9.78	14.40	11.94	12.33	9.10	11.01	13.82	15.04
SD	22.79	26.31	11.12	19.75	23.48	36.06	23.57	26.92	14.65	26.75	27.03	44.27
Cumulative Days of Stay, mean	7.76	7.90	5.92	9.15	7.13	10.18	7.73	8.71	8.73	8.62	10.05	9.15
SD	22.19	23.97	13.91	26.00	21.26	32.61	22.12	24.84	19.96	25.58	24.99	33.35
Cumulative Days of Stay, %												
0	51.6%	56.4%	50.4%	54.2%	52.3%	54.4%	57.1%	53.0%	43.1%	50.6%	49.6%	57.4%
1 to 7	25.7%	23.1%	26.6%	21.8%	26.2%	22.6%	21.5%	24.3%	29.1%	25.9%	24.3%	21.7%
8 to 14	8.9%	7.4%	9.9%	8.3%	8.6%	7.9%	7.2%	8.1%	10.8%	9.4%	9.0%	7.5%
15 to 44	10.1%	9.1%	11.5%	10.9%	9.7%	9.6%	9.9%	9.7%	12.8%	9.8%	11.2%	9.0%
45 to 89	2.4%	2.0%	1.3%	2.9%	1.9%	3.3%	2.9%	3.2%	3.2%	2.6%	3.5%	2.3%
90 to 179	1.0%	1.7%	0.3%	1.5%	0.9%	1.4%	1.1%	1.2%	0.8%	1.2%	1.9%	1.2%
180 to 359	0.3%	0.2%	0.1%	0.3%	0.2%	0.6%	0.3%	0.4%	0.2%	0.4%	0.4%	0.8%
360+	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.8%	1.1%	0.2%	0.8%	0.8%	1.6%	1.0%	1.1%	0.5%	1.0%	1.5%	1.5%
Cumul. DOS, pts.with a 100+ day hosp. stay, mean	183.72	166.27	167.67	207.00	177.71	217.50	163.27	177.35	180.75	195.07	151.90	227.93
SD	78.10	69.68	53.01	91.96	89.93	90.63	66.71	74.16	68.90	81.65	45.92	106.63
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.4%	0.5%	0.1%	0.5%	0.3%	1.1%	0.5%	0.5%	0.2%	0.5%	0.5%	0.9%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	238.47	215.43	220.00	262.92	265.30	248.00	215.86	227.72	239.57	252.88	200.00	304.65
SD	73.53	82.44	0.00	80.09	76.91	80.78	64.37	77.84	72.05	70.32	39.03	74.26
Other VISN cumulative DOS, mean	0.29	0.10	0.22	0.09	0.17	0.27	0.10	0.15	0.12	0.37	0.13	0.11
SD	3.35	2.14	2.78	1.26	2.16	3.22	1.22	1.99	1.83	7.24	1.97	2.21
Other station cumulative DOS, mean	0.71	0.83	0.22	0.93	0.63	0.68	0.47	0.78	0.30	0.45	0.78	0.76
SD	4.71	4.84	2.78	5.10	3.25	5.27	3.39	4.99	2.65	7.32	4.61	4.59

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
All Patients	196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
<u>Hospital based utilization: Non-Psych</u>												
(non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	14.5%	16.0%	14.9%	16.0%	17.0%	14.4%	14.3%	18.2%	15.5%	15.1%	12.6%	11.7%
Inpatient stays, mean	0.80	0.79	0.93	0.89	0.85	0.74	0.73	0.97	0.85	0.80	0.79	0.71
SD	1.18	1.19	1.23	1.16	1.21	1.17	1.18	1.20	1.12	1.20	1.10	1.08
Average LOS, mean	10.28	9.96	6.10	7.12	9.62	10.56	10.52	6.06	8.42	8.39	9.01	8.25
SD	22.79	21.38	12.71	8.69	21.36	19.01	22.24	8.47	18.01	21.10	18.36	15.67
Cumulative Days of Stay, mean	7.76	7.67	5.69	6.39	7.57	7.46	6.87	5.80	6.83	6.27	7.33	6.06
SD	22.19	22.92	13.27	12.86	19.68	18.91	19.09	11.35	17.18	19.17	22.26	18.09
Cumulative Days of Stay, %												
0	51.6%	53.1%	46.9%	44.6%	49.4%	54.2%	55.7%	40.8%	47.2%	51.0%	50.4%	54.4%
1 to 7	25.7%	25.1%	29.4%	32.4%	26.8%	23.2%	21.8%	35.0%	28.6%	30.4%	27.9%	27.0%
8 to 14	8.9%	8.2%	11.3%	10.4%	10.1%	8.4%	9.0%	13.0%	10.1%	8.7%	9.0%	7.7%
15 to 44	10.1%	9.9%	11.1%	10.0%	10.5%	10.1%	10.5%	10.0%	11.9%	7.4%	9.8%	8.2%
45 to 89	2.4%	2.5%	1.1%	2.2%	2.1%	3.2%	2.2%	1.0%	1.5%	1.4%	2.0%	1.8%
90 to 179	1.0%	0.8%	0.2%	0.4%	0.8%	0.8%	0.5%	0.3%	0.5%	1.0%	0.6%	0.7%
180 to 359	0.3%	0.2%	0.1%	0.0%	0.3%	0.2%	0.3%	0.0%	0.2%	0.2%	0.4%	0.2%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.8%	0.6%	0.1%	0.0%	0.9%	0.6%	0.6%	0.0%	0.4%	0.9%	0.7%	0.5%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	183.72	207.78	314.00	0.00	162.04	156.93	182.67	161.00	188.86	165.59	219.07	181.87
SD	78.10	95.68	0.00	0.00	40.87	57.18	76.19	0.00	78.23	59.56	64.22	69.71
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.4%	0.4%	0.1%	0.0%	0.5%	0.3%	0.3%	0.0%	0.3%	0.4%	0.4%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	238.47	268.90	314.00	0.00	188.53	203.79	235.75	161.00	218.20	211.20	250.44	257.00
SD	73.53	82.72	0.00	0.00	32.53	51.88	67.84	0.00	72.86	61.49	50.10	63.22
Other VISN cumulative DOS, mean	0.29	0.10	0.23	0.33	2.45	0.12	0.20	0.31	0.33	0.24	0.20	0.20
SD	3.35	1.45	1.90	3.03	7.93	1.64	2.07	4.32	5.42	2.42	3.05	2.26
Other station cumulative DOS, mean	0.71	0.84	0.69	0.33	2.49	0.37	0.45	0.73	0.81	0.72	0.87	0.47
SD	4.71	5.46	3.22	3.03	7.96	2.68	3.76	5.14	6.12	3.55	5.68	3.32

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
<u>Hospital based utilization: Psychiatric</u>												
(psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	18.7%	18.9%	16.5%	18.6%	17.1%	24.7%	24.4%	19.6%	12.8%	22.1%	20.6%	20.4%
Inpatient stays, mean	1.08	1.24	1.05	1.14	1.01	1.31	1.34	1.03	0.88	1.04	1.07	1.06
SD	1.37	1.56	1.43	1.34	1.18	1.61	1.67	1.23	1.32	1.31	1.24	1.19
Average LOS, mean	20.29	26.87	19.05	35.81	24.05	23.58	21.65	23.81	8.53	18.77	15.45	36.47
SD	45.41	64.08	39.89	66.23	52.61	55.48	51.00	56.53	8.38	48.43	21.80	77.53
Cumulative Days of Stay, mean	18.95	26.13	17.87	34.13	20.73	25.06	23.83	20.97	7.35	17.49	15.48	31.14
SD	45.45	63.70	44.87	67.07	48.69	58.72	52.50	52.54	14.73	49.14	27.45	71.37
Cumulative Days of Stay, %												
0	37.3%	32.6%	39.0%	34.9%	37.1%	33.8%	30.8%	36.1%	47.4%	38.0%	35.5%	33.0%
1 to 7	18.7%	20.5%	19.0%	10.9%	14.7%	20.4%	18.0%	16.9%	23.5%	23.0%	15.8%	17.7%
8 to 14	14.6%	16.0%	12.9%	12.4%	15.3%	14.6%	16.4%	17.1%	13.6%	15.3%	17.2%	14.9%
15 to 44	19.7%	18.9%	20.1%	22.3%	22.4%	18.8%	22.7%	20.2%	12.9%	16.2%	23.4%	19.7%
45 to 89	5.5%	5.6%	5.4%	9.1%	6.5%	5.5%	6.6%	5.3%	2.1%	4.0%	5.8%	6.1%
90 to 179	2.3%	2.5%	2.0%	5.9%	1.9%	3.4%	2.9%	2.1%	0.5%	1.5%	1.8%	3.1%
180 to 359	1.1%	2.1%	0.7%	3.2%	1.0%	2.4%	1.5%	0.8%	0.0%	0.8%	0.6%	3.1%
360+	0.7%	1.8%	0.9%	1.3%	1.0%	1.1%	1.1%	1.5%	0.0%	1.3%	0.0%	2.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	2.6%	4.9%	2.1%	6.5%	2.8%	4.8%	3.0%	3.1%	0.1%	2.3%	1.2%	6.7%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	245.27	273.41	270.97	244.78	261.36	247.59	271.35	276.75	181.00	295.41	177.32	265.11
SD	97.46	95.01	101.69	94.94	101.35	88.91	88.16	98.81	98.70	92.36	57.57	95.47
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.7%	3.6%	1.5%	4.1%	1.9%	3.2%	2.5%	2.2%	0.0%	2.0%	0.7%	5.3%
Cumul. DOS, pts.with a 150+ day hosp. stay, mean	297.34	313.91	327.26	297.42	315.93	287.71	297.66	322.97	0.00	325.81	206.21	297.23
SD	75.48	69.28	54.23	70.58	69.34	76.51	71.02	72.05	0.00	64.21	43.19	78.35
Other VISN cumulative DOS, mean	0.89	0.25	0.79	0.52	0.52	0.56	0.53	0.77	0.38	0.55	0.49	0.28
SD	7.32	2.50	4.58	4.19	3.89	4.30	3.86	5.29	4.22	3.51	3.38	2.59
Other station cumulative DOS, mean	1.86	1.83	0.79	2.49	2.01	2.44	1.81	1.69	0.60	0.88	1.59	1.42
SD	9.24	8.09	4.58	9.71	7.42	9.72	7.15	7.29	4.56	4.77	6.26	7.21

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
All Patients	196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
<u>Hospital based utilization: Psychiatric</u> (psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	18.7%	22.0%	16.4%	16.6%	20.6%	20.2%	21.5%	15.9%	17.4%	19.3%	15.3%	16.6%
Inpatient stays, mean SD	1.08 1.37	1.18 1.57	1.03 1.43	0.91 1.16	1.10 1.46	1.03 1.20	1.23 1.58	0.87 1.21	0.98 1.21	1.00 1.19	1.10 1.56	1.06 1.33
Average LOS, mean SD	20.29 45.41	27.88 57.75	9.82 15.36	11.86 10.96	15.29 24.55	16.01 21.99	26.42 57.54	9.79 8.45	17.73 33.65	11.21 18.58	14.81 22.79	17.36 23.19
Cumulative Days of Stay, mean SD	18.95 45.45	25.17 54.68	9.59 21.62	10.96 19.90	16.64 37.21	15.89 28.42	25.46 55.79	8.50 15.64	16.27 36.95	10.84 22.16	15.11 31.35	17.29 32.77
Cumulative Days of Stay, % 0 1 to 7 8 to 14 15 to 44 45 to 89 90 to 179 180 to 359 360+	37.3% 18.7% 14.6% 19.7% 5.5% 2.3% 1.1% 0.7%	35.4% 14.7% 13.6% 22.8% 6.6% 4.4% 1.3% 1.3%	41.6% 27.9% 11.7% 14.0% 4.0% 0.5% 0.2% 0.1%	42.2% 19.9% 15.0% 17.4% 4.5% 0.9% 0.1% 0.0%	38.6% 19.4% 14.2% 18.9% 5.2% 2.6% 1.0% 0.2%	36.0% 19.5% 13.6% 21.0% 7.4% 2.1% 0.4% 0.0%	33.3% 15.9% 14.7% 22.2% 7.6% 3.4% 1.7% 1.3%	48.2% 19.3% 13.7% 15.0% 7.6% 0.6% 0.0% 0.0%	40.7% 17.2% 14.3% 18.8% 3.2% 0.6% 0.0% 0.0%	37.2% 21.6% 14.3% 19.4% 5.9% 1.9% 0.9% 0.3%	39.8% 18.5% 18.1% 20.5% 2.4% 0.9% 0.7% 0.0%	35.5% 19.1% 12.9% 22.5% 5.5% 2.1% 0.7% 0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, % Cumul. DOS, patients with a 100+ day hosp. stay, mean SD	2.6% 245.27 97.46	5.3% 214.60 100.56	0.5% 204.71 90.73	0.4% 155.33 25.54	1.8% 215.50 85.77	1.0% 182.52 70.65	4.7% 234.57 100.39	0.0% 0.00 0.00	1.7% 231.00 89.55	0.6% 195.50 75.34	1.0% 215.55 79.96	1.8% 179.07 67.10
Hosp. Pts. with a 150+ day psych hosp.stay, % Cumul. DOS, patients with a 150+ day hosp. stay, mean SD	1.7% 297.34 75.48	2.8% 286.30 84.71	0.4% 236.20 89.03	0.1% 180.00 0.00	0.8% 277.32 61.70	0.3% 249.80 65.73	2.9% 295.32 75.67	0.0% 0.00 0.00	1.1% 280.76 72.30	0.3% 238.44 74.96	0.4% 279.25 85.22	0.6% 235.95 65.04
Other VISN cumulative DOS, mean SD	0.89 7.32	0.56 4.17	0.71 4.72	0.90 6.10	7.64 26.78	0.46 3.46	0.73 4.67	0.55 3.78	0.77 4.51	0.59 4.17	0.51 3.88	0.43 3.14
Other station cumulative DOS, mean SD	1.86 9.24	2.77 10.19	1.13 5.32	0.90 6.10	7.82 26.85	1.12 5.69	1.67 7.52	1.24 5.41	2.07 9.60	1.47 6.06	1.72 7.23	0.99 4.84

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
Other 24 hour institutional care												
Patients with some other 24 hour institutional care, %	9.1%	7.0%	15.1%	10.6%	12.5%	11.6%	8.5%	4.8%	4.6%	7.1%	15.5%	7.1%
<u>Residential Rehabilitation</u>												
(reported for those with some res rehab care)												
Patients with some residential rehab. care, %	1.7%	1.4%	1.4%	0.1%	3.0%	1.9%	0.9%	1.5%	0.2%	0.3%	3.9%	0.4%
Number stays, mean	<i>1.11</i>	<i>1.10</i>	<i>1.21</i>	<i>1.08</i>	<i>1.06</i>	<i>1.08</i>	<i>1.06</i>	<i>1.08</i>	<i>1.08</i>	<i>1.04</i>	<i>1.14</i>	<i>1.28</i>
SD	<i>0.35</i>	<i>0.31</i>	<i>0.46</i>	<i>0.27</i>	<i>0.23</i>	<i>0.28</i>	<i>0.23</i>	<i>0.29</i>	<i>0.29</i>	<i>0.20</i>	<i>0.38</i>	<i>0.52</i>
Average LOS, mean	37.81	92.15	28.13	90.54	60.94	31.95	25.64	26.58	42.21	12.42	31.73	37.62
SD	<i>49.08</i>	<i>125.70</i>	<i>18.78</i>	<i>93.30</i>	<i>87.18</i>	<i>22.84</i>	<i>14.21</i>	<i>25.93</i>	<i>26.16</i>	<i>6.32</i>	<i>29.52</i>	<i>46.87</i>
Cumulative DOS, mean	41.45	95.29	32.96	95.28	62.78	34.35	26.82	27.75	44.71	12.79	36.36	47.86
SD	<i>51.97</i>	<i>124.63</i>	<i>23.75</i>	<i>94.63</i>	<i>89.11</i>	<i>24.58</i>	<i>15.44</i>	<i>25.63</i>	<i>28.83</i>	<i>6.42</i>	<i>34.89</i>	<i>57.06</i>
Cumulative Days of Stay, %												
1 to 7	10.8%	11.0%	8.5%	7.9%	9.6%	10.6%	12.4%	16.7%	9.1%	18.8%	6.1%	12.4%
8 to 14	11.7%	7.6%	10.6%	9.4%	8.9%	11.8%	10.7%	16.7%	5.6%	60.4%	21.5%	7.7%
15 to 44	52.6%	36.6%	63.1%	22.8%	47.8%	49.4%	66.1%	58.3%	36.1%	20.8%	48.3%	48.8%
45 to 89	16.3%	22.1%	14.2%	20.5%	15.9%	24.7%	10.7%	0.0%	42.9%	0.0%	16.5%	15.8%
90 to 179	5.8%	4.8%	3.6%	24.4%	9.6%	3.5%	0.0%	8.3%	6.0%	0.0%	6.9%	11.0%
180 to 359	1.8%	2.1%	0.0%	15.0%	4.5%	0.0%	0.0%	0.0%	0.4%	0.0%	0.8%	3.8%
360+	0.9%	15.9%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.0%	21.4%	2.4%	33.1%	15.9%	1.2%	0.0%	8.3%	2.0%	0.0%	5.0%	9.6%
Cumul. DOS, pts with a 100+ day Res Rehab stay, mean	204.14	315.84	120.25	202.71	239.08	118.00	0.00	100.00	135.00	0.00	150.77	191.10
SD	<i>93.15</i>	<i>92.94</i>	<i>19.56</i>	<i>88.40</i>	<i>99.07</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>57.47</i>	<i>0.00</i>	<i>26.03</i>	<i>69.73</i>
Res Rehab patients with 150+ day Res Rehab stay, %	3.1%	17.9%	0.0%	18.1%	11.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%	5.7%
Cumu. DOS, pts w/ a 150+ day Res Rehab stay, mean	268.66	352.96	0.00	256.52	282.56	0.00	0.00	0.00	0.00	0.00	170.75	226.25
SD	<i>83.76</i>	<i>37.99</i>	<i>0.00</i>	<i>82.36</i>	<i>81.70</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>18.25</i>	<i>67.92</i>
Other VISN cumulative DOS, mean	2.59	0.00	0.90	1.28	0.80	1.12	1.33	27.75	0.26	3.17	0.63	0.44
SD	<i>16.21</i>	<i>0.00</i>	<i>6.77</i>	<i>7.10</i>	<i>4.82</i>	<i>4.43</i>	<i>6.96</i>	<i>25.63</i>	<i>2.32</i>	<i>7.97</i>	<i>6.13</i>	<i>3.29</i>
Other station cumulative DOS, mean	5.21	5.66	0.90	5.02	4.07	5.67	5.47	27.75	1.07	3.31	0.93	4.41
SD	<i>18.91</i>	<i>16.08</i>	<i>6.77</i>	<i>19.22</i>	<i>8.47</i>	<i>11.39</i>	<i>13.75</i>	<i>25.63</i>	<i>6.15</i>	<i>8.04</i>	<i>6.71</i>	<i>18.34</i>

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
All Patients	196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
Other 24 hour institutional care												
Patients with some other 24 hour institutional care, %	9.1%	17.3%	15.9%	14.2%	8.4%	5.2%	11.9%	7.8%	5.3%	12.4%	7.3%	7.8%
<u>Residential Rehabilitation</u>												
(reported for those with some res rehab care)												
Patients with some residential rehab. care, %	1.7%	6.3%	0.8%	0.7%	1.8%	1.9%	8.3%	1.1%	1.6%	2.7%	2.0%	0.2%
Number stays, mean	<i>1.11</i>	<i>1.10</i>	<i>1.05</i>	<i>1.14</i>	<i>1.29</i>	<i>1.06</i>	<i>1.09</i>	<i>1.11</i>	<i>1.11</i>	<i>1.07</i>	<i>1.08</i>	<i>1.00</i>
SD	<i>0.35</i>	<i>0.33</i>	<i>0.23</i>	<i>0.53</i>	<i>0.52</i>	<i>0.27</i>	<i>0.28</i>	<i>0.37</i>	<i>0.35</i>	<i>0.25</i>	<i>0.27</i>	<i>0.00</i>
Average LOS, mean	37.81	32.37	40.86	39.38	75.86	22.34	21.84	45.10	37.94	22.31	25.56	14.38
SD	<i>49.08</i>	<i>22.23</i>	<i>32.63</i>	<i>29.80</i>	<i>64.80</i>	<i>13.94</i>	<i>29.10</i>	<i>46.38</i>	<i>27.59</i>	<i>15.01</i>	<i>16.60</i>	<i>13.40</i>
Cumulative DOS, mean	41.45	35.31	42.98	40.57	95.90	23.56	24.10	49.57	40.99	23.50	27.24	14.38
SD	<i>51.97</i>	<i>25.90</i>	<i>34.75</i>	<i>28.78</i>	<i>78.30</i>	<i>15.20</i>	<i>32.10</i>	<i>49.32</i>	<i>29.30</i>	<i>15.74</i>	<i>17.78</i>	<i>13.40</i>
Cumulative Days of Stay, %												
1 to 7	10.8%	9.4%	12.1%	0.0%	5.6%	13.5%	12.8%	14.8%	14.1%	13.1%	15.5%	28.6%
8 to 14	11.7%	7.8%	6.6%	0.0%	5.6%	15.8%	14.2%	9.3%	9.4%	7.4%	9.7%	33.3%
15 to 44	52.6%	66.3%	41.8%	85.7%	23.6%	66.9%	67.3%	38.9%	34.1%	72.0%	58.7%	33.3%
45 to 89	16.3%	12.4%	31.9%	7.1%	22.2%	3.0%	2.4%	13.0%	36.5%	6.9%	16.1%	4.8%
90 to 179	5.8%	3.6%	7.7%	7.1%	22.2%	0.8%	2.8%	20.4%	5.9%	0.6%	0.0%	0.0%
180 to 359	1.8%	0.4%	0.0%	0.0%	20.8%	0.0%	0.5%	3.7%	0.0%	0.0%	0.0%	0.0%
360+	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.0%	1.9%	3.3%	7.1%	30.6%	0.8%	2.8%	16.7%	2.4%	0.6%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day C.C. stay, mean	204.14	148.20	153.33	135.00	192.36	116.00	179.17	137.44	115.50	145.00	0.00	0.00
SD	<i>93.15</i>	<i>52.38</i>	<i>15.31</i>	<i>0.00</i>	<i>52.43</i>	<i>0.00</i>	<i>82.35</i>	<i>40.60</i>	<i>10.61</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
Res Rehab patients with 150+ day Res Rehab stay, %	3.1%	0.4%	1.1%	0.0%	18.1%	0.0%	1.4%	3.7%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day C.C. stay, mean	268.66	228.50	171.00	0.00	206.62	0.00	220.00	203.00	0.00	0.00	0.00	0.00
SD	<i>83.76</i>	<i>64.35</i>	<i>0.00</i>	<i>0.00</i>	<i>34.09</i>	<i>0.00</i>	<i>108.39</i>	<i>21.21</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
Other VISN cumulative DOS, mean	2.59	0.64	3.67	4.29	71.01	1.47	0.52	1.52	1.18	1.54	0.21	8.81
SD	<i>16.21</i>	<i>6.80</i>	<i>11.34</i>	<i>16.04</i>	<i>73.91</i>	<i>7.26</i>	<i>3.95</i>	<i>6.58</i>	<i>4.98</i>	<i>8.32</i>	<i>2.65</i>	<i>15.33</i>
Other station cumulative DOS, mean	5.21	6.80	4.19	4.29	71.35	2.38	1.27	3.31	6.06	4.54	2.19	8.90
SD	<i>18.91</i>	<i>15.15</i>	<i>11.62</i>	<i>16.04</i>	<i>73.64</i>	<i>8.12</i>	<i>5.31</i>	<i>10.34</i>	<i>14.85</i>	<i>11.66</i>	<i>7.96</i>	<i>15.27</i>

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
<u>Domiciliary and Vocational</u> (reported for those with some dom/voc care)												
Patients with some dom/voc care, %	3.4%	1.8%	5.2%	5.3%	5.0%	6.0%	3.1%	2.1%	0.5%	2.4%	7.3%	0.1%
Number stays, mean	1.18	1.28	1.34	1.24	1.15	1.15	1.18	1.14	1.06	1.21	1.18	1.00
SD	0.46	0.53	0.60	0.51	0.42	0.39	0.46	0.38	0.24	0.59	0.44	0.00
Average LOS, mean	81.66	98.43	80.22	53.23	41.16	115.42	37.99	67.23	81.88	119.85	47.94	19.38
SD	91.28	92.15	58.72	47.97	47.17	114.32	44.54	73.91	70.57	117.41	62.74	15.43
Cumulative DOS, mean	91.62	122.98	100.66	65.04	47.13	126.29	43.07	72.60	85.57	132.70	54.04	19.38
SD	96.70	108.90	67.74	60.83	53.35	118.71	47.40	75.85	73.39	120.12	66.17	15.43
Cumulative Days of Stay, %												
1 to 7	7.5%	6.4%	4.6%	10.4%	9.2%	5.2%	14.5%	7.4%	9.8%	6.2%	9.0%	12.5%
8 to 14	6.7%	6.4%	4.0%	5.8%	10.8%	4.3%	9.4%	11.1%	6.1%	5.2%	10.3%	37.5%
15 to 44	30.6%	16.5%	16.9%	35.2%	51.1%	18.5%	43.5%	29.1%	19.5%	19.2%	45.6%	37.5%
45 to 89	20.1%	18.1%	26.2%	21.1%	12.7%	25.5%	21.2%	23.8%	24.4%	18.7%	19.8%	12.5%
90 to 179	19.7%	29.3%	32.1%	21.9%	12.4%	21.8%	9.4%	20.5%	28.0%	20.2%	10.6%	0.0%
180 to 359	9.9%	16.5%	16.2%	5.4%	3.9%	12.3%	1.2%	6.6%	12.2%	19.2%	2.2%	0.0%
360+	5.4%	6.9%	0.0%	0.2%	0.0%	12.3%	0.8%	1.6%	0.0%	11.4%	2.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	29.4%	43.6%	39.7%	20.9%	12.9%	39.4%	7.8%	22.1%	34.1%	46.1%	11.7%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	213.34	218.60	170.48	161.30	166.19	245.34	161.40	183.74	168.57	235.04	197.59	0.00
SD	92.21	95.96	41.24	52.18	42.98	104.65	76.55	82.13	59.12	99.02	94.66	0.00
Dom. patients with 150+ day Dom. stay, %	17.7%	22.3%	20.5%	7.5%	6.5%	24.9%	2.7%	11.9%	17.1%	29.0%	5.6%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	265.68	290.60	195.97	200.28	194.35	310.28	230.86	237.52	209.71	296.04	269.09	0.00
SD	80.74	74.45	32.69	49.17	35.11	70.78	93.81	77.43	58.39	70.83	88.61	0.00
Other VISN cumulative DOS, mean	4.78	0.96	6.29	3.63	1.26	2.45	1.55	1.93	4.78	4.12	1.30	19.38
SD	23.10	5.05	15.85	16.24	8.90	10.78	9.07	9.65	17.97	13.15	8.78	15.43
Other station cumulative DOS, mean	7.16	9.16	6.29	8.62	6.43	6.92	1.79	3.20	4.95	4.36	2.67	19.38
SD	25.16	24.93	15.85	19.84	13.97	21.68	9.28	12.00	17.99	13.23	11.50	15.43

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	All Patients	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
<u>Domiciliary and Vocational</u> (reported for those with some dom/voc care)		196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
Patients with some dom/voc care, %		3.4%	6.6%	7.4%	7.5%	2.9%	1.6%	6.8%	1.7%	0.2%	6.8%	0.8%	3.4%
Number stays, mean		1.18	1.16	1.16	1.36	1.40	1.12	1.15	1.04	1.00	1.14	1.07	1.04
SD		0.46	0.44	0.44	0.77	0.60	0.35	0.39	0.19	0.00	0.39	0.25	0.19
Average LOS, mean		81.66	108.74	74.38	31.15	71.77	57.15	123.46	82.59	25.27	140.12	56.15	95.69
SD		91.28	104.29	84.36	28.53	55.55	65.97	121.69	80.79	27.11	125.28	59.94	79.86
Cumulative DOS, mean		91.62	117.91	81.51	40.69	104.26	63.77	132.80	86.08	25.27	152.42	57.93	98.53
SD		96.70	107.25	87.04	40.28	90.80	71.76	121.95	83.87	27.11	129.04	59.90	82.11
Cumulative Days of Stay, %													
1 to 7		7.5%	6.3%	4.3%	10.5%	3.9%	10.2%	6.0%	9.4%	36.4%	3.2%	14.9%	7.4%
8 to 14		6.7%	4.0%	6.9%	11.4%	6.7%	8.6%	3.9%	6.3%	9.1%	3.3%	9.5%	4.4%
15 to 44		30.6%	24.3%	31.9%	49.3%	24.4%	45.5%	19.2%	25.0%	36.4%	23.0%	24.3%	21.3%
45 to 89		20.1%	17.2%	28.7%	19.2%	16.1%	11.9%	23.1%	19.5%	9.1%	17.0%	29.7%	22.5%
90 to 179		19.7%	24.1%	18.1%	9.1%	31.9%	16.0%	18.3%	30.5%	9.1%	18.8%	16.2%	27.0%
180 to 359		9.9%	16.5%	4.6%	0.5%	12.2%	6.6%	14.6%	6.3%	0.0%	17.2%	5.4%	16.4%
360+		5.4%	7.6%	5.5%	0.0%	4.7%	1.2%	14.8%	3.1%	0.0%	17.4%	0.0%	1.0%
Total		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %		29.4%	43.1%	21.6%	4.6%	33.1%	20.9%	40.9%	32.8%	0.0%	50.6%	16.2%	39.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean		213.34	217.96	207.24	161.10	200.11	181.22	253.88	177.64	0.00	258.14	166.67	183.57
SD		92.21	88.85	107.96	58.76	81.50	71.71	99.17	85.65	0.00	97.52	64.28	64.17
Dom. patients with 150+ day Dom. stay, %		17.7%	29.5%	9.5%	1.4%	18.9%	10.7%	30.4%	14.1%	0.0%	38.3%	6.8%	23.8%
Cumul. DOS, patients with a 150+ day Dom. stay, mean		265.68	257.71	309.36	175.00	244.48	232.54	296.08	247.72	0.00	296.40	229.00	219.31
SD		80.74	78.40	76.78	1.00	79.28	67.03	77.41	85.90	0.00	77.83	51.52	56.70
Other VISN cumulative DOS, mean		4.78	0.69	1.16	1.15	75.53	2.70	0.60	1.50	25.27	1.58	9.14	0.34
SD		23.10	6.65	6.40	9.89	77.57	13.57	5.13	6.65	27.11	10.96	22.60	3.38
Other station cumulative DOS, mean		7.16	5.65	2.45	1.15	75.54	3.69	2.05	2.71	25.27	4.08	9.81	0.94
SD		25.16	16.23	9.81	9.89	77.56	14.37	10.25	8.87	27.11	18.00	22.74	6.98

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
<u>Nursing Home Care</u>												
(reported for those with some nursing home care)												
Patients with some nursing home care, %	4.4%	4.1%	6.2%	4.4%	6.3%	4.7%	4.2%	2.6%	2.8%	3.8%	6.4%	4.6%
Number stays, mean	1.24	1.24	1.36	1.18	1.21	1.17	1.17	1.14	1.26	1.32	1.19	1.16
SD	0.60	0.59	0.71	0.46	0.52	0.43	0.42	0.39	0.53	0.67	0.51	0.39
Average LOS, mean	99.20	142.69	79.93	165.75	110.08	84.47	114.98	122.54	88.43	59.45	96.00	115.72
SD	115.20	140.22	105.40	140.14	120.50	109.88	126.38	121.79	103.13	76.22	111.06	124.59
Cumulative DOS, mean	111.73	157.64	96.40	182.33	119.85	93.04	125.87	133.98	102.36	77.25	105.42	124.29
SD	121.02	143.35	115.81	142.60	123.29	113.58	130.48	127.52	110.69	100.78	114.74	126.39
Cumulative Days of Stay, %												
1 to 7	7.6%	9.1%	9.2%	5.1%	7.6%	8.1%	5.4%	5.9%	8.4%	8.7%	9.9%	10.5%
8 to 14	10.6%	6.3%	10.1%	7.0%	9.8%	14.0%	13.1%	13.7%	13.3%	14.6%	6.7%	12.0%
15 to 44	26.9%	21.8%	34.2%	13.1%	23.7%	31.8%	26.3%	15.7%	22.9%	35.6%	27.8%	19.9%
45 to 89	16.9%	11.6%	15.7%	14.5%	16.0%	17.1%	13.7%	18.0%	17.0%	18.4%	18.4%	12.8%
90 to 179	13.7%	10.9%	11.2%	14.5%	16.9%	10.1%	12.9%	14.1%	17.8%	10.4%	15.3%	14.0%
180 to 359	12.8%	16.8%	11.2%	17.5%	14.2%	8.9%	13.1%	18.6%	13.7%	4.9%	12.1%	17.1%
360+	11.5%	23.6%	8.4%	28.4%	11.9%	10.1%	15.4%	14.1%	7.0%	7.4%	9.7%	13.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.5%	47.2%	27.2%	56.2%	39.4%	26.7%	38.3%	42.5%	30.3%	18.8%	33.4%	41.6%
Cumul. DOS, patients with a 100+ day NH stay, mean	259.10	293.32	264.64	291.30	248.13	254.29	270.27	261.64	245.72	258.97	241.70	251.61
SD	96.00	87.14	92.45	90.51	100.25	103.40	96.29	92.88	91.35	102.87	99.02	97.01
NH patients with 150+ day NH stay, %	25.8%	40.6%	21.0%	49.2%	27.6%	20.2%	31.1%	34.6%	23.0%	13.3%	22.9%	33.2%
Cumul. DOS, patients with a 150+ day NH stay, mean	295.59	316.41	297.75	314.06	298.45	298.92	300.82	288.43	280.58	309.24	291.68	283.28
SD	76.01	67.92	74.43	70.99	72.89	77.17	78.32	79.20	74.63	76.54	76.13	81.27
Other VISN cumulative DOS, mean	4.82	0.01	0.04	0.31	0.05	0.50	0.12	0.41	0.32	0.77	0.37	0.21
SD	31.94	0.24	0.69	4.17	0.98	4.31	2.30	4.07	3.63	7.11	4.23	3.26
Other station cumulative DOS, mean	5.59	0.30	0.04	1.95	1.08	2.17	0.95	1.08	0.98	0.77	2.04	0.67
SD	32.50	2.81	0.69	12.59	8.47	16.84	9.12	6.93	7.82	7.11	9.38	6.35

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	All Patients	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Nursing Home Care (reported for those with some nursing home care)		196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
Patients with some nursing home care, %		4.4%	6.3%	7.2%	7.1%	5.0%	2.8%	4.0%	5.5%	3.6%	3.7%	4.9%	4.4%
Number stays, mean		1.24	1.19	1.24	1.16	1.36	1.30	1.18	1.29	1.13	1.22	1.50	1.26
SD		0.60	0.47	0.52	0.53	0.67	0.72	0.45	0.60	0.39	0.52	1.22	0.56
Average LOS, mean		99.20	130.90	86.74	142.18	62.12	81.36	84.96	43.64	125.45	63.42	88.41	91.61
SD		115.20	129.33	122.10	133.58	66.92	106.10	92.82	60.71	118.90	89.42	106.33	100.47
Cumulative DOS, mean		111.73	143.53	95.14	151.38	84.46	90.54	95.53	52.41	133.53	70.84	107.55	106.95
SD		121.02	133.34	123.89	133.74	98.12	107.83	99.50	66.53	122.57	92.95	116.89	108.91
Cumulative Days of Stay, %													
1 to 7		7.6%	4.7%	10.0%	4.8%	7.2%	6.9%	7.0%	7.3%	5.6%	9.7%	10.1%	4.8%
8 to 14		10.6%	6.2%	13.8%	7.2%	11.7%	14.0%	8.6%	16.6%	7.1%	14.3%	10.1%	7.7%
15 to 44		26.9%	25.3%	36.2%	19.1%	32.2%	29.9%	27.5%	42.7%	22.8%	37.0%	25.3%	26.3%
45 to 89		16.9%	15.9%	12.4%	15.3%	18.7%	18.1%	21.4%	19.3%	16.8%	17.5%	17.8%	24.4%
90 to 179		13.7%	12.3%	7.6%	20.1%	14.6%	15.0%	18.0%	8.0%	17.8%	10.1%	13.1%	14.1%
180 to 359		12.8%	17.6%	6.5%	13.9%	10.6%	7.6%	12.8%	4.6%	16.8%	6.2%	16.6%	14.9%
360+		11.5%	18.0%	13.5%	19.6%	5.0%	8.6%	4.6%	1.5%	13.2%	5.2%	7.0%	7.7%
Total		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %		33.5%	44.8%	25.0%	46.9%	22.5%	24.2%	30.9%	10.0%	46.7%	17.9%	32.8%	30.9%
Cumul. DOS, patients with a 100+ day NH stay, mean		259.10	272.86	289.87	270.51	238.99	252.10	217.17	217.12	244.13	241.53	250.01	246.32
SD		96.00	91.60	93.37	99.49	90.74	100.69	92.39	85.37	92.28	96.58	92.93	89.26
NH patients with 150+ day NH stay, %		25.8%	37.2%	21.2%	36.4%	15.5%	18.1%	18.7%	6.1%	36.0%	13.6%	23.0%	24.8%
Cumul. DOS, patients with a 150+ day NH stay, mean		295.59	301.62	316.97	311.00	280.64	294.70	275.00	254.92	276.48	277.95	290.92	272.28
SD		76.01	71.21	72.69	72.95	74.66	79.11	72.54	85.62	79.83	80.45	74.43	79.40
Other VISN cumulative DOS, mean		4.82	0.00	0.08	0.29	52.63	0.24	1.04	0.50	83.73	0.51	0.33	0.20
SD		31.94	0.00	1.52	3.30	85.96	2.67	11.93	6.58	125.67	3.62	4.32	2.39
Other station cumulative DOS, mean		5.59	1.73	1.09	0.29	52.27	0.75	1.66	1.16	82.64	1.64	1.73	0.68
SD		32.50	11.70	9.23	3.30	85.60	5.74	14.00	8.25	124.57	8.75	11.20	5.11

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
<u>Outpatient utilization</u>												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	98.9%	98.3%	98.7%	97.9%	98.5%	98.5%	98.6%	99.1%	99.6%	99.0%	98.9%	97.7%
annual visit days, mean	26.25	37.05	36.60	31.95	22.40	33.24	19.73	24.05	21.48	18.57	29.36	22.83
SD	35.90	50.20	44.84	43.97	31.60	44.24	27.07	32.39	24.73	25.72	36.05	33.73
Outpatient visit days, %												
1-12	42.8%	34.9%	32.1%	38.6%	46.8%	37.2%	50.6%	44.7%	42.7%	50.9%	35.8%	51.4%
13-24	26.3%	24.0%	25.2%	24.5%	27.8%	24.1%	26.8%	26.8%	30.5%	28.7%	26.7%	23.9%
25-36	12.1%	13.1%	13.3%	12.8%	11.2%	13.0%	10.9%	11.8%	12.8%	11.1%	14.0%	9.3%
37-48	6.1%	7.3%	7.9%	6.6%	4.9%	7.2%	4.7%	5.9%	5.8%	3.8%	7.6%	4.9%
49+	12.7%	20.7%	21.5%	17.4%	9.3%	18.5%	7.0%	10.8%	8.2%	5.6%	15.9%	10.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	73.1%	73.0%	80.3%	66.3%	68.1%	70.8%	70.1%	71.4%	79.9%	71.6%	72.2%	73.7%
Mean PC visit days, among those with some PC	3.69	3.56	3.75	2.98	3.57	4.18	3.73	3.81	4.22	3.18	3.91	3.21
SD	3.29	3.25	3.67	2.45	3.00	4.07	3.51	3.56	3.29	2.59	3.48	2.58
Average number clinic stops per visit day, mean	1.51	1.41	1.43	1.41	1.46	1.54	1.56	1.53	1.48	1.58	1.45	1.49
SD	0.49	0.42	0.40	0.42	0.43	0.45	0.51	0.48	0.44	0.52	0.42	0.48
annual clinic stops (psych & non-psych), mean	40.78	55.06	56.26	47.55	32.92	52.97	30.93	38.86	32.59	29.20	44.91	35.83
SD	63.07	83.84	80.34	74.75	47.95	77.29	45.30	62.41	42.57	43.10	59.76	59.84
annual non-psych. clinic stops, mean	20.65	23.41	22.88	21.95	17.45	26.70	18.67	19.77	20.83	18.55	17.81	18.74
SD	28.23	33.88	29.04	29.59	24.75	36.66	24.57	25.58	22.99	24.47	20.46	30.72
annual psych. clinic stops (groupings below), mean	20.13	31.65	33.39	25.60	15.47	26.26	12.26	19.09	11.76	10.65	27.10	17.08
SD	47.94	67.12	66.41	58.38	34.60	55.08	31.64	45.45	29.63	31.66	50.69	42.78
1. general psych. clinic stops, mean	8.16	10.80	9.35	7.36	7.57	8.57	6.05	8.82	6.10	5.60	10.82	5.96
SD	15.48	19.91	12.81	9.80	10.56	15.33	9.17	13.45	10.39	8.50	16.48	10.82
2. psych. case management clinic stops, mean	1.37	4.28	3.22	1.67	1.15	1.20	0.60	1.51	0.44	0.66	2.29	1.89
SD	12.78	29.17	17.11	9.22	8.32	9.94	4.18	13.28	5.93	7.22	13.48	12.94
3. psych. day treatment clinic stops, mean	3.64	5.97	11.22	4.54	1.53	4.42	1.91	2.95	1.77	2.08	3.45	5.38
SD	24.77	28.41	46.04	28.26	13.68	20.59	20.09	25.99	14.89	20.94	21.26	31.92

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

	All Patients	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Outpatient utilization		196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
(reported for those with some outpatient care)													
Patients with some outpatient care, %		98.9%	98.4%	98.7%	98.0%	99.1%	99.5%	99.0%	99.6%	99.1%	99.4%	99.2%	99.4%
annual visit days, mean		26.25	34.05	26.67	28.92	25.07	20.43	26.62	21.79	25.32	28.85	27.81	28.88
SD		35.90	46.40	34.38	42.02	38.32	27.93	37.39	21.82	28.14	33.63	37.09	39.73
Outpatient visit days, %													
1-12		42.8%	39.8%	45.0%	42.7%	47.7%	50.1%	43.1%	40.7%	39.8%	37.8%	39.9%	40.2%
13-24		26.3%	22.5%	22.2%	24.6%	26.0%	27.3%	26.9%	28.4%	25.4%	24.8%	25.3%	25.8%
25-36		12.1%	11.5%	10.9%	12.3%	10.5%	10.1%	11.9%	15.1%	14.2%	12.8%	13.8%	12.7%
37-48		6.1%	6.3%	6.7%	6.0%	4.6%	4.5%	5.4%	7.2%	7.8%	8.2%	6.6%	6.7%
49+		12.7%	19.9%	15.2%	14.4%	11.3%	8.0%	12.8%	8.7%	12.9%	16.4%	14.4%	14.6%
Total		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Pts. with some OP primary care , %		73.1%	71.2%	58.5%	81.1%	75.2%	73.0%	78.9%	77.2%	77.4%	70.7%	75.5%	71.0%
OP visit days with primary care clinic stops, mean		3.69	3.91	3.11	3.45	3.20	3.04	4.07	3.96	3.74	3.75	4.11	4.21
SD		3.29	3.62	2.64	2.89	2.93	2.29	3.64	3.14	3.39	3.24	4.10	3.82
Average number clinic stops per visit day, mean		1.51	1.61	1.87	1.72	1.53	1.52	1.66	1.51	1.43	1.44	1.38	1.46
SD		0.49	0.57	0.74	0.60	0.52	0.47	0.67	0.46	0.41	0.39	0.48	0.46
annual clinic stops (psych & non-psych), mean		40.78	58.73	54.32	54.37	40.28	31.12	42.86	34.08	36.82	41.89	38.61	43.56
SD		63.07	91.20	83.18	100.11	68.11	46.08	61.33	43.78	44.90	51.59	55.43	71.41
annual non-psych. clinic stops, mean		20.65	23.80	22.64	24.55	19.97	17.62	27.60	20.60	18.69	19.48	18.36	22.15
SD		28.23	29.28	37.75	40.24	30.72	21.80	40.21	22.31	21.19	24.18	23.53	33.49
annual psych. clinic stops (groupings below), mean		20.13	34.93	31.67	29.82	20.31	13.49	15.26	13.48	18.13	22.41	20.25	21.42
SD		47.94	75.38	64.28	77.94	49.90	32.87	35.80	34.51	34.87	41.24	45.62	49.80
1. general psych. clinic stops, mean		8.16	10.42	14.71	10.83	10.08	5.61	6.65	8.47	8.36	7.91	9.57	8.44
SD		15.48	20.22	30.91	20.97	27.88	8.70	14.76	15.33	17.32	12.69	16.61	15.40
2. psych. case management clinic stops, mean		1.37	4.37	0.94	1.02	0.04	0.61	0.92	0.21	2.63	1.98	0.26	0.14
SD		12.78	31.40	7.07	8.41	0.99	5.90	8.64	2.07	13.52	13.81	4.32	2.43
3. psych. day treatment clinic stops, mean		3.64	5.30	5.45	8.28	2.38	2.59	1.95	1.42	2.26	3.35	3.51	6.36
SD		24.77	31.62	29.21	39.19	20.53	20.81	15.23	23.86	10.32	18.69	18.93	36.04

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

All Patients	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
4. substance abuse clinic stops, mean	3.77	3.95	4.81	5.45	3.43	7.37	1.64	2.15	2.27	1.54	7.10	2.28
SD	20.42	17.21	16.66	28.29	22.94	32.79	9.47	10.32	15.83	9.41	25.85	14.03
5. psych. vocational clinic stops, mean	2.03	4.87	3.16	4.90	1.09	3.26	1.48	2.48	0.55	0.35	2.07	0.85
SD	17.01	26.16	21.45	27.54	10.03	21.74	14.53	18.55	7.78	5.36	16.14	10.50
6. PTSD clinic stops, mean	0.64	0.87	0.92	0.99	0.35	0.78	0.25	0.95	0.20	0.19	0.79	0.41
SD	5.33	5.69	6.28	6.85	2.68	5.57	2.45	7.19	2.21	2.60	7.33	4.15
7. psych. homeless clinic stops, mean	0.49	0.90	0.53	0.67	0.34	0.66	0.29	0.21	0.27	0.21	0.58	0.31
SD	3.62	6.93	3.63	4.79	1.93	3.46	2.33	1.55	2.22	1.38	3.48	2.00
Other VISN OP visit days, mean	0.41	0.25	0.66	0.46	0.32	0.49	0.36	0.36	0.27	0.47	0.43	0.25
SD	2.63	2.04	3.99	3.49	2.19	2.90	2.32	2.46	1.85	2.64	3.02	1.52
Other station OP visit days, mean	1.53	1.62	0.66	1.35	1.23	1.26	0.91	1.09	0.54	0.63	1.30	1.04
SD	7.59	6.50	3.99	5.73	4.16	5.72	3.28	4.23	2.59	3.04	5.05	3.35

Table 3B: FY01 All Patients, Utilization, by VISN (continued)

All Patients	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
	196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
4. substance abuse clinic stops, mean	3.77	9.36	5.90	3.49	3.95	2.48	2.86	1.55	2.71	5.55	5.06	3.06
SD	20.42	40.60	21.60	22.83	16.53	14.90	12.81	7.53	13.81	20.49	31.05	18.88
5. psych. vocational clinic stops, mean	2.03	3.75	3.12	5.34	3.06	0.86	2.00	0.94	1.05	1.61	0.66	1.83
SD	17.01	23.60	20.39	43.12	20.58	9.47	16.02	9.32	11.88	12.17	8.13	15.28
6. PTSD clinic stops, mean	0.64	0.75	1.07	0.74	0.70	0.72	0.41	0.55	0.69	1.13	0.53	0.81
SD	5.33	6.43	8.19	7.68	5.32	6.13	3.20	3.69	4.76	5.69	4.45	6.25
7. psych. homeless clinic stops, mean	0.49	0.95	0.48	0.11	0.11	0.60	0.45	0.31	0.40	0.86	0.64	0.77
SD	3.62	7.31	4.37	1.10	0.99	3.93	2.72	1.93	2.73	4.10	4.05	3.29
Other VISN OP visit days, mean	0.41	0.46	0.64	0.44	0.42	0.37	0.52	0.50	0.46	0.59	0.39	0.38
SD	2.63	3.17	3.72	2.69	3.13	2.15	2.88	2.47	2.27	3.44	2.25	2.26
Other station OP visit days, mean	1.53	2.20	1.48	0.44	10.11	0.74	0.89	0.96	3.48	1.22	1.07	0.85
SD	7.59	7.40	5.19	2.69	26.89	3.06	4.10	3.51	11.61	4.64	3.82	3.39