

Table 3A: FY01 Patient w/ Psychosis, Utilization, by Diagnosis Grouping

Entire Population	All	Schizophrenia	Bipolar	Other
	196675	98739	65556	32380
<u>Hospital Based Utilization</u>				
Pts. with some Hospital Based Utilization, %	29.9%	28.8%	28.6%	36.2%
<u>Hospital based utilization: Overall</u>				
(psych & non-psych- for those with some hosp.util.)				
Inpatient stays, mean	1.88	1.88	1.88	1.88
SD	1.51	1.51	1.55	1.44
Average LOS, mean	16.16	21.07	11.60	11.58
SD	38.17	49.42	23.12	20.77
Cumu. DOS, mean	26.71	33.51	20.40	20.30
SD	48.76	60.66	33.57	31.74
Cumu. DOS, %				
1 to 7	35.9%	32.0%	40.7%	37.5%
8 to 14	21.3%	20.4%	21.4%	23.2%
15 to 44	28.9%	29.8%	27.5%	29.0%
45 to 89	8.3%	9.7%	6.9%	7.2%
90 to 179	3.4%	4.5%	2.6%	2.2%
180 to 359	1.4%	2.1%	0.7%	0.7%
360+	0.8%	1.5%	0.2%	0.1%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. pts. with a 100+ day Hosp. stay, %	3.4%	5.1%	1.8%	1.6%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	235.84	250.15	196.53	196.16
SD	96.02	96.02	97.64	80.33
Hosp. pts. with a 150+ day hosp. stay, %	2.1%	3.3%	0.9%	0.9%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	289.98	302.91	249.46	239.25
SD	76.99	73.34	73.39	71.57
Cumu. DOS at Other VISNs	1.18	1.21	1.40	0.75
SD	8.17	9.09	8.26	5.10
Cumu. DOS at Other Stations	2.55	2.74	2.80	1.71
SD	10.44	11.76	10.02	7.13

Table 3A: FY01 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)

Entire Population	All	Schizophrenia	Bipolar	Other
	196675	98739	65556	32380
<u>Hospital based utilization: Non-Psych</u> (non-psych- for those with some hosp.based util.)				
Pts. with non-psych hospital stays, %	14.5%	12.3%	12.7%	24.7%
Inpatient stays, mean	0.80	0.69	0.71	1.23
SD	1.18	1.11	1.11	1.37
Average LOS, mean	10.28	11.07	8.97	10.42
SD	22.79	25.33	21.42	19.85
Cumu. Days of Stay, mean	7.76	7.17	6.01	11.97
SD	22.19	22.75	19.12	24.74
Cumu. Days of Stay, %				
0	51.6%	57.2%	55.5%	31.8%
1 to 7	25.7%	22.9%	27.2%	30.0%
8 to 14	8.9%	7.6%	7.2%	15.1%
15 to 44	10.1%	8.9%	7.4%	17.4%
45 to 89	2.4%	2.2%	1.7%	4.1%
90 to 179	1.0%	0.9%	0.8%	1.3%
180 to 359	0.3%	0.3%	0.2%	0.4%
360+	0.0%	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.8%	0.8%	0.7%	0.9%
Non-psy DOS, pts w/ 100+ day non-psych hosp stay, mean	183.72	191.99	169.60	183.74
SD	78.10	86.32	67.63	69.74
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.4%	0.4%	0.3%	0.5%
Non-psy DOS, pts w/ 150+ day non-psych hosp stay, mean	238.47	258.13	219.76	221.52
SD	73.53	76.90	66.92	64.88
Other VISN cumu. DOS, mean	0.29	0.22	0.33	0.40
SD	3.35	2.80	3.87	3.66
Other station cumu. DOS, mean	0.71	0.65	0.70	0.87
SD	4.71	4.59	4.76	4.88

Table 3A: FY01 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)

Entire Population	All	Schizophrenia	Bipolar	Other
	196675	98739	65556	32380
<u>Hospital based utilization: Psychiatric</u> (psych- for those with some hosp.based util.)				
Pts. with psych hospital stays, %	18.7%	19.4%	19.7%	14.8%
Inpatient stays, mean	1.08	1.19	1.18	0.65
SD	1.37	1.42	1.39	1.12
Average LOS, mean	20.29	26.61	13.28	13.89
SD	45.41	57.66	24.75	24.08
Cumu. Days of Stay, mean	18.95	26.34	14.39	8.33
SD	45.45	58.28	28.98	22.85
Cumu. Days of Stay, %				
0	37.3%	32.5%	31.1%	59.1%
1 to 7	18.7%	16.6%	24.4%	14.5%
8 to 14	14.6%	15.0%	16.7%	10.5%
15 to 44	19.7%	22.1%	20.9%	12.0%
45 to 89	5.5%	7.2%	4.8%	2.8%
90 to 179	2.3%	3.5%	1.5%	0.8%
180 to 359	1.1%	1.8%	0.5%	0.3%
360+	0.7%	1.4%	0.1%	0.1%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	2.6%	4.4%	1.1%	0.6%
Psych DOS, pts w/ 100+ day psych hosp stay, mean	245.27	254.85	204.81	202.42
SD	97.46	97.91	83.77	85.19
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.7%	2.9%	0.6%	0.4%
Psych DOS, pts w/ 150+ day psych hosp stay, mean	297.34	304.90	257.85	254.00
SD	75.48	73.13	74.65	77.60
Other VISN cumu. DOS, mean	0.89	0.99	1.07	0.35
SD	7.32	8.54	7.12	3.41
Other station cumu. DOS, mean	1.86	2.11	2.11	0.84
SD	9.24	10.79	8.65	5.08

Table 3A: FY01 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)

Entire Population	All	Schizophrenia	Bipolar	Other
	196675	98739	65556	32380
Other 24 hour institutional care				
Pts. with some other 24 hour institutional care, %	9.1%	8.1%	9.0%	12.4%
<u>Residential Rehabilitation</u>				
(reported for those with some res rehab care)				
Pts. with some residential rehab. care, %	1.7%	1.4%	2.4%	1.2%
Number stays, mean	1.11	1.12	1.11	1.13
SD	0.35	0.35	0.33	0.38
Average LOS, mean	37.81	46.63	32.63	28.50
SD	49.08	65.90	31.95	30.74
Cumu. DOS, mean	41.45	50.55	36.05	32.03
SD	51.97	68.30	36.05	33.99
Cumu. Days of Stay, %				
1 to 7	10.8%	11.3%	10.3%	11.1%
8 to 14	11.7%	11.4%	10.6%	17.4%
15 to 44	52.6%	47.2%	56.8%	54.4%
45 to 89	16.3%	17.2%	16.6%	12.2%
90 to 179	5.8%	7.6%	4.6%	4.1%
180 to 359	1.8%	3.3%	0.8%	0.8%
360+	0.9%	1.9%	0.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.0%	9.9%	3.4%	3.1%
Cumul. DOS, pts. with a 100+ day R.R. stay, mean	204.14	221.19	170.85	166.33
SD	93.15	96.74	76.51	72.31
Res Rehab pts. with 150+ day Res Rehab stay, %	3.1%	6.2%	0.9%	1.3%
Cumul. DOS, pts. with a 150+ day R.R. stay, mean	268.66	273.44	257.53	221.80
SD	83.76	83.38	84.91	86.51
Other VISN cumu. DOS, mean	2.59	2.79	2.78	1.11
SD	16.21	18.11	16.18	6.12
Other station cumu. DOS, mean	5.21	4.65	5.86	4.53
SD	18.91	19.94	19.21	12.97

Table 3A: FY01 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)

Entire Population	All	Schizophrenia	Bipolar	Other
	196675	98739	65556	32380
<u>Domiciliary and Vocational</u>				
(reported for those with some dom/voc care)				
Pts. with some dom/voc care, %	3.4%	2.7%	5.0%	2.3%
Number stays, mean	1.18	1.15	1.21	1.16
SD	0.46	0.41	0.49	0.43
Average LOS, mean	81.66	92.16	75.30	71.94
SD	91.28	108.50	76.91	77.18
Cumu. DOS, mean	91.62	100.35	87.01	80.56
SD	96.70	112.16	84.60	83.26
Cumu. Days of Stay, %				
1 to 7	7.5%	8.8%	6.6%	6.9%
8 to 14	6.7%	6.2%	7.1%	6.7%
15 to 44	30.6%	31.4%	28.8%	35.3%
45 to 89	20.1%	19.2%	21.2%	18.8%
90 to 179	19.7%	15.3%	23.1%	20.7%
180 to 359	9.9%	9.3%	10.7%	8.7%
360+	5.4%	9.8%	2.5%	2.8%
Total	100.0%	100.0%	100.0%	100.0%
Dom. pts. with 100+ day Dom. stay, %	29.4%	30.0%	29.1%	28.6%
Cumul. DOS, pts. with a 100+ day Dom. stay, mean	213.34	244.96	192.39	188.20
SD	92.21	100.69	78.99	78.74
Dom. pts. with 150+ day Dom. stay, %	17.7%	21.3%	15.5%	14.8%
Cumul. DOS, pts. with a 150+ day Dom. stay, mean	265.68	291.60	242.33	239.75
SD	80.74	80.33	73.43	74.14
Other VISN cumu. DOS, mean	4.78	3.73	5.85	3.80
SD	23.10	21.72	24.68	20.40
Other station cumu. DOS, mean	7.16	6.26	8.22	5.72
SD	25.16	24.17	26.59	21.80

Table 3A: FY01 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)

Entire Population	All	Schizophrenia	Bipolar	Other
	196675	98739	65556	32380
<u>Nursing Home Care</u>				
(reported for those with some nursing home care)				
Pts. with some nursing home care, %	4.4%	4.4%	2.2%	9.2%
Number stays, mean	1.24	1.20	1.22	1.32
SD	0.60	0.53	0.55	0.69
Average LOS, mean	99.20	131.74	90.92	56.09
SD	115.20	130.33	108.94	71.76
Cumu. DOS, mean	111.73	145.06	103.55	67.41
SD	121.02	134.71	116.47	80.65
Cumu. Days of Stay, %				
1 to 7	7.6%	6.0%	8.8%	9.4%
8 to 14	10.6%	8.5%	9.3%	14.3%
15 to 44	26.9%	21.7%	29.7%	33.3%
45 to 89	16.9%	14.3%	17.8%	20.3%
90 to 179	13.7%	14.4%	12.7%	13.0%
180 to 359	12.8%	16.4%	12.4%	7.8%
360+	11.5%	18.7%	9.4%	2.0%
Total	100.0%	100.0%	100.0%	100.0%
NH pts. with 100+ day NH stay, %	33.5%	45.5%	30.8%	17.4%
Cumul. DOS, pts. with a 100+ day NH stay, mean	259.10	272.47	254.31	212.68
SD	96.00	94.52	95.88	86.51
NH pts. with 150+ day NH stay, %	25.8%	37.5%	22.6%	10.5%
Cumul. DOS, pts. with a 150+ day NH stay, mean	295.59	302.27	295.35	261.44
SD	76.01	74.79	74.93	74.39
Other VISN cumu. DOS, mean	4.82	6.50	3.65	2.96
SD	31.94	39.69	25.32	19.80
Other station cumu. DOS, mean	5.59	7.37	4.66	3.46
SD	32.50	40.18	26.23	20.46

Table 3A: FY01 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)

Entire Population	All	Schizophrenia	Bipolar	Other
	196675	98739	65556	32380
<u>Outpatient utilization</u>				
(reported for those with some outpatient care)				
Pts. with some outpatient care, %	98.9%	98.3%	99.5%	99.5%
annual visit days, mean	26.25	28.52	25.30	21.31
SD	35.90	40.34	31.91	27.85
Outpatient visit days, %				
1-12	42.8%	42.3%	41.8%	46.5%
13-24	26.3%	25.6%	26.7%	27.5%
25-36	12.1%	11.9%	12.6%	12.1%
37-48	6.1%	5.9%	6.6%	5.5%
49+	12.7%	14.4%	12.4%	8.3%
Total	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	73.1%	69.4%	75.5%	79.7%
Mean PC visit days, among those with some PC	3.69	3.58	3.72	3.93
SD	3.29	3.23	3.29	3.39
Average number clinic stops per visit day, mean	1.51	1.46	1.54	1.58
SD	0.49	0.47	0.49	0.55
annual clinic stops (psych & non-psych), mean	40.78	43.50	40.19	33.75
SD	63.07	70.66	57.43	47.09
annual non-psych. clinic stops, mean	20.65	19.82	20.66	23.10
SD	28.23	30.46	25.34	26.61
annual psych. clinic stops (specific groupings below), mean	20.13	23.67	19.53	10.65
SD	47.94	54.01	43.20	34.34
1. general psych. clinic stops, mean	8.16	9.49	8.17	4.11
SD	15.48	17.78	13.67	9.72
2. psych. case management clinic stops, mean	1.37	2.25	0.64	0.20
SD	12.78	16.06	9.52	4.52
3. psych. day treatment clinic stops, mean	3.64	5.65	1.96	1.00
SD	24.77	31.13	17.21	12.62
4. substance abuse clinic stops, mean	3.77	3.09	4.99	3.35
SD	20.42	18.95	21.56	22.13
5. psych. vocational clinic stops, mean	2.03	2.26	2.27	0.83
SD	17.01	18.84	16.88	9.94
6. PTSD clinic stops, mean	0.64	0.47	0.87	0.72
SD	5.33	4.73	5.92	5.73
7. psych. homeless clinic stops, mean	0.49	0.45	0.61	0.38
SD	3.62	3.34	4.15	3.23
Other VISN OP visit days, mean	0.41	0.33	0.54	0.37
SD	2.63	2.29	3.18	2.37
Other station OP visit days, mean	1.53	1.40	1.85	1.28
SD	7.59	8.12	7.67	5.46

