

**Table 2A: FY02 Patient w/ Psychosis, Patient Characteristics, by Diagnosis Grouping**

	All	Schizophrenia	Bipolar	Other
Entire Population	205620	95875	70345	39400
<u>Registry Pts. History of VA Utilization</u>				
Years since first use in prior five years, mean	4.1	4.5	3.8	3.6
SD	1.6	1.2	1.7	1.9
Yrs with 24-hour institutional use / yrs since 1st use, %	26.4%	28.0%	25.7%	23.0%
SD	30.2%	31.3%	29.5%	27.8%
Years with OP use / Years since first use, %	94.7%	95.2%	94.2%	94.1%
SD	15.3%	15.1%	15.2%	15.7%
<u>Psychosis Diagnoses in Prior Fiscal Year</u>				
Had Psychosis Diagnosis in FY01, %	66.0%	81.4%	63.2%	33.4%
<i>Among Patients With Psychoses in FY01</i>				
Psychosis Category: Schizophrenia, %	57.3%	94.5%	4.9%	13.5%
Psychosis Category: Bipolar Disorder, %	32.9%	3.0%	93.7%	4.9%
Psychosis Category: Other Psychosis, %	9.8%	2.5%	1.4%	81.6%
Total	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>				
Lowest inpatient GAF score, mean	37.13	35.63	39.27	36.76
SD	13.70	13.48	13.64	13.88
Mean outpatient GAF score	50.30	48.72	53.15	48.26
SD	11.03	10.61	10.80	11.56
At least 1 IP GAF, among pts with MH bedsections, %	39.4%	40.4%	38.6%	37.9%
At least 1 OP GAF, among pts with MH clinic stops, %	83.8%	85.1%	83.9%	79.3%
<u>Mortality rates</u>				
died in FY02, %	2.9%	2.6%	1.5%	6.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.37	1.61	1.08	1.33
<u>Service Connection (SC)</u>				
Non-SC	50.5%	41.2%	56.6%	62.2%
SC 0 - 29%	8.8%	7.0%	10.2%	10.6%
SC 30 - 69%	11.0%	9.0%	13.6%	11.3%
SC 70 - 99%	6.9%	6.3%	8.0%	6.1%
SC 100%	22.9%	36.6%	11.6%	9.8%
Total	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>				
Complex*	18.2%	22.8%	12.9%	16.4%
Basic vested, Cat A*	76.4%	74.6%	79.7%	75.0%
Basic Non-vested, Cat A*	1.0%	1.1%	0.9%	0.8%
Basic, Cats C and N	4.4%	1.6%	6.5%	7.8%
Total	100.0%	100.0%	100.0%	100.0%
* Funded				

**Table 2A: FY02 Patient w/ Psychosis, Patient Characteristics, by Diagnosis Grouping, continued**

		All	Schizophrenia	Bipolar	Other
Entire Population		205620	95875	70345	39400
<u>Patient eligibility category, %</u>					
Cat A (SC or low income)		95.3%	98.3%	93.3%	91.6%
Cat C (NSC and higher income)		4.1%	1.3%	5.7%	7.9%
Non-Veteran		0.6%	0.4%	0.9%	0.6%
Total		100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups, %</u>					
BASIC	1. Non-reliant Care	0.2%	0.2%	0.2%	0.2%
	2. Basic Medical	14.6%	12.2%	13.6%	22.4%
	3. Mental Health	37.6%	39.1%	41.2%	27.2%
	4. Heart / Lung / GI	6.9%	5.4%	6.5%	11.1%
	5. Oncology / Infectious Disease	3.7%	3.5%	3.9%	3.7%
COMPLEX	6. Multiple Medical	18.9%	16.8%	21.7%	19.0%
	7. Specialized Care	2.6%	2.0%	2.3%	4.9%
	8. Support Care	2.9%	2.4%	2.1%	5.4%
	9. Chronic Mental	10.6%	16.2%	7.5%	2.8%
	10. Critically Ill	2.0%	2.3%	1.0%	3.2%
Total		100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>					
Any dx of alcohol / drug dependence or abuse, %		25.4%	23.7%	31.6%	18.7%
<u>Homelessness</u>					
Homelessness indicated in FY02, %		12.4%	12.4%	14.7%	8.3%
<u>Residence in Metropolitan Area</u>					
Residing in a Metropolitan Statistical Area, %		79.7%	81.4%	79.2%	76.4%
<u>Distance</u>					
Mile from closest VA Medical Center, mean		31.27	28.19	33.60	34.61
SD		65.43	54.85	73.01	73.86
Distance from closest VA Medical Center, %					
0 to 15 miles		50.1%	53.5%	47.1%	47.1%
15 to 30 miles		15.9%	15.4%	16.9%	15.3%
30 to 45 miles		10.4%	9.8%	10.9%	11.0%
45 to 60 miles		7.9%	7.3%	8.2%	8.7%
60 plus miles		15.7%	13.9%	16.8%	17.9%
Total		100.0%	100.0%	100.0%	100.0%
Miles from closest VA Service Site, mean		10.72	9.94	11.19	11.76
SD		13.41	12.68	13.97	13.98
Distance to closest VA Service Site, %					
0 to 15 miles		76.9%	78.7%	76.1%	73.7%
15 to 30 miles		14.9%	14.1%	15.1%	16.3%
30 to 45 miles		5.8%	5.1%	6.0%	6.8%
45 plus miles		2.5%	2.0%	2.8%	3.1%
Total		100.0%	100.0%	100.0%	100.0%



**Table 2B: FY02 All Patients, Patient Characteristics, by VISN**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	205620	10790	5931	9794	11380	5647	8761	11950	19212	8802	9189	8926
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior five years, mean	4.08	4.26	4.12	4.26	4.13	4.09	4.01	4.06	4.09	4.06	4.01	4.07
SD	1.58	1.46	1.53	1.43	1.55	1.58	1.63	1.58	1.56	1.59	1.63	1.61
Yrs with 24-hour institutional use / yrs since 1st use, %	26.4%	25.5%	26.3%	27.1%	26.9%	31.3%	29.5%	26.4%	20.5%	28.6%	29.2%	27.9%
SD	30.2%	30.8%	30.2%	32.1%	31.0%	32.2%	31.4%	29.9%	26.9%	30.5%	31.2%	31.8%
Years with OP use / Years since first use, %	94.7%	95.4%	95.2%	93.5%	94.7%	93.4%	94.0%	94.4%	95.9%	95.2%	94.4%	93.4%
SD	15.3%	14.6%	14.3%	18.0%	15.3%	17.3%	16.6%	15.5%	12.9%	14.5%	15.7%	17.6%
<u>Psychosis Diagnoses in Prior Fiscal Year</u>												
Had Psychosis Diagnosis in FY01, %	66.0%	68.4%	66.4%	70.1%	70.0%	64.4%	65.1%	64.0%	65.7%	62.5%	67.5%	70.5%
<i>Among Patients With Psychoses in FY01</i>												
Psychosis Category: Schizophrenia, %	57.3%	54.9%	57.0%	67.3%	64.5%	61.9%	57.7%	63.8%	59.8%	53.6%	61.3%	64.0%
Psychosis Category: Bipolar Disorder, %	32.9%	37.3%	37.2%	24.7%	30.1%	28.7%	31.5%	27.0%	29.4%	33.6%	32.1%	29.8%
Psychosis Category: Other Psychosis, %	9.8%	7.8%	5.9%	8.0%	5.4%	9.4%	10.7%	9.2%	10.7%	12.7%	6.6%	6.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	37.13	31.49	40.62	37.37	41.25	36.20	39.14	38.18	35.75	37.59	39.57	42.01
SD	13.70	12.71	10.44	12.07	10.14	12.69	11.59	13.44	13.37	13.81	11.04	15.98
Mean outpatient GAF score	50.30	48.00	49.49	51.46	50.82	49.44	51.00	51.00	52.14	50.40	50.84	53.76
SD	11.03	11.34	9.68	9.89	10.50	10.06	11.24	9.47	10.68	11.21	11.57	10.72
At least 1 IP GAF, among pts with MH bedsections, %	39.4%	45.7%	61.1%	44.8%	34.1%	51.5%	29.1%	36.0%	29.3%	36.1%	44.2%	31.7%
At least 1 OP GAF, among pts with MH clinic stops, %	83.8%	85.7%	91.5%	86.4%	82.8%	75.0%	88.2%	91.2%	78.8%	85.1%	78.6%	88.2%
<u>Mortality rates</u>												
died in FY02, %	2.9%	2.9%	2.7%	2.6%	3.2%	3.0%	3.4%	2.8%	2.7%	4.4%	2.9%	2.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.37	1.29	1.24	1.06	1.50	1.42	1.59	1.48	1.09	1.84	1.47	1.45

**Table 2B: FY02 All Patients, Patient Characteristics, by VISN**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
All Patients	205620	8832	9353	16099	8940	8000	5657	8613	8839	12757	8148
<u>Registry Pts. History of VA Utilization</u>											
Years since first use in prior ten years, mean	4.08	4.14	4.05	4.04	3.98	4.01	3.98	4.13	4.06	3.96	4.16
SD	1.58	1.56	1.63	1.61	1.66	1.62	1.60	1.50	1.59	1.67	1.54
Yrs with 24-hour institutional use / yrs since 1st use, %	26.4%	30.9%	27.9%	25.4%	29.2%	26.0%	25.8%	27.3%	22.8%	23.1%	28.3%
SD	30.2%	32.4%	30.8%	28.8%	31.7%	29.0%	29.5%	30.1%	28.0%	27.9%	30.1%
Years with OP use / Years since first use, %	94.7%	93.9%	95.7%	94.9%	94.1%	95.6%	94.4%	95.2%	94.8%	93.6%	95.1%
SD	15.3%	16.7%	13.5%	14.4%	16.0%	13.0%	14.9%	14.0%	14.8%	16.4%	15.3%
<u>Psychosis Diagnoses in Prior Fiscal Year</u>											
Had Psychosis Diagnosis in FY01, %	66.0%	64.4%	66.3%	65.1%	63.5%	61.0%	64.9%	67.9%	66.4%	62.7%	67.8%
<i>Among Patients With Psychoses in FY01</i>											
Psychosis Category: Schizophrenia, %	57.3%	54.3%	51.9%	59.0%	51.8%	45.7%	46.7%	47.3%	57.2%	55.8%	53.1%
Psychosis Category: Bipolar Disorder, %	32.9%	36.7%	35.6%	26.7%	34.9%	42.4%	44.1%	42.5%	31.8%	33.6%	39.1%
Psychosis Category: Other Psychosis, %	9.8%	9.0%	12.5%	14.3%	13.2%	11.9%	9.2%	10.2%	11.0%	10.7%	7.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>											
Lowest inpatient GAF score, mean	37.13	37.28	44.53	33.51	39.94	40.59	37.55	31.36	33.62	35.82	36.32
SD	13.70	11.75	14.21	16.42	13.34	12.55	11.36	15.94	15.76	12.66	13.08
Mean outpatient GAF score	50.30	48.76	52.27	50.76	48.80	50.11	46.73	46.80	50.29	47.12	52.52
SD	11.03	11.88	11.14	11.18	10.53	11.28	10.42	10.60	10.52	12.25	11.52
At least 1 IP GAF, among pts with MH bedsections, %	39.4%	58.3%	19.8%	53.0%	45.8%	29.1%	35.4%	44.6%	25.8%	27.6%	51.0%
At least 1 OP GAF, among pts with MH clinic stops, %	83.8%	86.7%	81.3%	96.0%	86.6%	84.3%	84.2%	75.8%	85.2%	67.0%	83.8%
<u>Mortality rates</u>											
died in FY 01, %	2.9%	2.6%	3.6%	2.9%	3.3%	3.7%	2.5%	2.5%	2.2%	2.2%	2.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.37	1.29	1.59	1.37	1.45	1.62	1.32	1.48	1.16	1.14	1.37

**Table 2B: FY02 All Patients, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	205620	10790	5931	9794	11380	5647	8761	11950	19212	8802	9189	8926
<u>Service Connection (SC)</u>												
Non-SC	50.5%	47.4%	54.0%	48.2%	51.0%	51.8%	44.1%	46.8%	43.1%	51.5%	56.2%	54.6%
SC 0 - 29%	8.8%	7.8%	8.6%	8.8%	8.6%	8.1%	8.6%	9.6%	8.7%	8.5%	9.3%	8.5%
SC 30 - 69%	11.0%	10.5%	10.0%	10.7%	10.8%	10.3%	13.2%	13.1%	11.7%	11.3%	11.1%	10.6%
SC 70 - 99%	6.9%	8.8%	7.6%	6.5%	6.8%	5.8%	8.2%	7.8%	7.7%	5.7%	4.6%	5.2%
SC 100%	22.9%	25.5%	19.8%	25.9%	22.8%	24.0%	25.9%	22.7%	28.8%	23.0%	18.8%	21.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>												
Complex*	18.2%	21.7%	23.8%	25.4%	19.3%	24.1%	16.4%	16.1%	11.6%	15.7%	23.5%	18.1%
Basic vested, Cat A*	76.4%	72.5%	70.5%	68.4%	75.7%	70.9%	79.0%	79.4%	83.2%	79.2%	71.6%	75.2%
Basic Non-vested, Cat A*	1.0%	0.8%	0.9%	1.0%	0.8%	1.2%	1.0%	0.6%	0.7%	0.9%	0.6%	2.2%
Basic, Cats C and N	4.4%	5.0%	4.8%	5.2%	4.3%	3.8%	3.5%	3.9%	4.5%	4.1%	4.4%	4.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category. %</u>												
Cat A (SC or low income)	95.3%	94.8%	94.8%	94.3%	95.5%	95.9%	96.3%	95.9%	95.4%	95.6%	95.4%	95.2%
Cat C (NSC and higher income)	4.1%	4.2%	4.4%	5.2%	4.0%	3.5%	3.4%	3.8%	4.0%	3.6%	4.3%	4.5%
Non-Veteran	0.6%	0.9%	0.9%	0.6%	0.5%	0.6%	0.3%	0.2%	0.7%	0.8%	0.3%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups. %</u>												
BASIC												
1. Non-reliant Care	0.2%	0.2%	0.1%	0.2%	0.3%	0.4%	0.4%	0.1%	0.2%	0.2%	0.1%	0.2%
2. Basic Medical	14.6%	11.1%	12.8%	12.7%	12.9%	12.5%	17.1%	15.9%	15.8%	17.8%	10.3%	14.2%
3. Mental Health	37.6%	36.8%	36.9%	33.9%	39.4%	31.0%	36.8%	38.6%	37.8%	36.5%	39.1%	41.5%
4. Heart / Lung / GI	6.9%	5.4%	6.1%	5.5%	7.0%	6.2%	8.3%	7.0%	7.9%	9.2%	6.1%	6.5%
5. Oncology / Infectious Disease	3.7%	3.3%	3.1%	4.3%	4.3%	3.9%	3.6%	3.9%	3.8%	3.1%	2.9%	3.4%
6. Multiple Medical	18.9%	21.5%	17.2%	18.1%	16.9%	22.0%	17.3%	18.4%	22.8%	17.4%	18.0%	16.1%
COMPLEX												
7. Specialized Care	2.6%	3.0%	3.9%	3.4%	2.2%	3.4%	2.3%	2.8%	3.0%	2.2%	2.8%	1.8%
8. Support Care	2.9%	2.7%	2.8%	2.3%	2.0%	3.9%	2.2%	2.4%	2.9%	3.5%	3.1%	1.9%
9. Chronic Mental	10.6%	13.9%	14.8%	16.4%	12.1%	14.8%	9.5%	9.3%	4.3%	8.0%	14.4%	12.2%
10. Critically Ill	2.0%	2.1%	2.2%	3.4%	3.0%	1.9%	2.4%	1.6%	1.4%	2.1%	3.1%	2.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2B: FY02 All Patients, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
All Patients	205620	8832	9353	16099	8940	8000	5657	8613	8839	12757	8148
<u>Service Connection (SC)</u>											
Non-SC	50.5%	58.0%	58.6%	49.6%	48.0%	50.0%	49.4%	47.7%	50.1%	56.7%	52.9%
SC 0 - 29%	8.8%	8.5%	8.6%	8.9%	9.9%	9.3%	9.1%	8.9%	7.9%	8.9%	8.6%
SC 30 - 69%	11.0%	9.9%	8.9%	10.9%	12.2%	10.4%	11.6%	10.8%	10.7%	10.2%	10.5%
SC 70 - 99%	6.9%	5.6%	5.2%	6.6%	7.6%	8.8%	6.6%	9.2%	7.0%	5.4%	6.8%
SC 100%	22.9%	17.9%	18.7%	23.9%	22.2%	21.5%	23.4%	23.4%	24.3%	18.8%	21.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>											
Complex*	18.2%	25.8%	16.7%	14.6%	20.5%	12.8%	17.6%	17.5%	16.1%	16.5%	21.2%
Basic vested, Cat A*	76.4%	67.8%	75.8%	80.7%	74.6%	81.4%	76.0%	79.2%	79.6%	77.1%	72.5%
Basic Non-vested, Cat A*	1.0%	1.1%	1.0%	0.8%	0.8%	0.5%	1.1%	0.7%	1.2%	2.0%	0.8%
Basic, Cats C and N	4.4%	5.3%	6.5%	3.9%	4.0%	5.3%	5.4%	2.6%	3.2%	4.3%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded											
<u>Patient eligibility category. %</u>											
Cat A (SC or low income)	95.3%	94.3%	93.2%	95.9%	95.7%	94.5%	94.4%	97.3%	96.6%	95.5%	94.1%
Cat C (NSC and higher income)	4.1%	5.1%	5.5%	3.5%	3.3%	4.4%	5.0%	2.6%	2.6%	3.7%	5.4%
Non-Veteran	0.6%	0.5%	1.3%	0.5%	1.0%	1.2%	0.6%	0.2%	0.8%	0.7%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups. %</u>											
BASIC											
1. Non-reliant Care	0.2%	0.4%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.5%	0.1%	0.1%
2. Basic Medical	14.6%	12.2%	17.5%	17.4%	16.4%	17.2%	15.3%	12.3%	13.2%	14.8%	14.3%
3. Mental Health	37.6%	34.5%	37.3%	38.5%	34.7%	36.9%	37.7%	37.8%	41.2%	39.3%	37.7%
4. Heart / Lung / GI	6.9%	5.7%	8.0%	8.1%	6.8%	8.5%	6.6%	5.6%	5.8%	5.5%	7.0%
5. Oncology / Infectious Disease	3.7%	2.8%	3.0%	4.1%	3.3%	4.3%	3.4%	4.3%	4.7%	4.2%	2.4%
6. Multiple Medical	18.9%	18.7%	17.4%	17.2%	18.2%	20.3%	19.3%	22.3%	18.5%	19.6%	17.4%
COMPLEX											
7. Specialized Care	2.6%	2.9%	2.2%	1.8%	2.2%	3.0%	2.5%	2.4%	3.0%	2.3%	3.0%
8. Support Care	2.9%	4.4%	3.2%	2.4%	4.3%	3.3%	2.4%	3.2%	2.2%	3.1%	2.9%
9. Chronic Mental	10.6%	15.7%	9.4%	9.0%	11.8%	5.0%	11.6%	11.0%	8.9%	9.7%	12.2%
10. Critically Ill	2.0%	2.9%	1.8%	1.4%	2.2%	1.5%	1.1%	0.9%	2.0%	1.4%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2B: FY02 All Patients, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	205620	10790	5931	9794	11380	5647	8761	11950	19212	8802	9189	8926
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	25.4%	29.3%	29.6%	27.0%	24.1%	30.4%	21.6%	22.8%	19.1%	20.2%	28.0%	23.4%
<u>Homelessness</u>												
Homelessness indicated in FY02, %	12.4%	13.6%	11.6%	18.5%	11.5%	16.7%	9.3%	9.8%	6.9%	7.4%	13.2%	10.8%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	79.7%	83.1%	77.4%	98.4%	86.0%	90.6%	71.0%	72.2%	88.1%	65.1%	80.1%	74.8%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	31.27	19.21	22.57	10.31	17.12	13.41	27.53	32.65	35.30	35.01	23.79	31.24
SD	65.43	22.41	23.67	10.86	16.46	17.36	23.28	28.21	31.76	31.26	19.91	30.50
Distance from closest VA Medical Center, %												
0 to 15 miles	50.1%	54.4%	47.2%	78.6%	56.4%	74.8%	38.5%	39.7%	38.4%	41.2%	45.2%	44.4%
15 to 30 miles	15.9%	23.9%	23.9%	14.1%	22.0%	14.2%	21.7%	13.8%	19.4%	12.3%	16.5%	13.2%
30 to 45 miles	10.4%	14.0%	14.9%	6.0%	14.1%	3.5%	17.3%	13.2%	8.4%	12.3%	23.0%	13.7%
45 to 60 miles	7.9%	4.4%	7.0%	1.1%	4.9%	3.7%	13.8%	14.8%	7.6%	8.8%	10.8%	12.6%
60 plus miles	15.7%	3.2%	7.1%	0.2%	2.6%	3.8%	8.7%	18.5%	26.1%	25.4%	4.5%	16.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.72	7.45	7.73	4.15	7.61	6.92	16.38	15.22	8.90	15.37	8.41	12.23
SD	13.41	7.79	7.38	4.27	7.00	6.71	13.81	14.37	8.36	13.35	8.16	11.55
Distance to closest VA Service Site, %												
0 to 15 miles	76.9%	87.6%	81.9%	96.6%	86.0%	86.7%	55.0%	61.5%	82.3%	59.6%	82.0%	69.8%
15 to 30 miles	14.9%	10.6%	17.1%	3.4%	12.5%	12.4%	29.8%	21.2%	15.1%	24.5%	15.0%	19.9%
30 to 45 miles	5.8%	1.5%	1.0%	0.0%	1.5%	0.8%	10.8%	12.7%	1.8%	13.1%	2.9%	8.7%
45 plus miles	2.5%	0.3%	0.0%	0.0%	0.0%	0.1%	4.3%	4.7%	0.9%	2.8%	0.0%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2B: FY02 All Patients, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
All Patients	205620	8832	9353	16099	8940	8000	5657	8613	8839	12757	8148
<u>Substance Dependence and Abuse</u>											
Any dx of alcohol / drug dependence or abuse, %	25.4%	31.3%	23.9%	23.7%	23.3%	25.6%	26.0%	30.4%	29.0%	28.3%	29.5%
<u>Homelessness</u>											
Homelessness indicated in FY02, %	12.4%	13.1%	11.4%	9.7%	13.8%	12.0%	10.8%	17.7%	15.6%	21.7%	10.4%
<u>Residence in Metropolitan Area</u>											
Residing in a Metropolitan Statistical Area, %	79.7%	82.7%	65.3%	72.7%	81.4%	77.7%	71.2%	75.2%	88.7%	99.4%	56.4%
<u>Distance</u>											
Mile from Closest VA Medical Center, mean	31.27	21.63	27.55	40.24	37.66	44.77	48.14	79.83	31.16	17.92	42.48
<i>SD</i>	65.43	26.00	34.81	35.67	48.05	63.98	57.23	267.39	44.47	25.86	47.23
Distance from closest VA Medical Center, %											
0 to 15 miles	50.1%	59.5%	54.3%	38.5%	42.7%	56.3%	48.1%	51.5%	53.8%	66.9%	42.2%
15 to 30 miles	15.9%	16.6%	11.9%	9.9%	17.1%	11.1%	5.3%	12.1%	16.2%	20.8%	11.9%
30 to 45 miles	10.4%	7.5%	7.4%	10.2%	13.3%	3.1%	7.0%	7.4%	11.0%	3.6%	6.6%
45 to 60 miles	7.9%	7.1%	10.3%	11.0%	7.0%	3.4%	5.9%	9.0%	6.0%	2.9%	11.2%
60 plus miles	15.7%	9.3%	16.0%	30.4%	19.9%	26.1%	33.6%	20.1%	12.9%	5.8%	28.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.72	7.99	11.27	16.84	10.03	9.92	12.03	14.38	8.34	5.75	16.84
<i>SD</i>	13.41	9.33	12.24	15.47	10.36	12.54	16.84	32.02	10.64	6.87	18.35
Distance to closest VA Service Site, %											
0 to 15 miles	76.9%	85.5%	72.0%	58.0%	75.8%	84.2%	78.1%	74.6%	86.0%	94.8%	60.9%
15 to 30 miles	14.9%	9.6%	18.5%	20.4%	18.1%	8.2%	10.2%	13.5%	10.4%	3.7%	16.7%
30 to 45 miles	5.8%	4.3%	7.7%	14.1%	5.1%	3.8%	5.6%	5.3%	2.3%	1.1%	14.0%
45 plus miles	2.5%	0.6%	1.8%	7.5%	1.1%	3.9%	6.1%	6.6%	1.2%	0.4%	8.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2C: FY02 Patients w/ Schizophrenia, Patient Characteristics, by VISN**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior five years, mean	4.5	4.6	4.5	4.5	4.5	4.4	4.4	4.4	4.5	4.5	4.4	4.4
SD	1.2	1.1	1.2	1.2	1.2	1.3	1.3	1.3	1.2	1.1	1.3	1.3
Yrs with 24-hour institutional use / yrs since 1st use, %	28.0%	27.4%	26.6%	29.1%	28.2%	33.1%	32.4%	29.1%	20.2%	31.0%	32.3%	30.0%
SD	31.3%	31.9%	30.5%	33.4%	31.7%	33.0%	32.9%	31.2%	26.8%	31.7%	32.2%	33.1%
Years with OP use / Years since first use, %	95.2%	95.3%	95.8%	93.5%	95.5%	93.6%	94.0%	94.8%	96.8%	95.6%	95.4%	93.4%
SD	15.1%	15.7%	13.7%	18.9%	14.9%	17.5%	16.9%	15.4%	11.5%	14.8%	14.8%	18.2%
<u>Psychosis Diagnoses in Prior Fiscal Year</u>												
Had Psychosis Diagnosis in FY01, %	81.4%	82.9%	83.1%	80.5%	83.5%	77.2%	80.9%	78.5%	79.9%	84.4%	83.7%	83.1%
<i>Among Patients With Psychoses in FY01</i>												
Psychosis Category: Schizophrenia, %	94.5%	93.1%	93.6%	95.1%	95.7%	93.2%	94.8%	94.4%	95.1%	94.8%	96.2%	96.0%
Psychosis Category: Bipolar Disorder, %	3.0%	4.7%	4.1%	2.5%	3.0%	4.1%	2.8%	2.7%	2.4%	2.3%	2.5%	2.5%
Psychosis Category: Other Psychosis, %	2.5%	2.1%	2.3%	2.4%	1.3%	2.7%	2.4%	2.9%	2.4%	2.9%	1.3%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	35.63	29.60	37.06	36.33	39.40	35.27	38.00	37.26	34.43	37.53	38.06	41.00
SD	13.48	11.84	11.06	11.70	9.87	12.90	10.91	13.02	13.06	14.03	10.88	15.93
Mean outpatient GAF score	48.72	45.65	46.53	49.97	49.35	48.15	48.63	49.55	51.00	49.24	48.80	52.71
SD	10.61	11.26	9.03	9.28	10.27	9.69	11.18	9.08	10.43	10.54	11.27	10.53
At least 1 IP GAF, among pts with MH bedsections, %	40.4%	47.3%	57.8%	46.1%	36.8%	54.2%	30.8%	37.5%	28.7%	36.2%	45.1%	34.3%
At least 1 OP GAF, among pts with MH clinic stops, %	85.1%	86.4%	93.1%	88.1%	84.4%	77.3%	90.3%	91.3%	77.5%	88.5%	78.7%	88.7%
<u>Mortality rates</u>												
died in FY02, %	2.6%	3.1%	2.8%	2.6%	3.1%	2.9%	3.1%	2.4%	2.3%	3.7%	2.9%	2.4%
Age-and-gender-adjusted Standardized Mortality Ratio	1.61	1.64	1.41	1.28	1.66	1.82	2.01	1.62	1.27	2.18	1.95	1.60

**Table 2C: FY02 Patients w/ Schizophrenia, Patient Characteristics, by VISN**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Schizophrenia	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Registry Pts. History of VA Utilization</u>											
Years since first use in prior ten years, mean	4.5	4.4	4.5	4.4	4.5	4.4	4.4	4.5	4.4	4.4	4.5
SD	1.2	1.3	1.2	1.3	1.3	1.3	1.3	1.2	1.3	1.3	1.2
Yrs with 24-hour institutional use / yrs since 1st use, %	28.0%	31.4%	29.4%	27.7%	32.0%	26.7%	28.3%	28.4%	23.5%	25.4%	29.2%
SD	31.3%	33.4%	31.9%	30.3%	32.9%	29.7%	31.1%	30.8%	28.6%	29.3%	31.0%
Years with OP use / Years since first use, %	95.2%	94.0%	96.3%	95.8%	94.9%	96.2%	95.6%	96.1%	95.6%	94.5%	94.9%
SD	15.1%	17.2%	13.0%	13.3%	15.5%	12.1%	13.5%	13.0%	13.8%	15.6%	16.8%
<u>Psychosis Diagnoses in Prior Fiscal Year</u>											
Had Psychosis Diagnosis in FY01, %	81.4%	79.7%	85.2%	81.8%	81.5%	79.7%	84.2%	83.2%	80.2%	77.5%	83.2%
<i>Among Patients With Psychoses in FY01</i>											
Psychosis Category: Schizophrenia, %	94.5%	93.5%	94.9%	95.0%	94.0%	91.9%	94.5%	93.1%	93.9%	93.1%	95.3%
Psychosis Category: Bipolar Disorder, %	3.0%	4.3%	2.6%	1.9%	3.2%	5.1%	3.6%	3.6%	2.7%	3.4%	2.2%
Psychosis Category: Other Psychosis, %	2.5%	2.2%	2.5%	3.1%	2.8%	3.1%	1.9%	3.2%	3.5%	3.4%	2.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>											
Lowest inpatient GAF score, mean	35.63	36.18	40.49	32.64	38.21	37.77	35.60	29.66	29.89	35.06	34.09
SD	13.48	11.50	13.51	16.79	12.99	10.44	11.45	15.80	14.54	11.56	13.49
Mean outpatient GAF score	48.72	47.03	50.98	49.78	46.78	47.94	44.05	44.38	47.88	45.16	50.61
SD	10.61	11.19	10.61	10.88	9.48	10.24	9.61	9.58	10.05	11.04	11.66
At least 1 IP GAF, among pts with MH bedsections, %	40.4%	55.1%	20.2%	54.9%	46.0%	29.2%	37.0%	45.5%	29.5%	29.9%	50.3%
At least 1 OP GAF, among pts with MH clinic stops, %	85.1%	89.2%	83.3%	96.1%	86.1%	86.9%	85.3%	77.7%	85.5%	70.9%	85.4%
<u>Mortality rates</u>											
died in FY 01, %	2.6%	2.5%	2.6%	2.6%	2.4%	2.2%	2.4%	2.2%	2.2%	2.0%	2.4%
Age-adjusted Standardized Mortality Ratio	1.61	1.64	1.79	1.83	1.51	1.47	1.85	1.65	1.46	1.45	1.49

**Table 2C: FY02 Patients w/ Schizophrenia, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
<u>Service Connection (SC)</u>												
Non-SC	41.2%	39.9%	46.0%	39.3%	42.6%	43.7%	33.7%	38.7%	29.4%	40.8%	48.8%	46.3%
SC 0 - 29%	7.0%	5.7%	6.5%	7.2%	6.9%	6.8%	7.0%	7.9%	6.9%	5.6%	7.8%	6.7%
SC 30 - 69%	9.0%	7.5%	8.2%	9.6%	9.5%	8.1%	10.6%	11.7%	9.9%	8.5%	8.5%	9.7%
SC 70 - 99%	6.3%	6.9%	6.9%	6.5%	6.8%	5.4%	7.1%	8.1%	7.8%	4.3%	4.7%	5.5%
SC 100%	36.6%	39.9%	32.3%	37.5%	34.2%	36.0%	41.7%	33.6%	46.1%	40.8%	30.1%	31.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>												
Complex*	22.8%	29.2%	27.9%	30.6%	24.4%	29.3%	21.4%	19.9%	12.0%	19.9%	31.5%	22.6%
Basic vested, Cat A*	74.6%	67.5%	68.8%	66.0%	73.2%	67.8%	76.4%	78.4%	86.2%	77.8%	66.4%	73.1%
Basic Non-vested, Cat A*	1.1%	1.0%	1.0%	1.2%	0.7%	1.4%	1.0%	0.5%	0.9%	1.3%	0.5%	2.5%
Basic, Cats C and N	1.6%	2.3%	2.3%	2.2%	1.6%	1.6%	1.2%	1.2%	0.9%	0.9%	1.6%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	98.3%	97.6%	97.5%	97.3%	98.3%	98.4%	98.7%	98.7%	99.0%	99.0%	98.2%	98.0%
Cat C (NSC and higher income)	1.3%	1.5%	2.2%	2.3%	1.4%	1.1%	1.0%	1.1%	0.6%	0.6%	1.6%	1.7%
Non-Veteran	0.4%	1.0%	0.3%	0.4%	0.3%	0.5%	0.3%	0.2%	0.3%	0.4%	0.3%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups, %</u>												
BASIC												
1. Non-reliant Care	0.2%	0.2%	0.0%	0.2%	0.3%	0.4%	0.4%	0.1%	0.2%	0.2%	0.1%	0.2%
2. Basic Medical	12.2%	9.1%	13.4%	10.5%	10.7%	9.3%	14.7%	13.6%	13.3%	14.9%	7.5%	12.5%
3. Mental Health	39.1%	35.0%	34.7%	34.5%	40.6%	32.4%	38.3%	39.1%	40.5%	41.3%	38.5%	42.6%
4. Heart / Lung / GI	5.4%	4.4%	5.8%	4.4%	5.4%	5.3%	6.9%	5.7%	6.2%	6.7%	4.4%	5.2%
5. Oncology / Infectious Disease	3.5%	3.0%	3.3%	4.0%	3.9%	3.8%	3.3%	4.0%	3.9%	3.3%	2.3%	3.0%
6. Multiple Medical	16.8%	19.1%	14.9%	15.8%	14.8%	19.5%	15.0%	17.6%	23.9%	13.7%	15.8%	13.9%
COMPLEX												
7. Specialized Care	2.0%	2.5%	2.7%	2.6%	2.0%	2.7%	1.9%	2.3%	2.4%	1.5%	2.3%	1.1%
8. Support Care	2.4%	3.1%	1.9%	1.9%	1.6%	3.1%	1.6%	1.6%	2.4%	2.4%	2.8%	1.7%
9. Chronic Mental	16.2%	20.6%	21.0%	21.8%	17.5%	21.4%	15.3%	14.2%	6.0%	13.8%	22.6%	17.5%
10. Critically Ill	2.3%	3.0%	2.4%	4.4%	3.3%	2.2%	2.5%	1.8%	1.3%	2.2%	3.8%	2.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2C: FY02 Patients w/ Schizophrenia, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Schizophrenia	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Service Connection (SC)</u>											
Non-SC	41.2%	49.4%	49.1%	39.7%	37.9%	38.3%	40.8%	41.3%	41.0%	48.2%	46.1%
SC 0 - 29%	7.0%	6.8%	6.9%	7.2%	8.7%	6.6%	6.4%	6.6%	6.4%	7.5%	7.0%
SC 30 - 69%	9.0%	9.9%	6.4%	9.3%	9.0%	8.0%	7.4%	6.3%	7.6%	9.1%	7.8%
SC 70 - 99%	6.3%	5.7%	4.9%	5.9%	6.4%	7.8%	4.5%	7.0%	6.6%	5.1%	5.1%
SC 100%	36.6%	28.1%	32.8%	37.9%	38.1%	39.3%	40.9%	38.8%	38.4%	30.1%	33.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>											
Complex*	22.8%	29.2%	21.1%	19.4%	25.5%	13.5%	25.8%	23.5%	19.1%	22.3%	25.6%
Basic vested, Cat A*	74.6%	67.2%	75.3%	78.6%	72.2%	83.9%	71.2%	74.8%	78.4%	74.9%	71.5%
Basic Non-vested, Cat A*	1.1%	1.6%	1.2%	0.8%	0.9%	0.7%	1.2%	0.6%	1.2%	1.4%	1.1%
Basic, Cats C and N	1.6%	1.9%	2.4%	1.2%	1.4%	1.9%	1.8%	1.1%	1.2%	1.4%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded											
<u>Patient eligibility category. %</u>											
Cat A (SC or low income)	98.3%	97.9%	97.4%	98.7%	98.4%	97.9%	98.1%	98.9%	98.7%	98.5%	97.8%
Cat C (NSC and higher income)	1.3%	1.7%	1.7%	1.0%	0.9%	1.0%	1.3%	1.0%	0.8%	1.0%	1.9%
Non-Veteran	0.4%	0.4%	0.8%	0.3%	0.6%	1.1%	0.6%	0.1%	0.6%	0.5%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups. %</u>											
BASIC											
1. Non-reliant Care	0.2%	0.6%	0.1%	0.1%	0.0%	0.1%	0.0%	0.1%	0.3%	0.1%	0.1%
2. Basic Medical	12.2%	10.0%	14.3%	14.5%	14.3%	15.3%	11.9%	10.5%	11.5%	12.0%	12.5%
3. Mental Health	39.1%	37.1%	41.4%	40.7%	35.8%	42.6%	39.1%	38.9%	44.0%	40.2%	40.1%
4. Heart / Lung / GI	5.4%	4.5%	6.0%	6.3%	5.5%	6.7%	4.8%	4.6%	4.6%	3.9%	5.4%
5. Oncology / Infectious Disease	3.5%	2.5%	2.9%	4.0%	3.1%	4.2%	2.7%	4.1%	4.0%	3.8%	2.1%
6. Multiple Medical	16.8%	16.1%	14.2%	14.9%	15.8%	17.5%	15.7%	18.2%	16.5%	17.7%	14.3%
COMPLEX											
7. Specialized Care	2.0%	1.7%	2.0%	1.4%	1.3%	2.0%	1.6%	1.6%	1.7%	1.7%	2.3%
8. Support Care	2.4%	3.7%	2.3%	1.9%	3.3%	2.2%	2.0%	3.1%	2.2%	3.5%	2.2%
9. Chronic Mental	16.2%	20.2%	15.1%	14.6%	19.0%	8.2%	21.2%	18.0%	13.5%	15.7%	17.6%
10. Critically Ill	2.3%	3.6%	1.7%	1.5%	1.9%	1.1%	1.0%	0.8%	1.8%	1.5%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2C: FY02 Patients w/ Schizophrenia, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	23.7%	25.4%	25.4%	25.5%	21.0%	29.3%	22.1%	23.2%	17.2%	18.8%	26.5%	20.6%
<u>Homelessness</u>												
Homelessness indicated in FY02, %	12.4%	12.5%	9.8%	19.3%	11.6%	17.2%	10.9%	11.1%	5.6%	8.2%	12.5%	10.4%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	81.4%	85.4%	79.9%	98.2%	88.0%	91.7%	71.4%	73.6%	88.3%	66.7%	77.9%	75.5%
<u>Distance</u>												
Mile from closest VA Medical Center, mean	28.19	17.62	20.96	10.38	15.74	11.89	26.46	30.34	32.14	34.46	22.69	28.25
<i>SD</i>	54.85	21.27	22.57	10.89	15.86	15.70	23.46	27.99	30.32	31.75	19.52	29.46
Distance from closest VA Medical Center, %												
0 to 15 miles	53.5%	56.9%	49.7%	77.6%	60.1%	78.0%	41.9%	44.4%	42.9%	42.7%	47.5%	49.9%
15 to 30 miles	15.4%	24.2%	23.4%	15.1%	20.5%	13.0%	19.5%	13.0%	18.9%	12.2%	15.5%	12.8%
30 to 45 miles	9.8%	13.4%	14.9%	6.2%	13.0%	2.9%	16.7%	12.8%	7.4%	11.0%	23.1%	11.6%
45 to 60 miles	7.3%	3.1%	6.4%	0.9%	4.2%	3.3%	13.1%	13.2%	7.5%	8.9%	10.5%	11.5%
60 plus miles	13.9%	2.3%	5.6%	0.2%	2.1%	2.8%	8.8%	16.7%	23.4%	25.4%	3.5%	14.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from closest VA Service Site, mean	9.94	6.75	7.55	4.25	7.08	6.39	15.59	14.22	8.99	15.03	8.02	11.10
<i>SD</i>	12.68	7.20	7.48	4.49	6.72	6.36	13.67	14.01	7.99	13.35	8.33	11.02
Distance to closest VA Service Site, %												
0 to 15 miles	78.7%	89.5%	81.3%	96.1%	88.0%	88.3%	57.5%	64.9%	80.5%	60.4%	81.5%	73.9%
15 to 30 miles	14.1%	9.2%	17.7%	3.8%	10.7%	11.0%	28.5%	19.1%	17.7%	24.4%	15.4%	17.8%
30 to 45 miles	5.1%	1.2%	1.0%	0.1%	1.3%	0.6%	10.3%	12.0%	1.2%	12.4%	3.1%	7.0%
45 plus miles	2.0%	0.1%	0.0%	0.0%	0.0%	0.1%	3.8%	4.0%	0.6%	2.7%	0.0%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2C: FY02 Patients w/ Schizophrenia, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Schizophrenia	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Substance Dependence and Abuse</u>											
Any dx of alcohol / drug dependence or abuse, %	23.7%	27.8%	21.9%	24.1%	22.7%	24.8%	24.4%	28.3%	25.1%	28.3%	25.3%
<u>Homelessness</u>											
Homelessness indicated in FY02, %	12.4%	12.1%	12.7%	10.4%	14.0%	11.3%	10.5%	18.6%	15.7%	21.3%	9.7%
<u>Residence in Metropolitan Area</u>											
Residing in a Metropolitan Statistical Area, %	81.4%	82.5%	68.9%	74.3%	82.8%	79.0%	70.9%	78.7%	91.4%	99.5%	59.4%
<u>Distance</u>											
Mile from Closest VA Medical Center, mean	28.19	20.32	24.51	39.49	35.61	50.21	48.43	63.10	28.12	15.98	39.20
<i>SD</i>	54.85	25.97	29.38	35.88	48.73	69.78	54.83	230.82	42.89	20.54	45.62
Distance from closest VA Medical Center, %											
0 to 15 miles	53.5%	63.0%	59.3%	40.5%	48.3%	54.4%	48.2%	57.7%	57.2%	70.5%	45.7%
15 to 30 miles	15.4%	15.5%	10.9%	8.8%	15.1%	9.7%	4.6%	10.1%	18.1%	19.9%	13.3%
30 to 45 miles	9.8%	6.9%	5.6%	9.7%	12.4%	3.4%	6.7%	6.9%	9.4%	2.8%	4.9%
45 to 60 miles	7.3%	5.8%	10.6%	11.2%	5.5%	3.2%	6.2%	8.8%	4.3%	2.2%	10.6%
60 plus miles	13.9%	8.8%	13.5%	29.9%	18.7%	29.3%	34.4%	16.5%	11.0%	4.6%	25.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.94	7.51	10.23	16.27	9.02	9.43	11.33	12.53	7.47	5.19	15.19
<i>SD</i>	12.68	9.24	11.62	15.42	9.87	12.10	16.19	32.14	8.77	5.98	17.31
Distance to closest VA Service Site, %											
0 to 15 miles	78.7%	86.6%	75.1%	59.9%	79.0%	84.8%	79.4%	79.7%	88.5%	96.4%	64.4%
15 to 30 miles	14.1%	8.8%	17.3%	19.1%	15.9%	7.8%	9.7%	11.5%	9.2%	2.6%	16.7%
30 to 45 miles	5.1%	4.0%	6.1%	13.8%	4.3%	4.1%	5.8%	4.1%	1.6%	0.7%	12.0%
45 plus miles	2.0%	0.7%	1.5%	7.1%	0.8%	3.2%	5.1%	4.7%	0.7%	0.3%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2D: FY02 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior five years, mean	3.84	4.03	3.88	3.99	3.87	3.88	3.75	3.72	3.80	3.79	3.79	3.71
SD	1.69	1.60	1.62	1.59	1.67	1.68	1.75	1.76	1.70	1.72	1.71	1.80
Yrs with 24-hour institutional use / yrs since 1st use, %	25.7%	24.5%	26.8%	25.5%	25.7%	30.5%	28.2%	22.6%	21.6%	28.5%	26.0%	25.1%
SD	29.5%	30.4%	30.3%	30.6%	30.1%	31.9%	30.0%	27.3%	27.5%	30.1%	29.5%	29.9%
Years with OP use / Years since first use, %	94.2%	95.3%	94.6%	93.8%	94.0%	93.4%	93.6%	94.0%	94.8%	95.0%	92.9%	93.3%
SD	15.2%	13.8%	14.5%	16.2%	15.3%	16.2%	16.7%	15.3%	14.2%	13.8%	16.7%	16.6%
<u>Psychosis Diagnoses in Prior Fiscal Year</u>												
Had Psychosis Diagnosis in FY01, %	63.2%	62.9%	61.0%	64.2%	63.6%	61.3%	63.8%	58.7%	61.3%	62.9%	63.0%	65.2%
<i>Among Patients With Psychoses in FY01</i>												
Psychosis Category: Schizophrenia, %	4.9%	5.8%	5.4%	7.5%	6.0%	8.1%	4.2%	5.1%	4.3%	4.3%	5.2%	5.6%
Psychosis Category: Bipolar Disorder, %	93.7%	93.1%	93.0%	91.4%	93.0%	89.8%	93.9%	93.1%	94.3%	94.3%	93.9%	93.0%
Psychosis Category: Other Psychosis, %	1.4%	1.1%	1.6%	1.1%	1.0%	2.1%	1.9%	1.7%	1.4%	1.4%	0.9%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	39.27	34.17	43.52	39.74	44.25	38.38	41.79	41.48	37.33	38.66	41.81	44.34
SD	13.64	13.22	9.17	12.36	10.02	12.50	12.52	13.85	13.68	13.47	11.11	16.70
Mean outpatient GAF score	53.15	51.06	52.83	54.92	53.80	52.37	54.20	54.10	54.81	53.20	54.33	56.19
SD	10.80	10.49	9.10	9.98	10.15	9.78	10.29	9.25	10.19	10.96	10.89	10.36
At least 1 IP GAF, among pts with MH bedsections, %	38.6%	44.2%	63.9%	43.2%	31.2%	45.5%	25.0%	32.6%	30.5%	36.8%	43.9%	29.4%
At least 1 OP GAF, among pts with MH clinic stops, %	83.9%	86.0%	91.7%	85.4%	81.2%	71.4%	88.8%	92.4%	83.1%	82.0%	81.0%	88.8%
<u>Mortality rates</u>												
died in FY02, %	1.5%	1.7%	1.2%	1.5%	1.8%	1.1%	1.3%	1.6%	1.5%	1.8%	1.6%	1.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.08	1.00	0.87	0.83	1.26	0.86	0.99	1.18	0.84	1.42	1.34	0.95

**Table 2D: FY02 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Bipolar Disorder	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
<u>Registry Pts. History of VA Utilization</u>											
Years since first use in prior ten years, mean	3.84	3.96	3.83	3.83	3.73	3.88	3.80	3.97	3.81	3.74	4.00
SD	1.69	1.66	1.74	1.70	1.75	1.66	1.68	1.59	1.71	1.76	1.62
Yrs with 24-hour institutional use / yrs since 1st use, %	25.7%	31.8%	28.5%	24.7%	29.0%	25.4%	24.4%	27.1%	22.2%	21.2%	27.7%
SD	29.5%	32.1%	30.9%	27.8%	31.1%	28.8%	28.4%	29.8%	27.4%	26.6%	29.5%
Years with OP use / Years since first use, %	94.2%	93.5%	95.2%	94.3%	93.8%	95.0%	93.6%	94.5%	94.4%	92.6%	95.4%
SD	15.2%	16.4%	13.7%	14.8%	15.5%	13.9%	15.5%	14.7%	15.0%	17.3%	13.5%
Had Psychosis Diagnosis in FY01, %	63.2%	62.7%	66.8%	64.1%	64.1%	64.6%	61.6%	67.9%	64.1%	57.5%	67.6%
<i>Among Patients With Psychoses in FY01</i>											
Psychosis Category: Schizophrenia, %	4.9%	7.0%	2.5%	4.9%	4.9%	5.4%	3.7%	2.8%	4.3%	4.9%	3.7%
Psychosis Category: Bipolar Disorder, %	93.7%	91.8%	95.9%	93.6%	94.0%	93.3%	95.4%	95.5%	93.6%	93.3%	95.3%
Psychosis Category: Other Psychosis, %	1.4%	1.2%	1.6%	1.5%	1.1%	1.3%	0.9%	1.7%	2.1%	1.8%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>											
Lowest inpatient GAF score, mean	39.27	38.22	48.74	34.54	42.10	41.58	39.58	33.51	37.26	38.10	38.15
SD	13.64	11.65	12.90	16.05	13.57	12.77	11.30	16.28	16.61	13.50	12.08
Mean outpatient GAF score	53.15	51.05	55.01	53.66	52.32	52.63	49.55	49.58	54.10	50.29	55.12
SD	10.80	12.31	10.91	10.94	10.09	11.18	10.32	10.91	10.09	13.18	10.65
At least 1 IP GAF, among pts with MH bedsections, %	38.6%	61.8%	20.7%	51.0%	47.0%	27.0%	34.7%	44.4%	20.5%		53.7%
At least 1 OP GAF, among pts with MH clinic stops, %	83.9%	86.3%	80.3%	96.8%	88.5%	85.6%	84.1%	77.5%	86.0%	63.0%	85.2%
<u>Mortality rates</u>											
died in FY 01, %	1.5%	1.6%	1.8%	1.4%	1.7%	1.3%	1.2%	1.4%	1.4%	1.4%	1.6%
Age-adjusted Standardized Mortality Ratio	1.08	1.10	1.33	1.11	1.41	0.99	1.02	1.20	1.04	1.12	1.06

**Table 2D: FY02 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Service Connection (SC)</u>												
Non-SC	56.6%	52.9%	59.3%	59.4%	58.6%	57.1%	48.8%	52.7%	54.9%	56.9%	60.5%	62.1%
SC 0 - 29%	10.2%	8.8%	10.4%	10.3%	10.6%	9.0%	10.0%	12.2%	10.0%	10.9%	11.2%	10.6%
SC 30 - 69%	13.6%	13.6%	12.1%	13.6%	13.1%	14.3%	17.0%	15.8%	14.8%	14.2%	14.3%	12.6%
SC 70 - 99%	8.0%	11.0%	8.5%	6.7%	7.4%	7.2%	10.5%	8.6%	8.4%	6.6%	5.0%	5.2%
SC 100%	11.6%	13.7%	9.7%	9.9%	10.3%	12.4%	13.7%	10.6%	12.0%	11.4%	9.0%	9.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>												
Complex*	12.9%	14.4%	18.2%	19.0%	12.6%	16.9%	10.4%	9.2%	9.0%	10.9%	14.4%	11.2%
Basic vested, Cat A*	79.7%	78.0%	74.1%	71.0%	80.3%	76.2%	83.8%	83.1%	83.3%	82.3%	79.3%	79.5%
Basic Non-vested, Cat A*	0.9%	0.6%	0.9%	1.0%	0.9%	0.8%	1.0%	0.4%	0.4%	0.5%	0.5%	1.9%
Basic, Cats C and N	6.5%	7.0%	6.8%	8.9%	6.3%	6.1%	4.9%	7.3%	7.3%	6.3%	5.9%	7.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category. %</u>												
Cat A (SC or low income)	93.3%	92.8%	93.0%	90.6%	93.5%	93.8%	94.9%	92.6%	92.6%	93.7%	94.1%	92.3%
Cat C (NSC and higher income)	5.7%	6.2%	5.4%	8.6%	5.7%	5.2%	4.7%	7.1%	6.2%	5.2%	5.5%	7.5%
Non-Veteran	0.9%	1.0%	1.6%	0.8%	0.8%	1.0%	0.4%	0.3%	1.2%	1.2%	0.4%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups. %</u>												
BASIC												
1. Non-reliant Care	0.2%	0.2%	0.3%	0.1%	0.3%	0.4%	0.4%	0.1%	0.1%	0.1%	0.1%	0.2%
2. Basic Medical	13.6%	10.0%	10.3%	11.7%	13.0%	11.6%	15.7%	15.1%	14.7%	16.0%	10.5%	14.2%
3. Mental Health	41.2%	40.8%	43.0%	36.8%	42.1%	35.1%	40.9%	45.1%	40.7%	41.4%	43.1%	44.0%
4. Heart / Lung / GI	6.5%	5.4%	5.5%	5.6%	6.9%	5.0%	7.0%	7.3%	7.9%	8.2%	6.3%	7.5%
5. Oncology / Infectious Disease	3.9%	3.8%	3.4%	4.4%	4.9%	4.7%	4.3%	3.5%	3.9%	3.2%	3.6%	3.8%
6. Multiple Medical	21.7%	25.4%	19.3%	22.3%	20.3%	26.3%	21.4%	19.6%	23.7%	20.3%	21.9%	19.1%
COMPLEX												
7. Specialized Care	2.3%	2.4%	2.9%	3.8%	2.0%	3.2%	1.7%	1.9%	2.4%	1.6%	2.1%	1.8%
8. Support Care	2.1%	1.6%	2.8%	2.5%	2.0%	3.1%	1.7%	1.9%	2.0%	2.2%	2.5%	0.9%
9. Chronic Mental	7.5%	9.6%	11.5%	11.7%	7.1%	9.9%	5.8%	4.7%	3.8%	6.2%	8.2%	7.5%
10. Critically Ill	1.0%	0.9%	1.0%	1.1%	1.5%	0.7%	1.1%	0.6%	0.8%	0.8%	1.6%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2D: FY02 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Bipolar Disorder	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
<u>Service Connection (SC)</u>											
Non-SC	56.6%	63.2%	61.7%	56.9%	52.2%	54.4%	51.9%	50.1%	56.8%	63.4%	55.5%
SC 0 - 29%	10.2%	9.3%	10.5%	10.1%	10.6%	10.8%	10.6%	10.4%	8.9%	9.4%	10.0%
SC 30 - 69%	13.6%	10.3%	11.3%	12.9%	15.6%	11.5%	15.8%	14.5%	13.7%	11.4%	13.5%
SC 70 - 99%	8.0%	6.0%	6.6%	8.0%	8.7%	10.8%	8.0%	11.5%	8.0%	6.1%	8.8%
SC 100%	11.6%	11.2%	9.9%	12.1%	12.8%	12.4%	13.7%	13.5%	12.6%	9.7%	12.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>											
Complex*	12.9%	24.2%	13.8%	9.7%	15.5%	8.5%	11.1%	12.8%	10.1%	10.8%	16.7%
Basic vested, Cat A*	79.7%	68.0%	77.0%	84.1%	77.9%	84.3%	81.0%	83.1%	82.9%	80.0%	75.8%
Basic Non-vested, Cat A*	0.9%	0.6%	1.0%	0.7%	0.7%	0.4%	1.0%	0.6%	1.2%	3.4%	0.7%
Basic, Cats C and N	6.5%	7.2%	8.2%	5.5%	5.9%	6.8%	6.9%	3.5%	5.7%	5.8%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded											
<u>Patient eligibility category, %</u>											
Cat A (SC or low income)	93.3%	92.4%	91.7%	94.3%	94.0%	93.2%	93.0%	96.4%	94.0%	94.0%	93.0%
Cat C (NSC and higher income)	5.7%	6.9%	6.3%	4.8%	4.3%	5.4%	6.2%	3.3%	4.7%	4.9%	6.3%
Non-Veteran	0.9%	0.7%	2.1%	0.9%	1.8%	1.4%	0.8%	0.2%	1.3%	1.1%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups, %</u>											
BASIC											
1. Non-reliant Care	0.2%	0.3%	0.0%	0.2%	0.2%	0.1%	0.2%	0.2%	0.3%	0.1%	0.1%
2. Basic Medical	13.6%	10.8%	15.0%	16.5%	14.8%	16.4%	14.4%	11.5%	13.3%	13.7%	13.8%
3. Mental Health	41.2%	36.2%	39.8%	41.5%	39.4%	41.3%	41.3%	40.8%	43.9%	43.7%	40.4%
4. Heart / Lung / GI	6.5%	5.0%	7.0%	7.7%	5.6%	7.6%	6.8%	5.0%	6.0%	5.4%	6.9%
5. Oncology / Infectious Disease	3.9%	2.7%	2.9%	4.5%	3.6%	4.3%	4.1%	4.4%	5.4%	4.8%	2.0%
6. Multiple Medical	21.7%	20.8%	21.6%	20.0%	21.0%	21.7%	22.1%	25.4%	20.8%	21.5%	20.1%
COMPLEX											
7. Specialized Care	2.3%	3.0%	2.3%	1.5%	1.9%	2.2%	2.4%	2.2%	2.2%	2.5%	2.7%
8. Support Care	2.1%	3.5%	2.6%	1.7%	3.9%	1.6%	1.1%	2.2%	1.0%	2.0%	2.6%
9. Chronic Mental	7.5%	15.6%	8.2%	5.7%	8.3%	4.0%	7.1%	7.8%	5.5%	5.5%	9.8%
10. Critically Ill	1.0%	2.0%	0.7%	0.8%	1.4%	0.8%	0.5%	0.7%	1.5%	0.8%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2D: FY02 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	31.6%	37.2%	38.5%	36.1%	31.1%	37.6%	24.9%	24.9%	25.8%	26.9%	33.8%	29.9%
<u>Homelessness</u>												
Homelessness indicated in FY02, %	14.7%	16.9%	15.4%	21.2%	13.2%	19.8%	9.4%	9.5%	10.4%	9.6%	9.2%	10.0%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	79.2%	84.0%	73.6%	98.4%	83.7%	90.3%	71.8%	69.8%	89.2%	65.4%	81.8%	74.1%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	33.60	19.91	24.85	10.71	19.28	14.37	27.90	36.78	38.80	35.43	25.21	35.87
<i>SD</i>	73.01	23.33	25.34	10.99	17.23	17.47	23.13	28.92	33.13	30.94	20.24	31.24
Distance from closest VA Medical Center, %												
0 to 15 miles	47.1%	53.9%	43.5%	78.0%	50.2%	71.5%	37.3%	32.3%	33.4%	40.7%	42.1%	35.2%
15 to 30 miles	16.9%	23.9%	24.8%	14.4%	24.7%	16.9%	22.9%	15.4%	21.0%	11.5%	17.7%	14.4%
30 to 45 miles	10.9%	13.6%	14.7%	6.0%	15.5%	3.9%	17.7%	13.3%	9.1%	13.1%	23.2%	17.2%
45 to 60 miles	8.2%	4.9%	7.7%	1.5%	5.9%	4.0%	13.5%	16.1%	6.6%	9.2%	11.3%	14.5%
60 plus miles	16.8%	3.6%	9.4%	0.2%	3.6%	3.7%	8.6%	22.9%	29.9%	25.4%	5.6%	18.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.19	7.75	7.89	4.23	8.41	7.70	16.84	16.75	8.57	15.07	9.07	13.64
<i>SD</i>	13.97	7.92	7.43	4.11	7.40	6.88	14.02	14.93	8.54	13.18	8.12	11.96
Distance to closest VA Service Site, %												
0 to 15 miles	76.1%	87.6%	82.3%	96.8%	83.0%	84.4%	54.3%	56.0%	85.2%	61.4%	81.7%	64.7%
15 to 30 miles	15.1%	10.4%	16.6%	3.2%	15.2%	14.7%	29.7%	24.4%	11.7%	23.0%	15.1%	22.9%
30 to 45 miles	6.0%	1.5%	1.1%	0.0%	1.8%	0.8%	11.1%	13.7%	2.1%	13.1%	3.1%	10.4%
45 plus miles	2.8%	0.5%	0.0%	0.0%	0.0%	0.0%	4.9%	6.0%	1.1%	2.4%	0.1%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2E: FY02 Patients w/ Other Psychoses, Patient Characteristics, by VISN**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Other Psychoses	39400	1548	797	1363	1474	1054	1854	2215	3704	2391	1486	1176
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior five years, mean	3.57	3.82	3.65	3.68	3.33	3.59	3.50	3.62	346.1%	3.71	3.20	3.43
SD	1.85	1.76	1.84	1.79	1.93	1.86	1.87	1.82	187.4%	1.78	1.97	1.92
Yrs with 24-hour institutional use / yrs since 1st use, %	23.0%	20.8%	23.4%	19.6%	23.2%	26.7%	23.5%	23.1%	19.5%	24.5%	24.1%	24.4%
SD	27.8%	26.6%	28.5%	26.5%	29.1%	29.4%	28.0%	28.0%	26.1%	28.2%	29.3%	28.9%
Years with OP use / Years since first use, %	94.1%	96.1%	94.8%	93.3%	92.8%	92.5%	94.6%	93.6%	0.95	94.6%	93.5%	93.5%
SD	15.7%	12.6%	16.1%	16.7%	17.7%	18.0%	15.2%	16.3%	0.14	15.0%	16.0%	17.0%
<u>Psychosis Diagnoses in Prior Fiscal Year</u>												
Had Psychosis Diagnosis in FY01, %	33.4%	37.3%	25.1%	37.8%	30.1%	34.1%	32.0%	31.5%	36.6%	30.0%	27.7%	31.7%
<i>Among Patients With Psychoses in FY01</i>												
Psychosis Category: Schizophrenia, %	13.5%	14.2%	14.5%	14.8%	19.1%	22.0%	12.8%	18.2%	13.1%	12.1%	13.1%	15.5%
Psychosis Category: Bipolar Disorder, %	4.9%	6.6%	8.0%	3.5%	3.8%	5.3%	3.7%	6.6%	4.3%	5.9%	3.9%	2.7%
Psychosis Category: Other Psychosis, %	81.6%	79.2%	77.5%	81.7%	77.0%	72.7%	83.5%	75.2%	82.6%	82.0%	83.0%	81.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	36.76	29.28	40.52	36.93	41.85	35.71	38.21	36.26	35.67	35.48	39.31	40.85
SD	13.88	12.59	9.35	13.07	9.53	11.87	11.38	13.51	13.18	13.89	10.45	13.19
Mean outpatient GAF score	48.26	46.17	48.65	50.63	48.48	47.78	48.31	49.63	49.36	47.87	48.41	51.03
SD	11.56	12.07	10.63	10.88	10.91	10.91	11.53	9.83	11.44	12.14	12.28	11.52
At least 1 IP GAF, among pts with MH bedsections, %	37.9%	45.7%	65.9%	39.5%	27.6%	55.6%	32.0%	35.5%	28.4%	34.6%	41.2%	23.7%
At least 1 OP GAF, among pts with MH clinic stops, %	79.3%	81.8%	82.6%	79.0%	79.3%	74.4%	78.9%	88.0%	73.1%	83.4%	71.4%	83.1%
<u>Mortality rates</u>												
died in FY02, %	6.2%	5.4%	6.9%	4.4%	7.3%	6.1%	7.4%	6.2%	5.6%	8.7%	5.5%	6.7%

Age-and-gender-adjusted Standardized Mortality Ratio	1.33	1.14	1.30	0.83	1.43	1.29	1.53	1.48	1.07	1.80	1.10	1.62
--	------	------	------	------	------	------	------	------	------	------	------	------

**Table 2E: FY02 Patients w/ Other Psychoses, Patient Characteristics, by VISN**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Other Psychoses	39400	1641	2238	4115	2247	2012	1011	1595	1753	2316	1410
<u>Registry Pts. History of VA Utilization</u>											
Years since first use in prior ten years, mean	3.57	3.77	3.56	3.57	3.53	3.63	366.0%	3.76	3.67	3.36	3.67
SD	1.85	1.77	1.88	1.86	1.88	1.85	175.8%	1.70	1.81	1.98	1.80
Yrs with 24-hour institutional use / yrs since 1st use, %	23.0%	27.7%	23.8%	20.9%	23.8%	26.0%	23.7%	25.1%	21.6%	19.8%	26.7%
SD	27.8%	29.8%	27.7%	25.7%	29.0%	28.0%	27.8%	29.1%	27.2%	25.4%	28.6%
Years with OP use / Years since first use, %	94.1%	94.3%	95.1%	93.7%	93.2%	95.5%	0.94	94.7%	93.0%	92.9%	94.7%
SD	15.7%	15.7%	14.2%	16.2%	17.5%	12.9%	0.16	14.4%	16.9%	16.5%	14.8%
<u>Psychosis Diagnoses in Prior Fiscal Year</u>											
Had Psychosis Diagnosis in FY01, %	33.4%	32.0%	33.2%	35.5%	33.9%	29.2%	34.7%	35.1%	37.2%	36.2%	29.6%
<i>Among Patients With Psychoses in FY01</i>											
Psychosis Category: Schizophrenia, %	13.5%	12.2%	7.3%	10.2%	10.8%	11.1%	11.4%	10.5%	20.2%	16.8%	14.4%
Psychosis Category: Bipolar Disorder, %	4.9%	8.0%	3.9%	3.4%	4.2%	6.1%	6.3%	6.3%	5.1%	5.3%	4.8%
Psychosis Category: Other Psychosis, %	81.6%	79.8%	88.8%	86.4%	85.0%	82.8%	82.3%	83.2%	74.7%	77.9%	80.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>GAF scores</u>											
Lowest inpatient GAF score, mean	36.76	37.33	43.17	34.34	39.79	42.45	36.41	29.72	38.00	33.59	37.27
SD	13.88	12.55	16.56	15.87	13.16	13.84	10.22	14.65	15.44	14.07	13.99
Mean outpatient GAF score	48.26	47.76	49.53	48.91	45.96	48.40	43.35	44.75	49.14	45.90	50.33
SD	11.56	11.75	11.77	11.48	11.76	12.47	10.09	10.22	10.44	12.17	12.18
At least 1 IP GAF, among pts with MH bedsections, %	37.9%	57.4%	16.2%	50.5%	42.9%	33.6%	33.3%	43.1%	26.0%	26.8%	44.6%
At least 1 OP GAF, among pts with MH clinic stops, %	79.3%	79.5%	78.4%	94.6%	83.5%	75.7%	81.1%	65.6%	83.0%	64.8%	73.0%
<u>Mortality rates</u>											
died in FY 01, %	6.2%	5.0%	7.9%	5.1%	7.2%	9.7%	5.8%	5.5%	3.3%	4.2%	6.8%

Age-adjusted Standardized Mortality Ratio	1.33	1.13	1.59	1.16	1.43	1.93	1.23	1.55	0.93	0.91	1.48
---	------	------	------	------	------	------	------	------	------	------	------

**Table 2E: FY02 Patients w/ Other Psychoses, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Other Psychoses	39400	1548	797	1363	1474	1054	1854	2215	3704	2391	1486	1176
<u>Service Connection (SC)</u>												
Non-SC	62.2%	56.0%	65.1%	64.2%	67.0%	65.7%	60.1%	60.4%	59.0%	60.7%	69.3%	70.1%
SC 0 - 29%	10.6%	11.6%	10.3%	12.6%	10.3%	10.3%	9.9%	10.6%	11.3%	9.7%	9.9%	10.9%
SC 30 - 69%	11.3%	11.4%	9.8%	9.3%	10.2%	9.6%	13.4%	12.9%	11.4%	11.8%	12.2%	9.1%
SC 70 - 99%	6.1%	8.5%	7.7%	6.1%	5.4%	4.6%	7.1%	5.6%	6.2%	6.6%	3.4%	4.3%
SC 100%	9.8%	12.5%	7.2%	7.8%	7.1%	9.8%	9.5%	10.5%	12.0%	11.2%	5.1%	5.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>												
Complex*	16.4%	17.9%	26.5%	15.8%	15.0%	21.3%	14.8%	16.4%	14.6%	15.6%	18.4%	16.8%
Basic vested, Cat A*	75.0%	73.1%	65.2%	73.4%	74.1%	70.8%	77.6%	76.4%	75.6%	77.5%	70.8%	73.2%
Basic Non-vested, Cat A*	0.8%	0.9%	0.8%	0.5%	0.8%	1.5%	1.0%	0.9%	0.7%	0.8%	0.9%	1.8%
Basic, Cats C and N	7.8%	8.1%	7.5%	10.3%	10.1%	6.5%	6.6%	6.2%	9.0%	6.1%	9.9%	8.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category. %</u>												
Cat A (SC or low income)	91.6%	91.5%	90.7%	88.5%	89.1%	92.3%	93.1%	93.2%	90.5%	93.2%	89.7%	90.8%
Cat C (NSC and higher income)	7.9%	7.7%	8.5%	10.7%	10.4%	7.5%	6.6%	6.6%	8.8%	5.9%	9.9%	8.4%
Non-Veteran	0.6%	0.8%	0.8%	0.8%	0.5%	0.2%	0.2%	0.1%	0.7%	0.9%	0.4%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups. %</u>												
BASIC												
1. Non-reliant Care	0.2%	0.1%	0.0%	0.2%	0.3%	0.1%	0.2%	0.1%	0.1%	0.4%	0.2%	0.3%
2. Basic Medical	22.4%	21.1%	17.8%	23.4%	22.2%	22.6%	24.5%	23.6%	24.2%	24.4%	18.5%	21.3%
3. Mental Health	27.2%	31.1%	26.3%	25.7%	27.5%	20.7%	27.6%	27.0%	26.5%	23.5%	32.2%	30.5%
4. Heart / Lung / GI	11.1%	8.4%	8.5%	10.4%	13.5%	10.7%	13.4%	10.1%	12.3%	14.1%	11.3%	9.4%
5. Oncology / Infectious Disease	3.7%	3.0%	1.9%	5.4%	4.4%	2.8%	3.3%	4.1%	3.7%	2.8%	2.9%	3.7%
6. Multiple Medical	19.0%	18.4%	18.9%	19.1%	17.1%	21.9%	16.2%	18.8%	18.6%	19.2%	16.5%	18.0%
COMPLEX												
7. Specialized Care	4.9%	5.9%	11.4%	6.2%	4.1%	6.0%	4.0%	5.6%	5.4%	3.9%	6.1%	5.2%
8. Support Care	5.4%	4.7%	6.3%	3.4%	3.5%	7.5%	4.2%	5.5%	5.6%	6.6%	5.5%	5.1%
9. Chronic Mental	2.8%	4.7%	3.4%	2.6%	2.0%	4.4%	2.3%	2.5%	1.0%	1.5%	2.8%	2.1%
10. Critically Ill	3.2%	2.6%	5.4%	3.5%	5.4%	3.4%	4.3%	2.9%	2.6%	3.5%	4.1%	4.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 2E: FY02 Patients w/ Other Psychoses, Patient Characteristics, by VISN (continued)**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Other Psychoses	39400	1641	2238	4115	2247	2012	1011	1595	1753	2316	1410
<u>Service Connection (SC)</u>											
Non-SC	62.2%	67.8%	70.5%	60.1%	58.5%	59.4%	60.0%	55.9%	60.9%	64.7%	63.8%
SC 0 - 29%	10.6%	11.0%	9.0%	10.7%	10.8%	10.7%	10.6%	10.3%	9.9%	11.5%	9.5%
SC 30 - 69%	11.3%	9.1%	9.5%	12.0%	12.8%	12.0%	9.4%	12.3%	12.9%	10.6%	10.4%
SC 70 - 99%	6.1%	4.6%	3.9%	6.6%	8.1%	7.0%	7.0%	8.3%	6.1%	4.6%	6.3%
SC 100%	9.8%	7.5%	7.2%	10.6%	9.7%	10.9%	13.0%	13.2%	10.2%	8.5%	10.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class. %</u>											
Complex*	16.4%	20.8%	13.4%	11.2%	19.5%	18.6%	17.9%	15.5%	18.7%	13.5%	20.4%
Basic vested, Cat A*	75.0%	69.0%	74.8%	80.9%	73.9%	73.4%	72.5%	79.7%	76.6%	77.0%	67.4%
Basic Non-vested, Cat A*	0.8%	0.7%	0.5%	0.8%	0.9%	0.4%	0.9%	0.9%	1.1%	0.9%	0.5%
Basic, Cats C and N	7.8%	9.4%	11.3%	7.1%	5.7%	7.7%	8.7%	3.8%	3.7%	8.6%	11.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded											
<u>Patient eligibility category. %</u>											
Cat A (SC or low income)	91.6%	90.0%	88.1%	92.6%	93.7%	91.7%	90.5%	95.8%	96.0%	91.0%	87.6%
Cat C (NSC and higher income)	7.9%	9.4%	11.0%	6.9%	5.8%	7.4%	9.4%	4.1%	3.6%	8.3%	12.3%
Non-Veteran	0.6%	0.6%	0.9%	0.6%	0.4%	1.0%	0.1%	0.1%	0.4%	0.7%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA 10 Price Groups. %</u>											
BASIC											
1. Non-reliant Care	0.2%	0.2%	0.1%	0.1%	0.1%	0.0%	0.1%	0.1%	1.5%	0.1%	0.0%
2. Basic Medical	22.4%	20.2%	26.7%	23.6%	21.9%	20.9%	24.5%	18.1%	17.2%	23.9%	20.3%
3. Mental Health	27.2%	25.2%	26.6%	31.0%	26.5%	21.9%	25.6%	28.8%	30.2%	28.2%	25.3%
4. Heart / Lung / GI	11.1%	9.9%	12.9%	11.9%	10.7%	12.3%	9.9%	8.8%	8.1%	9.8%	11.4%
5. Oncology / Infectious Disease	3.7%	3.4%	3.3%	3.6%	3.0%	4.3%	2.9%	4.3%	4.9%	4.1%	3.8%
6. Multiple Medical	19.0%	20.2%	16.9%	18.5%	18.2%	21.9%	19.1%	24.4%	19.5%	20.5%	18.9%
COMPLEX											
7. Specialized Care	4.9%	5.4%	2.7%	3.0%	4.2%	5.7%	4.6%	4.8%	7.5%	3.5%	5.3%
8. Support Care	5.4%	7.6%	5.5%	4.2%	6.5%	7.7%	6.4%	5.5%	4.3%	4.6%	5.5%
9. Chronic Mental	2.8%	5.2%	1.6%	2.2%	4.9%	2.0%	4.1%	3.5%	3.5%	3.2%	4.2%
10. Critically Ill	3.2%	2.6%	3.7%	1.9%	3.9%	3.2%	2.8%	1.8%	3.3%	2.2%	5.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 3E: FY02 Patients w/ Other Psychoses, Utilization, by VISN**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Other Psychoses	39400	1548	797	1363	1474	1054	1854	2215	3704	2391	1486	1176
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	18.7%	19.8%	17.1%	15.7%	18.8%	21.9%	15.4%	18.4%	13.0%	13.9%	19.9%	18.9%
<u>Homelessness</u>												
Homelessness indicated in FY02, %	8.3%	7.8%	6.5%	9.5%	7.0%	10.4%	5.7%	6.8%	4.8%	3.5%	9.2%	10.0%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	76.4%	73.7%	80.2%	99.1%	83.2%	87.9%	69.1%	72.0%	85.9%	62.6%	83.2%	73.4%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	34.61	22.38	21.32	9.21	17.38	16.09	29.32	32.74	37.72	35.31	24.12	32.10
SD	73.86	22.95	21.56	10.42	16.31	20.76	22.99	26.92	32.31	30.93	20.20	31.34
Distance from closest VA Medical Center, %												
0 to 15 miles	47.1%	47.8%	49.4%	84.1%	56.9%	71.5%	32.8%	37.9%	35.3%	39.5%	44.8%	44.3%
15 to 30 miles	15.3%	22.9%	22.8%	9.5%	21.0%	13.2%	24.8%	13.7%	18.3%	13.3%	17.0%	12.0%
30 to 45 miles	11.0%	17.2%	15.9%	4.8%	14.8%	4.8%	18.0%	14.4%	9.9%	13.2%	22.1%	14.1%
45 to 60 miles	8.7%	6.9%	6.6%	1.4%	5.4%	4.2%	15.8%	17.2%	9.4%	8.3%	10.8%	11.9%
60 plus miles	17.9%	5.2%	5.1%	0.2%	1.9%	6.4%	8.6%	16.7%	27.1%	25.6%	5.3%	17.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.76	8.83	7.84	3.51	7.78	7.14	17.43	15.64	9.17	16.23	8.16	13.36
SD	13.98	8.87	6.89	3.46	6.90	7.22	13.72	14.27	8.97	13.53	7.60	12.20
Distance to closest VA Service Site, %												
0 to 15 miles	73.7%	81.8%	82.9%	98.2%	85.5%	86.1%	50.8%	60.2%	82.3%	56.2%	84.3%	65.4%
15 to 30 miles	16.3%	15.5%	16.7%	1.8%	13.2%	12.7%	33.1%	22.0%	13.9%	26.4%	13.7%	21.1%
30 to 45 miles	6.8%	2.2%	0.4%	0.0%	1.2%	1.0%	11.5%	13.1%	2.7%	14.1%	2.0%	11.7%
45 plus miles	3.1%	0.5%	0.0%	0.0%	0.0%	0.1%	4.6%	4.7%	1.1%	3.2%	0.0%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Table 3E: FY02 Patients w/ Other Psychoses, Utilization, by VISN**

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Other Psychoses	39400	1641	2238	4115	2247	2012	1011	1595	1753	2316	1410
<u>Substance Dependence and Abuse</u>											
Any dx of alcohol / drug dependence or abuse, %	18.7%	25.2%	15.8%	17.2%	15.3%	20.6%	17.9%	27.5%	32.1%	19.0%	23.6%
<u>Homelessness</u>											
Homelessness indicated in FY02, %	8.3%	9.7%	5.6%	5.5%	8.1%	11.0%	8.4%	16.4%	16.7%	13.0%	8.7%
<u>Residence in Metropolitan Area</u>											
Residing in a Metropolitan Statistical Area, %	76.4%	79.8%	60.8%	68.4%	77.6%	75.2%	66.1%	74.0%	88.4%	99.0%	53.5%
<u>Distance</u>											
Mile from Closest VA Medical Center, mean	34.61	25.21	30.33	40.42	40.14	43.19	55.52	100.63	28.66	21.41	44.68
<i>SD</i>	73.86	27.09	44.92	34.62	49.28	63.69	72.28	310.66	41.33	25.41	47.85
Distance from closest VA Medical Center, %											
0 to 15 miles	47.1%	55.2%	49.2%	36.7%	41.6%	58.6%	43.3%	49.7%	56.1%	59.6%	40.7%
15 to 30 miles	15.3%	13.7%	13.8%	10.5%	15.2%	10.8%	5.9%	12.5%	15.5%	24.2%	10.1%
30 to 45 miles	11.0%	8.2%	9.3%	11.5%	13.5%	2.7%	7.6%	6.9%	10.8%	4.7%	8.0%
45 to 60 miles	8.7%	10.8%	10.4%	11.0%	7.4%	3.4%	5.1%	7.8%	6.7%	3.4%	10.4%
60 plus miles	17.9%	12.0%	17.4%	30.3%	22.5%	24.5%	38.1%	23.1%	10.9%	8.2%	30.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.76	9.07	12.33	17.47	10.74	10.24	13.54	14.87	8.24	6.22	18.69
<i>SD</i>	13.98	9.71	12.69	15.55	11.06	13.26	18.00	31.89	9.97	6.69	19.78
Distance to closest VA Service Site, %											
0 to 15 miles	73.7%	81.4%	69.3%	55.8%	72.7%	83.6%	74.5%	73.9%	85.6%	94.0%	58.3%
15 to 30 miles	16.3%	12.7%	19.3%	22.0%	19.8%	8.5%	10.8%	13.7%	10.9%	4.6%	16.0%
30 to 45 miles	6.8%	5.6%	9.4%	14.5%	6.0%	3.3%	6.7%	4.9%	2.3%	1.1%	14.8%
45 plus miles	3.1%	0.3%	2.0%	7.7%	1.4%	4.6%	7.9%	7.5%	1.2%	0.3%	11.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

