

Table 1A: FY02 Patient w/ Psychosis, Demographics, by Diagnosis Grouping

	All	Schizophrenia	Bipolar	Other
Entire Population	205620	95875	70345	39400
<u>Age. %</u>	100.0%	46.6%	34.2%	19.2%
<35	5.0%	3.9%	7.8%	2.7%
>=35 and <50	31.8%	34.7%	37.2%	15.3%
>=50 and <65	37.2%	41.8%	38.6%	23.5%
>=65 and <80	19.7%	16.7%	14.4%	36.5%
>=80	6.3%	2.9%	2.0%	22.1%
Total	100.0%	100.0%	100.0%	100.0%
mean age	55.87	54.28	52.20	66.29
SD	13.98	12.10	12.61	15.52
<u>Gender</u>				
Male, %	92.9%	94.8%	88.8%	95.7%
Female, %	7.1%	5.2%	11.2%	4.3%
Total	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity. %</u>				
Hispanic white	5.3%	7.2%	3.2%	4.5%
Hispanic black	0.4%	0.6%	0.3%	0.3%
American Indian	0.3%	0.3%	0.3%	0.4%
Black	20.1%	27.2%	11.2%	18.6%
Asian	0.6%	0.8%	0.3%	0.5%
White	60.0%	54.9%	69.0%	56.4%
Race unknown	13.3%	8.9%	15.8%	19.4%
Total	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>				
Never married	29.8%	42.2%	21.2%	15.2%
Married	33.9%	24.9%	37.4%	49.4%
Divorced/Separated	31.3%	29.4%	37.9%	24.1%
Widowed	5.0%	3.6%	3.5%	11.3%
Total	100.0%	100.0%	100.0%	100.0%

Table 1B: FY02 All Patients, Demographics, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	205620	10790	5931	9794	11380	5647	8761	11950	19212	8802	9189	8926
<u>Psychosis Diagnosis Group, %</u>												
Schizophrenia	46.6%	45.8%	46.3%	58.9%	54.0%	51.4%	46.8%	52.6%	49.4%	39.5%	49.2%	54.2%
Bipolar Disorder	34.2%	39.9%	40.3%	27.1%	33.1%	29.9%	32.1%	28.9%	31.3%	33.3%	34.6%	32.6%
Other Psychoses	19.2%	14.3%	13.4%	13.9%	13.0%	18.7%	21.2%	18.5%	19.3%	27.2%	16.2%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Age, %</u>												
<35	5.0%	4.2%	5.1%	3.8%	4.3%	4.9%	5.8%	5.2%	3.7%	4.9%	4.7%	5.1%
>=35 and <50	31.8%	29.1%	32.1%	28.1%	30.5%	34.4%	33.4%	35.0%	27.2%	30.3%	34.9%	34.1%
>=50 and <65	37.2%	38.8%	36.3%	37.5%	38.5%	35.5%	34.5%	36.3%	37.9%	35.3%	37.0%	38.8%
>=65 and <80	19.7%	21.5%	20.1%	23.3%	21.2%	18.7%	19.3%	18.6%	23.2%	22.0%	18.1%	17.8%
>=80	6.3%	6.4%	6.4%	7.3%	5.6%	6.5%	7.0%	5.0%	8.1%	7.4%	5.3%	4.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	55.87	56.75	55.85	57.63	56.25	55.40	55.61	54.84	57.87	56.93	55.04	54.54
SD	13.98	13.78	14.22	14.06	13.69	14.19	14.39	13.53	14.10	14.54	13.62	13.11
<u>Gender</u>												
Male, %	92.9%	94.0%	93.5%	94.8%	93.7%	91.2%	91.6%	91.3%	93.4%	94.0%	93.3%	93.7%
Female, %	7.1%	6.0%	6.5%	5.2%	6.3%	8.8%	8.4%	8.7%	6.6%	6.0%	6.7%	6.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity, %</u>												
Hispanic white	5.3%	1.5%	1.2%	7.1%	1.1%	0.9%	0.7%	0.5%	27.4%	0.4%	0.8%	0.6%
Hispanic black	0.4%	0.4%	0.3%	1.7%	0.2%	0.4%	0.2%	0.1%	2.1%	0.1%	0.2%	0.1%
American indian	0.3%	0.2%	0.3%	0.2%	0.0%	0.1%	0.3%	0.1%	0.1%	0.1%	0.1%	0.2%
Black	20.1%	7.3%	12.2%	25.1%	20.9%	43.3%	33.1%	41.6%	11.1%	19.8%	22.5%	21.0%
Asian	0.6%	0.2%	0.0%	0.4%	0.1%	0.2%	0.1%	0.1%	0.1%	0.0%	0.1%	0.1%
White	60.0%	79.6%	75.9%	53.0%	65.6%	42.6%	51.2%	45.2%	44.7%	69.7%	63.9%	66.3%
Race unknown	13.3%	10.9%	10.1%	12.4%	12.2%	12.6%	14.5%	12.3%	14.5%	10.0%	12.4%	11.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>												
Never married	29.8%	35.3%	34.8%	45.5%	36.5%	35.0%	27.4%	25.6%	19.6%	22.6%	29.6%	33.9%
Married	33.9%	29.1%	31.9%	26.8%	30.0%	28.2%	38.5%	37.6%	47.6%	40.8%	31.4%	27.4%
Divorced/Separated	31.3%	30.3%	28.5%	22.3%	28.2%	30.1%	29.0%	31.4%	27.8%	30.9%	34.2%	34.6%
Widowed	5.0%	5.3%	4.7%	5.4%	5.3%	6.7%	5.0%	5.4%	5.1%	5.7%	4.7%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 1B: FY02 All Patients, Demographics, by VISN

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
All Patients	205620	8832	9353	16099	8940	8000	5657	8613	8839	12757	8148
<u>Psychosis Diagnosis Group, %</u>											
Schizophrenia	46.6%	43.8%	41.1%	47.2%	40.4%	35.1%	35.9%	39.5%	47.3%	45.5%	43.2%
Bipolar Disorder	34.2%	37.7%	35.0%	27.3%	34.5%	39.8%	46.2%	42.0%	32.9%	36.4%	39.5%
Other Psychoses	19.2%	18.6%	23.9%	25.6%	25.1%	25.2%	17.9%	18.5%	19.8%	18.2%	17.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Age, %</u>											
<35	5.0%	4.6%	4.9%	5.5%	5.6%	5.2%	6.5%	6.9%	5.4%	6.0%	4.5%
>=35 and <50	31.8%	33.2%	32.1%	31.8%	31.6%	30.1%	33.4%	35.1%	32.0%	34.2%	32.0%
>=50 and <65	37.2%	37.1%	35.3%	36.3%	34.7%	37.2%	38.2%	38.9%	40.7%	37.1%	37.7%
>=65 and <80	19.7%	19.4%	20.8%	20.3%	20.0%	19.6%	16.4%	14.8%	16.2%	17.2%	20.3%
>=80	6.3%	5.7%	6.8%	6.2%	8.0%	7.9%	5.5%	4.3%	5.7%	5.6%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	55.87	55.57	56.22	55.81	56.33	56.54	54.36	53.54	54.98	54.72	55.81
SD	13.98	13.74	14.34	14.08	14.68	14.50	13.79	13.24	13.46	13.85	13.70
<u>Gender</u>											
Male, %	92.9%	93.6%	93.4%	92.9%	91.7%	91.0%	92.4%	91.8%	92.2%	92.6%	93.6%
Female, %	7.1%	6.4%	6.6%	7.1%	8.3%	9.0%	7.6%	8.2%	7.8%	7.4%	6.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity, %</u>											
Hispanic white	5.3%	1.9%	1.0%	1.3%	12.5%	11.3%	6.0%	1.1%	5.0%	6.8%	0.7%
Hispanic black	0.4%	0.2%	0.0%	0.1%	0.2%	0.3%	0.1%	0.2%	0.2%	0.3%	0.1%
American Indian	0.3%	0.2%	0.3%	0.5%	0.2%	1.0%	0.8%	0.8%	0.6%	0.3%	0.9%
Black	20.1%	28.3%	17.4%	32.1%	20.5%	6.2%	6.0%	7.1%	14.0%	19.8%	5.8%
Asian	0.6%	0.2%	0.1%	0.1%	0.2%	0.3%	0.3%	1.0%	7.4%	1.6%	0.1%
White	60.0%	56.2%	66.8%	54.9%	57.4%	64.9%	76.7%	74.4%	56.7%	49.9%	77.6%
Race unknown	13.3%	13.1%	14.5%	11.1%	9.1%	16.2%	10.1%	15.4%	16.1%	21.4%	15.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>											
Never married	29.8%	37.6%	24.6%	25.0%	22.9%	22.1%	25.2%	26.9%	36.2%	38.9%	29.8%
Married	33.9%	26.1%	36.2%	38.3%	37.6%	38.0%	35.7%	31.1%	27.4%	24.8%	32.3%
Divorced/Separated	31.3%	31.0%	34.1%	31.8%	33.8%	34.2%	34.8%	37.8%	31.8%	31.8%	33.7%
Widowed	5.0%	5.2%	5.0%	5.0%	5.7%	5.7%	4.4%	4.2%	4.6%	4.5%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 1C: FY02 Patients w/ Schizophrenia, Demographics, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
<u>Age, %</u>												
<35	3.9%	3.3%	3.8%	3.0%	3.2%	4.2%	4.8%	4.5%	2.9%	3.7%	3.6%	3.6%
>=35 and <50	34.7%	31.1%	32.1%	29.8%	31.0%	35.2%	37.5%	39.6%	29.4%	34.8%	36.6%	35.4%
>=50 and <65	41.8%	41.7%	39.0%	41.1%	42.0%	40.9%	39.5%	38.7%	44.1%	41.0%	42.2%	42.9%
>=65 and <80	16.7%	20.1%	20.9%	21.9%	20.5%	17.1%	15.1%	15.0%	19.9%	17.6%	15.1%	15.6%
>=80	2.9%	3.8%	4.2%	4.3%	3.3%	2.6%	3.1%	2.3%	3.7%	2.9%	2.5%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.28	55.74	55.90	56.48	55.70	54.17	53.60	53.06	55.85	54.60	53.76	53.91
SD	12.10	12.48	13.04	12.78	12.36	12.26	12.24	11.81	12.12	12.18	11.76	11.70
<u>Gender</u>												
Male, %	94.8%	95.5%	95.7%	95.9%	95.0%	93.4%	94.1%	92.8%	95.9%	95.8%	94.7%	95.3%
Female, %	5.2%	4.5%	4.3%	4.1%	5.0%	6.6%	5.9%	7.2%	4.1%	4.2%	5.3%	4.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity, %</u>												
Hispanic white	7.2%	1.9%	1.4%	7.5%	1.3%	0.8%	0.6%	0.5%	42.0%	0.2%	1.0%	0.6%
Hispanic black	0.6%	0.4%	0.4%	1.8%	0.3%	0.4%	0.2%	0.1%	3.5%	0.1%	0.2%	0.1%
American Indian	0.3%	0.3%	0.3%	0.2%	0.0%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
Black	27.2%	10.0%	14.7%	29.0%	26.1%	51.4%	45.4%	54.8%	14.0%	29.3%	30.1%	27.6%
Asian	0.8%	0.3%	0.0%	0.4%	0.1%	0.2%	0.2%	0.1%	0.1%	0.0%	0.1%	0.1%
White	54.9%	80.3%	75.8%	50.8%	63.5%	38.0%	43.7%	36.0%	32.5%	65.8%	61.7%	63.0%
Race unknown	8.9%	6.8%	7.2%	10.3%	8.8%	9.1%	9.8%	8.3%	7.8%	4.6%	6.8%	8.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>												
Never married	42.2%	50.8%	47.8%	55.9%	47.8%	45.7%	40.1%	35.6%	24.6%	38.1%	43.5%	46.0%
Married	24.9%	18.7%	21.9%	20.3%	22.1%	20.1%	27.2%	28.9%	46.4%	27.6%	20.5%	18.8%
Divorced/Separated	29.4%	27.2%	26.2%	19.9%	25.8%	28.9%	29.6%	31.6%	25.4%	31.1%	32.7%	32.0%
Widowed	3.6%	3.4%	4.1%	4.0%	4.3%	5.3%	3.2%	3.9%	3.6%	3.3%	3.4%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Schizophrenia	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Age. %</u>											
<35	3.9%	3.6%	4.1%	4.4%	4.0%	4.4%	5.6%	5.2%	3.9%	5.4%	4.1%
>=35 and <50	34.7%	36.5%	38.1%	37.2%	36.3%	36.7%	36.4%	36.8%	34.0%	37.1%	33.8%
>=50 and <65	41.8%	41.7%	40.6%	41.8%	41.2%	42.2%	43.2%	43.1%	44.5%	41.6%	42.0%
>=65 and <80	16.7%	15.3%	15.0%	14.2%	15.5%	14.2%	12.9%	12.9%	15.0%	13.7%	17.6%
>=80	2.9%	2.8%	2.2%	2.4%	3.1%	2.6%	1.9%	2.1%	2.6%	2.2%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.28	53.91	53.36	53.28	53.90	53.35	52.66	52.78	53.97	52.86	54.32
SD	12.10	11.92	11.78	11.65	12.03	11.95	11.41	11.50	11.71	11.86	12.17
<u>Gender</u>											
Male, %	94.8%	94.9%	94.6%	94.8%	94.5%	93.9%	94.5%	94.3%	94.6%	94.0%	94.8%
Female, %	5.2%	5.1%	5.4%	5.2%	5.5%	6.1%	5.5%	5.7%	5.4%	6.0%	5.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity. %</u>											
Hispanic white	7.2%	2.2%	1.0%	1.3%	14.7%	15.7%	8.3%	1.4%	5.6%	8.1%	0.8%
Hispanic black	0.6%	0.2%	0.0%	0.1%	0.2%	0.3%	0.1%	0.1%	0.3%	0.4%	0.1%
American Indian	0.3%	0.2%	0.3%	0.5%	0.1%	1.2%	0.9%	0.8%	0.6%	0.3%	0.8%
Black	27.2%	34.3%	26.6%	44.1%	30.5%	9.9%	7.6%	8.4%	18.3%	26.7%	7.0%
Asian	0.8%	0.1%	0.1%	0.2%	0.2%	0.3%	0.3%	1.4%	11.3%	2.3%	0.0%
White	54.9%	52.3%	64.3%	46.0%	49.1%	60.6%	75.1%	77.5%	51.1%	47.9%	79.8%
Race unknown	8.9%	10.7%	7.8%	7.9%	5.0%	12.0%	7.6%	10.4%	12.7%	14.3%	11.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>											
Never married	42.2%	53.0%	40.1%	35.8%	35.0%	33.2%	39.9%	41.3%	49.1%	50.5%	46.8%
Married	24.9%	16.4%	22.8%	28.6%	27.2%	29.0%	23.2%	20.0%	21.1%	17.0%	18.8%
Divorced/Separated	29.4%	27.0%	34.0%	32.2%	33.9%	34.5%	33.8%	35.3%	26.9%	28.9%	31.6%
Widowed	3.6%	3.5%	3.1%	3.4%	3.9%	3.4%	3.0%	3.4%	2.9%	3.6%	2.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 1D: FY02 Patients w/ Bipolar Disorder, Demographics, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Age, %</u>												
<35	7.8%	5.9%	7.7%	6.5%	7.0%	7.9%	9.3%	7.9%	5.9%	8.4%	7.6%	8.2%
>=35 and <50	37.2%	32.4%	38.4%	32.7%	36.1%	44.4%	39.6%	37.8%	33.1%	38.8%	41.9%	38.9%
>=50 and <65	38.6%	40.9%	38.8%	38.2%	39.5%	33.3%	36.0%	38.4%	38.8%	38.4%	36.7%	36.9%
>=65 and <80	14.4%	17.6%	13.1%	19.6%	15.2%	12.9%	13.1%	14.2%	18.4%	13.0%	12.6%	14.4%
>=80	2.0%	3.1%	2.0%	3.1%	2.2%	1.5%	2.1%	1.7%	3.7%	1.4%	1.2%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.20	54.25	51.59	54.39	52.65	50.72	51.19	51.91	54.44	51.42	51.08	51.65
SD	12.61	12.92	12.55	13.37	12.72	12.49	12.71	12.43	13.31	12.28	12.14	12.53
<u>Gender</u>												
Male, %	88.8%	91.6%	90.4%	91.6%	90.8%	84.8%	85.4%	85.9%	88.2%	89.1%	89.9%	90.2%
Female, %	11.2%	8.4%	9.6%	8.4%	9.2%	15.2%	14.6%	14.1%	11.8%	10.9%	10.1%	9.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity, %</u>												
Hispanic white	3.2%	1.2%	1.2%	6.4%	1.0%	1.4%	0.8%	0.5%	12.0%	0.5%	0.6%	0.5%
Hispanic black	0.3%	0.3%	0.1%	1.7%	0.1%	0.5%	0.2%	0.1%	0.8%	0.1%	0.1%	0.2%
American indian	0.3%	0.1%	0.4%	0.2%	0.1%	0.1%	0.5%	0.1%	0.1%	0.1%	0.2%	0.2%
Black	11.2%	4.4%	10.0%	16.7%	12.5%	31.4%	20.1%	20.2%	6.5%	11.7%	12.0%	9.7%
Asian	0.3%	0.1%	0.0%	0.2%	0.0%	0.2%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%
White	69.0%	80.4%	76.5%	60.8%	73.5%	53.6%	61.9%	62.1%	61.2%	75.8%	71.2%	73.4%
Race unknown	15.8%	13.5%	11.9%	13.8%	12.9%	12.9%	16.5%	16.8%	19.4%	11.8%	15.9%	16.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>												
Never married	21.2%	23.1%	25.5%	34.2%	25.2%	26.7%	18.5%	15.2%	16.9%	14.4%	18.1%	20.7%
Married	37.4%	36.4%	37.0%	31.7%	36.0%	33.3%	44.0%	44.8%	43.2%	43.3%	37.5%	34.5%
Divorced/Separated	37.9%	36.0%	34.5%	29.3%	35.1%	36.0%	34.1%	36.0%	36.0%	38.7%	40.8%	41.9%
Widowed	3.5%	4.5%	3.0%	4.8%	3.7%	4.0%	3.3%	4.0%	4.0%	3.5%	3.7%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 1D: FY02 Patients w/ Bipolar Disorder, Demographics, by VISN (continued)

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Bipolar Disorder	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
<u>Age, %</u>											
<35	7.8%	6.8%	7.7%	9.6%	9.8%	8.0%	8.9%	9.6%	8.4%	7.9%	6.0%
>=35 and <50	37.2%	37.4%	38.2%	37.5%	39.7%	35.4%	38.5%	39.0%	34.1%	38.9%	36.1%
>=50 and <65	38.6%	37.6%	38.1%	37.5%	37.3%	41.3%	39.9%	39.5%	41.8%	38.3%	39.8%
>=65 and <80	14.4%	16.2%	14.4%	14.4%	11.4%	13.9%	10.9%	10.1%	13.5%	13.2%	15.9%
>=80	2.0%	2.0%	1.5%	1.1%	1.7%	1.4%	1.9%	1.9%	2.2%	1.7%	2.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.20	52.79	51.82	51.42	50.82	52.15	50.94	50.73	52.39	51.69	53.12
SD	12.61	12.68	12.47	12.49	12.36	12.16	12.12	12.06	12.46	12.31	12.36
<u>Gender</u>											
Male, %	88.8%	91.3%	89.7%	86.3%	85.2%	85.8%	89.3%	88.4%	88.2%	89.7%	91.0%
Female, %	11.2%	8.7%	10.3%	13.7%	14.8%	14.2%	10.7%	11.6%	11.8%	10.3%	9.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity, %</u>											
Hispanic white	3.2%	1.6%	0.9%	1.4%	7.5%	6.9%	4.3%	1.0%	3.1%	5.1%	0.5%
Hispanic black	0.3%	0.2%	0.1%	0.1%	0.2%	0.3%	0.1%	0.1%	0.1%	0.3%	0.1%
American Indian	0.3%	0.1%	0.3%	0.5%	0.3%	0.7%	0.8%	0.8%	0.6%	0.3%	0.8%
Black	11.2%	22.6%	8.6%	14.7%	10.4%	3.9%	4.6%	4.7%	7.3%	12.5%	3.9%
Asian	0.3%	0.2%	0.1%	0.1%	0.2%	0.3%	0.3%	0.5%	2.0%	1.0%	0.2%
White	69.0%	62.2%	73.3%	71.0%	69.8%	69.8%	79.8%	74.0%	68.5%	55.3%	78.7%
Race unknown	15.8%	13.1%	16.7%	12.3%	11.6%	18.1%	10.2%	18.8%	18.4%	25.5%	15.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>											
Never married	21.2%	28.2%	15.8%	17.4%	17.3%	18.7%	18.7%	17.3%	25.1%	32.9%	18.0%
Married	37.4%	29.6%	40.3%	41.3%	37.3%	38.2%	38.6%	38.0%	32.1%	26.3%	39.5%
Divorced/Separated	37.9%	38.8%	40.7%	38.6%	41.7%	39.1%	39.9%	41.6%	39.2%	37.7%	39.2%
Widowed	3.5%	3.4%	3.1%	2.7%	3.6%	4.0%	2.9%	3.0%	3.6%	3.0%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 1E: FY02 Patients w/ Other Psychoses, Demographics, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Other Psychoses	39400	1548	797	1363	1474	1054	1854	2215	3704	2391	1486	1176
<u>Age, %</u>												
<35	2.7%	2.6%	2.1%	2.1%	2.2%	2.2%	2.9%	2.8%	2.0%	2.6%	1.7%	3.3%
>=35 and <50	15.3%	13.6%	13.0%	11.7%	13.7%	16.3%	15.2%	17.8%	12.0%	13.4%	14.5%	16.7%
>=50 and <65	23.5%	23.3%	19.8%	20.8%	21.1%	24.2%	21.3%	26.1%	20.4%	23.0%	22.0%	26.8%
>=65 and <80	36.5%	36.5%	38.3%	36.9%	39.0%	32.4%	37.7%	35.5%	39.3%	39.5%	39.0%	35.2%
>=80	22.1%	24.0%	26.7%	28.5%	24.0%	25.0%	23.0%	17.8%	26.3%	21.5%	22.7%	18.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	66.29	66.94	68.45	68.87	67.70	66.30	66.75	64.43	68.62	67.09	67.42	64.28
SD	15.52	15.44	15.29	15.13	15.26	16.02	15.50	15.41	14.91	15.13	14.77	15.37
<u>Gender</u>												
Male, %	95.7%	95.7%	95.5%	96.3%	95.4%	95.4%	95.6%	95.4%	95.7%	97.2%	96.4%	96.0%
Female, %	4.3%	4.3%	4.5%	3.7%	4.6%	4.6%	4.4%	4.6%	4.3%	2.8%	3.6%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity, %</u>												
Hispanic white	4.5%	1.2%	0.6%	7.0%	0.7%	0.4%	0.5%	0.4%	14.7%	0.3%	0.6%	0.7%
Hispanic black	0.3%	0.3%	0.1%	1.3%	0.1%	0.1%	0.2%	0.2%	0.9%	0.1%	0.3%	0.0%
American indian	0.4%	0.3%	0.1%	0.1%	0.1%	0.0%	0.3%	0.0%	0.1%	0.1%	0.1%	0.3%
Black	18.6%	6.6%	9.8%	25.1%	20.1%	40.2%	25.8%	37.6%	11.1%	15.9%	22.1%	22.0%
Asian	0.5%	0.0%	0.1%	0.4%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
White	56.4%	75.1%	74.7%	47.3%	54.5%	37.4%	51.3%	45.2%	49.3%	68.0%	55.0%	62.7%
Race unknown	19.4%	16.5%	14.6%	18.8%	24.4%	21.6%	21.7%	16.6%	23.9%	15.6%	21.9%	14.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>												
Never married	15.2%	19.7%	17.9%	23.8%	19.1%	18.8%	12.9%	13.2%	11.0%	10.4%	12.4%	16.9%
Married	49.4%	42.5%	50.9%	45.1%	47.3%	42.3%	55.1%	51.3%	57.8%	56.8%	51.5%	45.5%
Divorced/Separated	24.1%	24.4%	18.9%	18.5%	20.1%	24.0%	20.3%	23.6%	20.4%	21.0%	25.1%	27.7%
Widowed	11.3%	13.5%	12.3%	12.6%	13.5%	15.0%	11.7%	11.9%	10.7%	11.8%	11.0%	9.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 1E: FY02 Patients w/ Other Psychoses, Demographics, by VISN

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Other Psychoses	39400	1641	2238	4115	2247	2012	1011	1595	1753	2316	1410
<u>Age, %</u>											
<35	2.7%	2.7%	2.2%	3.1%	2.6%	2.1%	2.5%	4.3%	4.1%	3.5%	2.3%
>=35 and <50	15.3%	17.0%	13.0%	15.7%	13.2%	12.3%	14.3%	22.7%	23.9%	17.3%	18.0%
>=50 and <65	23.5%	25.2%	22.3%	25.1%	20.8%	23.7%	23.5%	28.7%	29.7%	23.3%	22.1%
>=65 and <80	36.5%	35.2%	40.2%	37.6%	39.1%	36.3%	37.6%	29.6%	23.4%	33.9%	37.1%
>=80	22.1%	19.9%	22.3%	18.5%	24.3%	25.6%	22.1%	14.7%	19.0%	22.0%	20.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	66.29	65.12	67.56	65.18	67.79	67.92	66.60	61.55	61.68	65.46	65.68
SD	15.52	15.59	14.92	15.43	15.26	15.14	15.38	15.85	16.45	16.08	15.74
<u>Gender</u>											
Male, %	95.7%	95.2%	96.6%	96.5%	96.0%	95.4%	96.2%	94.2%	93.2%	94.9%	96.2%
Female, %	4.3%	4.8%	3.4%	3.5%	4.0%	4.6%	3.8%	5.8%	6.8%	5.1%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Race / Ethnicity, %</u>											
Hispanic white	4.5%	1.7%	1.0%	1.2%	15.7%	12.2%	5.9%	0.7%	6.4%	6.8%	0.6%
Hispanic black	0.3%	0.1%	0.0%	0.0%	0.2%	0.1%	0.2%	0.7%	0.2%	0.3%	0.1%
American Indian	0.4%	0.4%	0.4%	0.5%	0.0%	1.2%	0.7%	0.8%	0.5%	0.2%	1.3%
Black	18.6%	25.9%	14.4%	28.3%	18.0%	4.6%	6.4%	9.5%	15.1%	16.9%	7.0%
Asian	0.5%	0.1%	0.0%	0.0%	0.2%	0.1%	0.2%	1.0%	7.2%	0.7%	0.0%
White	56.4%	53.2%	61.5%	54.3%	53.6%	62.9%	71.8%	68.9%	50.5%	44.3%	69.4%
Race unknown	19.4%	18.6%	22.7%	15.6%	12.2%	18.8%	14.7%	18.4%	20.1%	30.8%	21.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Marital Status</u>											
Never married	15.2%	20.6%	11.1%	13.2%	11.2%	11.9%	12.4%	17.7%	23.7%	21.8%	14.6%
Married	49.4%	41.8%	52.9%	52.6%	54.7%	50.4%	53.0%	38.9%	34.8%	41.0%	49.6%
Divorced/Separated	24.1%	24.7%	24.9%	23.8%	22.8%	26.0%	23.4%	34.8%	31.2%	27.5%	26.5%
Widowed	11.3%	12.9%	11.1%	10.3%	11.3%	11.7%	11.3%	8.7%	10.4%	9.7%	9.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%