

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN**

Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
<b>Hospital Based Utilization</b>												
Patients with some Hosp. Based Utilization, %	28.6%	28.5%	26.2%	25.1%	24.2%	37.1%	34.6%	26.7%	25.0%	35.3%	28.3%	27.2%
<u>Hospital based utilization: Overall</u>												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.88	2.02	1.78	1.88	1.70	2.18	2.16	1.68	1.88	1.84	1.84	1.79
SD	1.55	1.71	1.45	1.33	1.23	1.79	2.02	1.28	1.50	1.51	1.45	1.36
Average LOS, mean	11.60	12.47	10.33	13.70	11.47	12.86	11.87	11.97	7.77	9.46	12.31	15.97
SD	23.12	25.46	14.43	15.79	20.06	29.18	21.24	20.73	9.90	15.72	19.66	39.26
Cumu. DOS, mean	20.40	23.45	17.98	25.30	18.71	23.87	23.72	19.39	14.43	16.87	21.73	24.30
SD	33.57	40.74	25.98	30.18	29.15	40.57	33.69	29.95	20.79	26.64	32.65	46.33
Cumu. DOS, %												
1 to 7	40.7%	39.9%	41.6%	29.2%	41.0%	36.8%	32.8%	41.7%	49.0%	45.2%	35.8%	36.9%
8 to 14	21.4%	21.6%	20.1%	19.2%	21.6%	20.0%	22.6%	22.1%	22.0%	23.4%	23.2%	21.7%
15 to 44	27.5%	26.3%	29.6%	35.7%	29.0%	30.0%	31.3%	26.4%	22.6%	23.2%	30.8%	29.1%
45 to 89	6.9%	7.0%	6.3%	11.4%	5.6%	9.0%	8.7%	6.4%	4.8%	6.4%	5.8%	7.9%
90 to 179	2.6%	3.9%	2.0%	3.9%	2.1%	2.4%	3.6%	2.9%	1.6%	1.4%	3.2%	2.1%
180 to 359	0.7%	1.2%	0.3%	0.5%	0.7%	1.4%	0.8%	0.4%	0.1%	0.4%	1.2%	1.8%
360+	0.2%	0.2%	0.0%	0.0%	0.0%	0.3%	0.1%	0.1%	0.0%	0.1%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. patients with a 100+ day hosp.stay, %	1.8%	3.5%	0.9%	1.5%	1.4%	2.4%	1.7%	1.6%	0.6%	1.1%	2.4%	3.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	196.53	188.57	181.20	150.00	193.17	226.00	194.67	176.38	156.00	186.82	167.05	235.96
SD	80.33	77.86	66.20	31.28	64.55	87.80	68.10	73.95	67.22	79.06	48.40	95.90
Hosp. patients who had a 150+ day hosp. stay, %	0.9%	1.5%	0.3%	0.3%	0.7%	1.7%	1.1%	0.7%	0.1%	0.6%	1.0%	2.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	249.46	237.33	249.00	171.50	233.83	265.10	222.50	226.33	319.00	235.17	210.75	284.50
SD	73.39	73.99	22.63	30.41	62.55	71.25	63.90	83.89	0.00	77.44	39.08	71.56
Cumu. DOS at Other VISNs	1.40	0.35	1.24	0.90	0.73	0.69	0.72	1.09	0.46	1.45	0.78	0.41
SD	8.26	3.18	4.85	5.21	4.35	3.84	4.11	5.36	3.01	12.58	4.31	3.76
Cumu. DOS at Other Stations	2.80	2.94	1.24	4.02	2.52	2.70	2.18	2.59	1.02	1.91	2.63	1.93
SD	10.02	7.76	4.85	10.36	7.40	8.01	6.50	7.65	4.08	13.04	7.64	6.71

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN**

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Bipolar Disorder	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<b>Hospital Based Utilization</b>												
Patients with some Hosp. Based Utilization, %	28.6%	33.6%	26.9%	27.5%	34.4%	29.8%	31.5%	28.3%	28.2%	30.9%	23.7%	22.8%
<b>Hospital based utilization: Overall</b>												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.88	2.00	1.93	1.81	2.05	1.81	1.97	1.82	1.84	1.80	1.87	1.75
SD	1.55	1.74	1.61	1.44	1.72	1.43	1.74	1.39	1.35	1.35	1.77	1.42
Average LOS, mean	11.60	20.60	7.05	8.89	12.26	12.45	14.98	6.91	10.02	9.78	9.59	10.01
SD	23.12	47.58	13.04	10.18	20.62	20.24	32.78	6.79	12.69	21.73	11.20	16.30
Cumu. DOS, mean	20.40	32.96	13.19	16.33	23.98	21.44	25.45	12.64	18.50	16.25	17.86	16.97
SD	33.57	58.62	21.87	22.30	36.22	30.52	41.45	15.51	25.84	27.85	25.39	25.85
Cumu. DOS, %												
1 to 7	40.7%	32.3%	53.8%	44.7%	38.2%	41.0%	32.5%	50.6%	41.6%	43.8%	43.1%	43.5%
8 to 14	21.4%	19.9%	20.7%	21.1%	20.2%	19.0%	22.1%	22.2%	19.8%	24.8%	19.4%	21.6%
15 to 44	27.5%	30.2%	20.3%	26.3%	27.9%	27.0%	31.4%	23.0%	29.0%	25.2%	28.8%	27.7%
45 to 89	6.9%	9.3%	3.7%	5.9%	8.4%	9.0%	9.0%	3.9%	7.5%	4.1%	6.6%	4.9%
90 to 179	2.6%	4.7%	1.0%	1.6%	4.2%	3.4%	3.4%	0.2%	1.8%	1.4%	1.7%	2.0%
180 to 359	0.7%	2.2%	0.4%	0.3%	1.1%	0.6%	1.1%	0.1%	0.3%	0.6%	0.5%	0.3%
360+	0.2%	1.3%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. patients with a 100+ day hosp. stay, %	1.8%	5.8%	0.8%	0.3%	2.4%	1.7%	3.0%	0.0%	0.4%	1.6%	0.8%	1.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	196.53	227.49	184.50	180.00	182.20	171.50	208.93	0.00	239.00	183.11	176.20	171.40
SD	80.33	98.05	79.22	0.00	63.60	50.86	87.09	0.00	124.06	73.54	49.38	77.18
Hosp. patients who had a 150+ day hosp. stay, %	0.9%	3.3%	0.4%	0.3%	1.2%	0.8%	1.7%	0.0%	0.3%	0.9%	0.3%	0.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	249.46	287.94	243.00	180.00	207.50	212.00	259.47	0.00	306.50	225.60	223.00	279.33
SD	73.39	81.60	69.30	0.00	45.01	41.33	81.96	0.00	58.69	74.78	35.36	31.90
Cumu. DOS at Other VISNs	1.40	1.08	1.24	0.77	11.16	0.84	1.22	0.63	1.11	0.89	0.67	0.48
SD	8.26	6.24	6.05	3.50	25.52	4.78	5.49	2.96	4.67	5.84	3.92	2.64
Cumu. DOS at Other Stations	2.80	4.37	1.93	0.77	11.36	1.96	2.76	1.89	2.21	2.42	2.21	1.42
SD	10.02	12.50	6.64	3.50	25.65	7.10	8.90	5.84	7.27	7.69	7.39	4.97

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
<u>Hospital based utilization: Non-Psych</u>												
( non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	12.7%	10.9%	11.2%	11.2%	10.9%	14.6%	12.5%	11.8%	12.7%	14.0%	13.9%	10.4%
Inpatient stays, mean	0.71	0.59	0.64	0.70	0.70	0.70	0.58	0.64	0.84	0.66	0.75	0.63
SD	1.11	0.98	0.97	1.05	1.07	1.21	1.04	0.96	1.22	1.13	1.03	1.14
Average LOS, mean	8.97	13.49	6.60	7.36	6.36	12.73	10.28	10.61	8.02	9.56	14.17	15.10
SD	21.42	28.83	7.99	8.79	11.05	25.84	22.62	22.57	13.09	27.47	32.80	46.21
Cumu. Days of Stay, mean	6.01	6.93	4.37	5.73	4.61	7.76	5.33	6.45	6.75	5.71	9.42	7.72
SD	19.12	22.46	11.69	14.22	13.09	23.58	17.08	19.18	17.36	20.42	28.62	32.18
Cumu. Days of Stay, %												
0	55.5%	61.9%	57.2%	55.5%	55.1%	60.8%	63.7%	55.9%	49.2%	60.4%	50.8%	61.7%
1 to 7	27.2%	22.2%	26.2%	25.1%	30.1%	20.0%	21.4%	28.4%	29.9%	23.7%	28.6%	22.6%
8 to 14	7.2%	5.3%	7.5%	8.5%	7.2%	6.1%	4.4%	5.7%	8.0%	6.8%	8.2%	5.3%
15 to 44	7.4%	7.0%	7.8%	8.5%	5.9%	8.3%	7.8%	5.8%	9.3%	6.7%	7.3%	6.8%
45 to 89	1.7%	1.3%	0.9%	1.8%	1.1%	3.1%	1.7%	3.2%	2.7%	1.4%	2.1%	1.8%
90 to 179	0.8%	2.1%	0.3%	0.7%	0.6%	1.0%	0.8%	0.8%	0.8%	0.8%	2.1%	1.0%
180 to 359	0.2%	0.2%	0.0%	0.0%	0.0%	0.7%	0.2%	0.2%	0.1%	0.2%	0.9%	0.8%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.7%	1.6%	0.3%	0.3%	0.2%	1.0%	0.8%	0.7%	0.4%	0.7%	2.2%	1.7%
Cumu. DOS, pts with a 100+ day hosp. stay, mean	169.60	143.42	141.50	127.00	145.00	181.50	148.57	156.33	158.50	186.00	159.76	217.83
SD	67.63	33.81	38.89	4.24	24.04	44.63	41.11	33.34	79.29	92.05	52.27	106.31
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.3%	0.4%	0.0%	0.0%	0.1%	0.7%	0.5%	0.4%	0.1%	0.4%	1.0%	0.8%
Cumu. DOS, pts with a 150+ day hosp. stay, mean	219.76	180.40	0.00	0.00	162.00	205.25	179.50	182.00	319.00	238.25	204.25	314.83
SD	66.92	30.81	0.00	0.00	0.00	32.36	19.26	26.51	0.00	90.33	42.18	45.88
Other VISN cumu. DOS, mean	0.33	0.10	0.22	0.05	0.16	0.27	0.13	0.21	0.10	0.75	0.17	0.02
SD	3.87	2.28	1.81	0.58	2.20	2.53	1.43	2.33	1.49	11.96	1.72	0.30
Other station cumu. DOS, mean	0.70	0.72	0.22	0.57	0.54	0.83	0.40	0.73	0.35	0.84	0.80	0.49
SD	4.76	4.26	1.81	2.84	3.07	5.79	2.29	4.04	2.59	12.01	3.77	2.93

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Bipolar Disorder	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<u>Hospital based utilization: Non-Psych</u>												
( non-psych- for those w/ some hosp.based util.)												
Pts. with non-psych hospital stays, %	12.7%	15.0%	12.8%	13.8%	15.0%	12.7%	12.2%	15.6%	14.1%	14.6%	11.2%	10.8%
Inpatient stays, mean	0.71	0.75	0.74	0.79	0.72	0.69	0.61	0.87	0.79	0.76	0.74	0.70
SD	1.11	1.15	1.05	1.15	1.11	1.28	1.04	1.12	1.10	1.16	1.12	1.03
Average LOS, mean	8.97	8.95	4.64	6.19	8.75	10.36	9.93	4.84	8.05	7.56	7.47	6.53
SD	21.42	18.90	4.26	8.38	19.80	23.08	26.71	5.12	22.06	16.80	12.21	16.76
Cumu. Days of Stay, mean	6.01	6.61	3.43	4.71	5.91	6.62	5.49	4.29	6.02	5.50	6.07	4.70
SD	19.12	22.66	6.62	10.57	16.85	20.65	19.65	7.72	18.25	16.08	18.62	14.98
Cumu. Days of Stay, %												
0	55.5%	55.2%	52.5%	49.7%	56.3%	57.4%	61.2%	44.7%	49.8%	52.9%	52.8%	52.7%
1 to 7	27.2%	27.2%	32.1%	32.2%	25.9%	24.7%	22.0%	37.7%	29.8%	31.0%	30.0%	31.0%
8 to 14	7.2%	6.2%	8.9%	9.5%	6.9%	7.7%	7.3%	9.7%	8.6%	7.2%	7.2%	8.3%
15 to 44	7.4%	8.8%	6.3%	6.9%	8.4%	6.6%	7.4%	7.3%	9.7%	6.4%	7.4%	6.4%
45 to 89	1.7%	1.3%	0.2%	1.6%	1.6%	2.4%	1.3%	0.6%	1.5%	1.5%	1.4%	1.0%
90 to 179	0.8%	1.1%	0.0%	0.0%	0.7%	0.8%	0.4%	0.0%	0.3%	1.0%	0.9%	0.4%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.2%	0.3%	0.3%	0.0%	0.3%	0.0%	0.3%	0.1%
360+	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ a 100+ day non-psych hosp.stay,%	0.7%	0.7%	0.0%	0.0%	0.6%	0.9%	0.6%	0.0%	0.3%	0.9%	0.5%	0.2%
Cumu. DOS, pts w/ a 100+ day hosp. stay, mean	169.60	207.43	0.00	0.00	163.17	163.82	210.00	0.00	276.50	137.60	183.67	211.00
SD	67.63	110.74	0.00	0.00	24.05	59.14	92.79	0.00	92.63	23.47	72.57	134.35
Hosp. Pts. w/ a 150+ day non-psych hosp.stay, %	0.3%	0.5%	0.0%	0.0%	0.5%	0.5%	0.3%	0.0%	0.3%	0.3%	0.3%	0.1%
Cumu. DOS, pts w/ a 150+ day hosp. stay, mean	219.76	245.60	0.00	0.00	170.40	204.17	260.67	0.00	276.50	169.67	223.00	306.00
SD	66.92	109.32	0.00	0.00	18.19	50.95	87.09	0.00	92.63	9.24	35.36	0.00
Other VISN cumu. DOS, mean	0.33	0.16	0.23	0.29	2.41	0.22	0.25	0.20	0.31	0.20	0.19	0.19
SD	3.87	2.08	1.43	2.09	8.29	2.64	2.11	1.34	2.13	1.83	2.55	1.57
Other station cumu. DOS, mean	0.70	0.80	0.48	0.29	2.44	0.62	0.47	0.60	0.66	0.69	0.75	0.52
SD	4.76	5.43	1.89	2.09	8.27	3.93	3.01	2.80	2.94	2.99	4.66	3.04

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
<u>Hospital based utilization: Psychiatric</u>												
( psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	19.7%	21.4%	18.0%	17.4%	16.1%	28.4%	27.4%	17.9%	15.6%	25.7%	19.0%	19.5%
Inpatient stays, mean	1.18	1.43	1.14	1.18	0.99	1.48	1.57	1.05	1.04	1.18	1.09	1.16
SD	1.39	1.66	1.40	1.24	1.06	1.60	1.88	1.21	1.32	1.24	1.25	1.16
Average LOS, mean	13.28	13.17	12.48	17.37	14.87	12.94	12.37	12.86	7.60	9.59	11.56	16.05
SD	24.75	27.20	17.53	19.55	25.53	30.62	19.98	20.75	7.34	12.15	9.76	35.92
Cumu. Days of Stay, mean	14.39	16.52	13.61	19.57	14.09	16.11	18.39	12.93	7.69	11.17	12.31	16.57
SD	28.98	34.91	24.81	29.43	27.28	33.54	30.65	25.14	13.43	19.19	17.93	36.03
Cumu. Days of Stay, %												
0	31.1%	24.9%	31.2%	30.8%	33.6%	23.6%	20.6%	32.8%	37.8%	27.0%	32.7%	28.3%
1 to 7	24.4%	27.5%	24.9%	14.5%	20.8%	28.5%	23.3%	23.2%	31.1%	32.0%	18.7%	22.8%
8 to 14	16.7%	19.0%	15.5%	14.5%	16.1%	16.7%	21.3%	18.5%	15.4%	19.5%	19.4%	18.4%
15 to 44	20.9%	20.8%	21.3%	28.2%	23.3%	23.8%	25.5%	20.2%	13.3%	16.4%	24.6%	22.1%
45 to 89	4.8%	5.3%	5.1%	8.2%	4.5%	5.4%	6.4%	3.2%	1.8%	4.5%	3.5%	5.8%
90 to 179	1.5%	1.4%	1.7%	3.3%	1.0%	1.0%	2.3%	1.8%	0.6%	0.4%	0.9%	1.1%
180 to 359	0.5%	1.0%	0.3%	0.5%	0.7%	0.7%	0.6%	0.1%	0.0%	0.2%	0.1%	1.0%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.3%	0.1%	0.1%	0.0%	0.0%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.1%	1.9%	0.5%	1.1%	1.1%	1.4%	0.9%	0.8%	0.1%	0.4%	0.3%	1.5%
Cumu. DOS, pts with a 100+ day hosp. stay, mean	204.81	213.30	207.00	152.43	202.10	238.63	228.75	186.57	142.50	178.50	118.50	250.36
SD	83.77	85.01	72.58	31.90	65.23	97.92	69.37	99.29	13.44	71.62	23.33	83.54
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.6%	1.1%	0.3%	0.3%	0.6%	1.0%	0.7%	0.4%	0.0%	0.2%	0.0%	1.4%
Cumu. DOS, pts with a 150+ day hosp. stay, mean	257.85	253.31	248.00	168.00	246.80	279.83	246.83	268.33	0.00	224.50	0.00	260.40
SD	74.65	77.21	21.21	25.46	56.13	72.60	71.45	106.87	0.00	75.66	0.00	80.76
Other VISN cumu. DOS, mean	1.07	0.26	1.02	0.85	0.57	0.43	0.59	0.88	0.36	0.69	0.60	0.39
SD	7.12	2.17	4.50	5.17	3.61	2.46	3.68	4.67	2.53	3.62	3.72	3.75
Other station cumu. DOS, mean	2.11	2.22	1.02	3.45	1.98	1.86	1.78	1.86	0.67	1.07	1.83	1.43
SD	8.65	6.48	4.50	9.99	6.71	5.38	5.87	6.32	3.10	4.77	6.32	6.03

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Bipolar Disorder	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<u>Hospital based utilization: Psychiatric</u> ( psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	19.7%	23.3%	18.1%	18.0%	24.8%	21.2%	23.3%	16.9%	17.6%	20.6%	15.0%	14.8%
Inpatient stays, mean	1.18	1.25	1.20	1.02	1.33	1.12	1.36	0.95	1.05	1.04	1.13	1.05
SD	1.39	1.53	1.50	1.15	1.50	1.12	1.61	1.22	1.24	1.17	1.70	1.29
Average LOS, mean	13.28	26.82	8.57	11.01	14.01	13.93	17.19	8.83	12.39	11.25	11.11	12.45
SD	24.75	55.82	15.76	11.56	20.92	19.24	35.15	8.08	12.71	24.02	10.29	15.37
Cumu. Days of Stay, mean	14.39	26.34	9.76	11.61	18.06	14.81	19.96	8.35	12.47	10.75	11.80	12.28
SD	28.98	55.24	21.68	20.86	33.70	24.12	37.87	14.69	19.30	24.07	19.51	22.57
Cumu. Days of Stay, %												
0	31.1%	30.5%	32.7%	34.5%	27.8%	28.7%	25.8%	40.4%	37.6%	33.4%	36.9%	35.1%
1 to 7	24.4%	16.4%	35.9%	26.0%	24.1%	27.1%	19.6%	26.5%	20.5%	24.9%	21.2%	23.1%
8 to 14	16.7%	14.4%	13.8%	15.5%	16.2%	13.4%	18.2%	15.3%	14.8%	19.9%	14.0%	15.4%
15 to 44	20.9%	24.5%	13.2%	18.4%	21.8%	21.9%	25.1%	14.9%	20.1%	18.8%	22.9%	21.6%
45 to 89	4.8%	7.5%	3.2%	4.3%	6.2%	6.8%	7.6%	2.6%	5.8%	2.0%	4.0%	3.1%
90 to 179	1.5%	3.7%	0.8%	1.0%	3.1%	2.0%	2.4%	0.2%	1.1%	0.6%	0.8%	1.5%
180 to 359	0.5%	1.8%	0.4%	0.3%	0.9%	0.1%	0.9%	0.1%	0.0%	0.4%	0.2%	0.2%
360+	0.1%	1.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.1%	5.3%	0.8%	0.3%	1.8%	0.8%	2.5%	0.0%	0.1%	0.7%	0.3%	0.8%
Cumu. DOS, pts w/ a 100+ day hosp. stay, mean	204.81	221.69	184.50	180.00	187.26	162.56	205.64	0.00	104.00	230.25	157.50	157.88
SD	83.77	96.24	79.22	0.00	71.37	43.50	87.24	0.00	0.00	87.10	16.26	69.01
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.6%	3.0%	0.4%	0.3%	0.7%	0.3%	1.3%	0.0%	0.0%	0.6%	0.0%	0.2%
Cumu. DOS, pts w/ a 150+ day hosp. stay, mean	257.85	284.58	243.00	180.00	233.14	202.67	254.00	0.00	0.00	244.29	0.00	266.00
SD	74.65	80.48	69.30	0.00	40.70	46.23	86.26	0.00	0.00	83.74	0.00	31.11
Other VISN cumu. DOS, mean	1.07	0.91	1.01	0.47	8.88	0.62	0.97	0.42	0.80	0.70	0.48	0.29
SD	7.12	5.50	5.83	2.51	24.39	3.74	4.67	2.55	4.06	5.01	2.88	2.05
Other station cumu. DOS, mean	2.11	3.56	1.45	0.47	9.09	1.35	2.30	1.29	1.55	1.73	1.46	0.90
SD	8.65	10.87	6.37	2.51	24.55	5.76	7.90	4.85	6.30	6.73	5.65	3.77

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
<b>Other 24 hour institutional care</b>												
Patients with some other 24 hour institutional care, %	9.0%	6.6%	16.7%	11.5%	11.9%	11.3%	8.0%	3.8%	4.7%	6.5%	13.1%	6.4%
<u>Residential Rehabilitation</u>												
(reported for those with some res rehab care)												
Patients with some residential rehab. care, %	2.4%	1.9%	8.3%	1.1%	1.6%	2.7%	2.0%	0.2%	2.3%	1.7%	2.6%	3.7%
Number stays, mean	1.11	1.11	1.19	1.11	1.03	1.10	1.06	1.00	1.08	1.02	1.10	1.26
SD	0.33	0.31	0.43	0.32	0.18	0.30	0.24	0.00	0.31	0.14	0.30	0.49
Average LOS, mean	32.63	40.98	30.13	66.56	50.78	35.79	27.28	32.80	42.14	12.37	25.69	29.72
SD	31.95	56.61	20.39	72.13	76.83	22.15	14.71	38.61	26.37	5.33	21.27	30.18
Cumu. DOS, mean	36.05	44.52	34.98	72.78	50.93	38.71	28.38	32.80	45.23	12.51	28.59	37.44
SD	36.05	57.20	25.81	77.17	76.74	24.03	15.06	38.61	31.08	5.27	26.01	35.32
Cumu. Days of Stay, %												
1 to 7	10.3%	14.6%	8.6%	3.7%	10.3%	4.8%	7.7%	20.0%	9.2%	16.3%	7.0%	14.1%
8 to 14	10.6%	7.3%	7.0%	11.1%	6.9%	7.1%	11.5%	20.0%	4.6%	65.3%	25.4%	5.1%
15 to 44	56.8%	48.8%	64.7%	25.9%	53.4%	57.1%	67.3%	40.0%	36.2%	18.4%	54.9%	53.5%
45 to 89	16.6%	22.0%	14.4%	33.3%	19.0%	26.2%	13.5%	0.0%	44.6%	0.0%	8.5%	19.2%
90 to 179	4.6%	4.9%	5.3%	18.5%	5.2%	4.8%	0.0%	20.0%	4.6%	0.0%	4.2%	7.1%
180 to 359	0.8%	0.0%	0.0%	7.4%	1.7%	0.0%	0.0%	0.0%	0.8%	0.0%	0.0%	1.0%
360+	0.3%	2.4%	0.0%	0.0%	3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.4%	4.9%	3.7%	22.2%	10.3%	0.0%	0.0%	20.0%	2.3%	0.0%	2.8%	4.0%
Cumu. DOS, pts w/ 100+ day Res Rehab stay, mean	170.85	243.50	116.57	186.50	241.83	0.00	0.00	100.00	156.67	0.00	135.50	161.25
SD	76.51	139.23	17.89	89.27	115.07	0.00	0.00	0.00	69.59	0.00	16.26	20.42
Res Rehab pts w/ 150+ day Res Rehab stay, %	0.9%	2.4%	0.0%	11.1%	6.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.0%
Cumu. DOS, pts w/ 150+ day Res Rehab stay, mean	257.53	364.00	0.00	220.67	301.50	0.00	0.00	0.00	0.00	0.00	0.00	178.50
SD	84.91	0.00	0.00	111.14	87.69	0.00	0.00	0.00	0.00	0.00	0.00	7.78
Other VISN cumu. DOS, mean	2.78	0.00	1.56	3.59	0.88	1.52	3.04	32.80	0.01	2.06	1.24	0.39
SD	16.18	0.00	8.95	12.64	5.92	5.59	10.41	38.61	0.09	6.22	10.44	2.78
Other station cumu. DOS, mean	5.86	5.91	1.56	8.85	4.78	6.17	7.83	32.80	0.72	2.06	1.24	4.34
SD	19.21	16.64	8.95	25.20	9.60	12.67	16.54	38.61	3.97	6.22	10.44	18.60

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Bipolar Disorder	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<b>Other 24 hour institutional care</b>												
Patients with some other 24 hour institutional care, %	9.0%	21.3%	16.4%	13.2%	9.0%	4.7%	13.3%	5.1%	3.2%	12.7%	6.1%	5.7%
<u>Residential Rehabilitation</u>												
(reported for those with some res rehab care)												
Patients with some residential rehab. care, %	2.4%	9.4%	2.3%	1.1%	1.1%	0.8%	4.2%	0.6%	2.0%	3.3%	2.4%	0.3%
Number stays, mean	1.11	1.09	1.05	1.00	1.32	1.03	1.08	1.11	1.14	1.08	1.05	1.00
SD	0.33	0.30	0.21	0.00	0.53	0.18	0.28	0.32	0.40	0.27	0.21	0.35
Average LOS, mean	32.63	33.72	42.49	42.50	67.72	21.45	18.99	33.11	36.68	21.14	28.79	16.42
SD	31.95	18.35	30.62	30.78	60.10	10.84	11.50	30.76	28.15	11.53	18.64	16.13
Cumu. DOS, mean	36.05	36.75	43.70	42.50	91.06	21.59	21.57	38.05	40.14	22.50	29.91	16.42
SD	36.05	23.04	31.62	30.78	80.55	10.64	20.42	39.89	29.54	12.69	19.18	16.13
Cumu. Days of Stay, %												
1 to 7	10.3%	7.6%	11.6%	0.0%	5.9%	9.4%	10.9%	15.8%	14.0%	13.7%	15.2%	25.0%
8 to 14	10.6%	6.5%	2.3%	0.0%	8.8%	15.6%	16.8%	15.8%	12.0%	7.7%	4.5%	33.3%
15 to 44	56.8%	69.8%	46.5%	83.3%	26.5%	75.0%	68.1%	47.4%	30.0%	72.6%	59.1%	33.3%
45 to 89	16.6%	11.7%	30.2%	8.3%	20.6%	0.0%	1.7%	5.3%	38.0%	6.0%	21.2%	8.3%
90 to 179	4.6%	4.5%	9.3%	8.3%	17.6%	0.0%	2.5%	15.8%	6.0%	0.0%	0.0%	0.0%
180 to 359	0.8%	0.0%	0.0%	0.0%	20.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.4%	1.7%	2.3%	8.3%	29.4%	0.0%	1.7%	10.5%	2.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts w/ a 100+ day C.C. stay, mean	170.85	133.00	145.00	135.00	192.80	0.00	146.00	131.50	123.00	0.00	0.00	0.00
SD	76.51	30.86	0.00	0.00	59.21	0.00	7.07	28.99	0.00	0.00	0.00	0.00
Res Rehab pts w/ 150+ day Res Rehab stay, %	0.9%	0.0%	0.0%	0.0%	11.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts w/ a 150+ day C.C. stay, mean	257.53	0.00	0.00	0.00	227.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	84.91	0.00	0.00	0.00	29.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other VISN cumu. DOS, mean	2.78	0.80	4.42	5.00	66.82	1.75	0.61	2.63	1.02	2.31	0.00	10.67
SD	16.18	7.77	11.30	17.32	73.24	5.29	3.96	8.38	4.14	10.10	0.00	18.74
Other station cumu. DOS, mean	5.86	8.47	5.42	5.00	66.82	3.59	1.40	5.47	5.00	4.62	2.77	10.67
SD	19.21	16.72	11.83	17.32	73.24	7.13	5.39	14.42	13.18	12.55	9.55	18.74

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
<u>Domiciliary and Vocational</u> (reported for those with some dom/voc care)												
Patients with some dom/voc care, %	5.0%	3.0%	8.9%	8.7%	7.9%	7.3%	4.5%	2.6%	0.9%	3.8%	8.7%	0.1%
Number stays, mean	1.21	1.34	1.35	1.27	1.18	1.12	1.20	1.18	1.04	1.16	1.23	1.00
SD	0.49	0.57	0.63	0.53	0.47	0.33	0.53	0.38	0.20	0.53	0.53	0.00
Average LOS, mean	75.30	77.54	85.52	55.89	46.93	86.15	42.08	62.08	78.49	107.57	50.32	11.33
SD	76.91	53.04	61.98	46.49	53.07	78.05	47.76	57.95	62.10	111.42	51.62	10.50
Cumu. DOS, mean	87.01	107.71	107.15	69.43	54.30	93.34	47.32	70.04	80.53	116.06	59.30	11.33
SD	84.60	89.75	70.62	61.14	59.22	80.60	50.59	63.65	62.19	112.76	59.24	10.50
Cumu. Days of Stay, %												
1 to 7	6.6%	5.6%	3.5%	8.5%	9.6%	3.5%	14.8%	7.5%	10.2%	7.5%	7.5%	33.3%
8 to 14	7.1%	7.1%	5.0%	6.2%	11.3%	6.2%	11.3%	12.5%	2.0%	6.5%	9.6%	33.3%
15 to 44	28.8%	16.7%	14.5%	32.7%	43.3%	18.6%	31.3%	28.8%	22.4%	21.5%	39.7%	33.3%
45 to 89	21.2%	18.3%	25.0%	19.9%	14.5%	27.4%	28.7%	16.3%	26.5%	18.7%	22.6%	0.0%
90 to 179	23.1%	35.7%	33.0%	27.5%	16.3%	34.5%	11.3%	28.8%	26.5%	20.6%	14.6%	0.0%
180 to 359	10.7%	15.1%	19.0%	4.7%	5.0%	7.1%	1.7%	6.3%	12.2%	17.8%	5.4%	0.0%
360+	2.5%	1.6%	0.0%	0.5%	0.0%	2.7%	0.9%	0.0%	0.0%	7.5%	0.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	29.1%	39.7%	42.5%	23.7%	17.4%	31.9%	8.7%	27.5%	32.7%	38.3%	14.6%	0.0%
Cumul. DOS, pts w/ a 100+ day Dom. stay, mean	192.39	189.26	175.80	157.66	166.78	177.92	162.70	152.23	155.81	226.68	172.11	0.00
SD	78.99	83.39	41.88	50.99	42.66	87.06	80.06	51.28	39.70	98.01	63.19	0.00
Dom. patients with 150+ day Dom. stay, %	15.5%	14.3%	24.5%	7.1%	9.9%	10.6%	3.5%	10.0%	16.3%	23.4%	5.9%	0.0%
Cumul. DOS, pts w/ a 150+ day Dom. stay, mean	242.33	270.89	197.49	187.00	191.64	281.17	222.00	202.25	188.13	292.08	221.50	0.00
SD	73.43	75.69	34.96	54.55	37.37	76.45	99.51	48.58	27.08	67.19	56.40	0.00
Other VISN cumu. DOS, mean	5.85	1.11	6.55	3.78	0.71	2.51	1.13	1.99	6.78	4.22	2.49	11.33
SD	24.68	5.77	17.00	16.24	6.47	11.30	7.94	11.83	22.38	14.12	13.12	10.50
Other station cumu. DOS, mean	8.22	12.01	6.55	7.38	4.27	5.55	1.42	3.08	6.78	4.61	3.84	11.33
SD	26.59	27.61	17.00	18.67	11.65	18.05	8.19	12.92	22.38	14.26	15.79	10.50

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
<b>Patients w/ Bipolar Disorder</b>	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<b>Domiciliary and Vocational</b>												
(reported for those with some dom/voc care)												
Patients with some dom/voc care, %	5.0%	11.4%	11.4%	9.9%	5.8%	2.8%	9.5%	2.1%	0.3%	7.4%	1.1%	3.4%
Number stays, mean	1.21	1.18	1.15	1.44	1.39	1.14	1.19	1.02	1.00	1.15	1.03	1.06
SD	0.49	0.45	0.42	0.84	0.59	0.38	0.44	0.13	0.00	0.42	0.19	0.23
Average LOS, mean	75.30	95.81	53.71	32.19	69.47	55.73	99.57	78.94	25.57	120.52	57.72	98.62
SD	76.91	83.20	41.68	29.12	50.92	66.08	100.93	77.88	31.55	117.59	62.25	76.41
Cumu. DOS, mean	87.01	106.69	59.72	45.53	98.42	64.04	111.60	80.24	25.57	132.76	58.31	103.99
SD	84.60	88.98	47.83	46.63	79.71	74.77	102.98	78.59	31.55	122.57	61.93	81.90
Cumu. Days of Stay, %												
1 to 7	6.6%	5.1%	3.7%	10.1%	1.7%	8.9%	5.9%	11.3%	42.9%	3.8%	6.9%	5.6%
8 to 14	7.1%	3.9%	8.9%	11.9%	6.8%	8.9%	4.1%	6.5%	0.0%	4.2%	17.2%	4.2%
15 to 44	28.8%	25.0%	35.0%	43.1%	26.7%	48.2%	20.8%	22.6%	42.9%	27.2%	24.1%	18.9%
45 to 89	21.2%	19.1%	31.3%	22.9%	17.0%	11.6%	25.7%	22.6%	0.0%	16.6%	31.0%	23.1%
90 to 179	23.1%	25.8%	19.2%	11.0%	33.0%	12.5%	22.3%	30.6%	14.3%	20.4%	13.8%	28.7%
180 to 359	10.7%	19.7%	1.9%	0.9%	13.1%	8.0%	13.8%	4.8%	0.0%	15.8%	6.9%	18.2%
360+	2.5%	1.4%	0.0%	0.0%	1.7%	1.8%	7.4%	1.6%	0.0%	12.1%	0.0%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	29.1%	42.1%	15.4%	3.7%	31.8%	18.8%	33.8%	30.6%	0.0%	44.9%	13.8%	42.7%
Cumul. DOS, pts w/ a 100+ day Dom. stay, mean	192.39	193.50	136.03	199.75	184.52	194.86	227.18	167.32	0.00	244.96	185.50	180.74
SD	78.99	68.12	58.18	71.97	64.52	77.76	92.35	85.92	0.00	98.73	72.11	65.45
Dom. patients with 150+ day Dom. stay, %	15.5%	27.2%	0.9%	0.9%	17.0%	11.6%	23.0%	11.3%	0.0%	29.8%	6.9%	23.1%
Cumul. DOS, pts w/ a 150+ day Dom. stay, mean	242.33	225.61	285.00	176.00	218.87	237.85	271.31	250.00	0.00	297.65	247.50	226.73
SD	73.43	60.88	90.51	0.00	66.13	68.53	78.37	94.74	0.00	75.44	2.12	55.54
Other VISN cumu. DOS, mean	5.85	0.35	1.30	2.24	70.65	3.88	0.70	0.71	25.57	1.60	8.66	0.61
SD	24.68	3.12	6.80	13.95	67.97	18.38	5.60	3.18	31.55	11.05	23.23	4.58
Other station cumu. DOS, mean	8.22	5.86	2.85	2.24	70.65	5.12	2.24	2.24	25.57	4.54	9.83	0.66
SD	26.59	15.95	11.19	13.95	67.97	19.01	10.55	6.81	31.55	18.77	23.63	4.62

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

Patients w/ Bipolar Disorder <u>Nursing Home Care</u> (reported for those with some nursing home care)	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
Patients with some nursing home care, %	2.2%	2.1%	2.7%	2.1%	2.6%	2.1%	1.8%	1.1%	1.6%	1.1%	2.9%	2.6%
Number stays, mean	1.22	1.23	1.20	1.29	1.28	1.27	1.17	1.09	1.19	1.26	1.14	1.22
SD	0.55	0.64	0.51	0.58	0.59	0.52	0.48	0.29	0.39	0.51	0.49	0.51
Average LOS, mean	90.92	127.02	100.52	133.58	88.74	77.06	149.20	130.21	113.69	39.14	84.75	86.44
SD	108.94	132.52	117.10	126.93	109.32	96.03	142.18	110.53	112.83	38.40	105.02	105.68
Cumu. DOS, mean	103.55	141.55	113.67	158.61	98.72	96.06	161.43	144.09	129.38	54.29	91.70	101.66
SD	116.47	137.30	124.16	135.23	112.06	107.63	142.94	123.65	122.58	70.68	109.38	115.85
Cumu. Days of Stay, %												
1 to 7	8.8%	10.2%	8.3%	11.8%	8.5%	9.1%	4.3%	3.0%	3.3%	9.7%	12.3%	14.7%
8 to 14	9.3%	4.5%	5.0%	5.9%	7.4%	12.1%	6.4%	12.1%	8.9%	22.6%	4.9%	10.3%
15 to 44	29.7%	25.0%	28.3%	13.7%	30.9%	27.3%	21.3%	18.2%	24.4%	32.3%	38.3%	20.6%
45 to 89	17.8%	12.5%	20.0%	11.8%	18.1%	15.2%	17.0%	12.1%	14.4%	22.6%	14.8%	19.1%
90 to 179	12.7%	10.2%	15.0%	21.6%	16.0%	15.2%	14.9%	12.1%	21.1%	6.5%	7.4%	13.2%
180 to 359	12.4%	20.5%	11.7%	17.6%	9.6%	15.2%	8.5%	30.3%	18.9%	6.5%	14.8%	14.7%
360+	9.4%	17.0%	11.7%	17.6%	9.6%	6.1%	27.7%	12.1%	8.9%	0.0%	7.4%	7.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	30.8%	42.0%	33.3%	54.9%	29.8%	33.3%	48.9%	51.5%	41.1%	9.7%	29.6%	33.8%
Cumul. DOS, patients with a 100+ day NH stay, mean	254.31	286.97	265.10	258.93	242.86	216.36	284.39	245.00	252.41	237.67	239.50	239.09
SD	95.88	83.22	99.50	98.33	102.99	99.14	102.47	87.05	95.04	100.27	90.87	98.53
NH patients with 150+ day NH stay, %	22.6%	35.2%	21.7%	45.1%	18.1%	21.2%	40.4%	42.4%	32.2%	6.5%	23.5%	20.6%
Cumul. DOS, patients with a 150+ day NH stay, mean	295.35	311.23	314.92	287.22	306.47	268.43	318.32	265.71	288.72	291.00	270.16	304.36
SD	74.93	65.30	71.47	84.47	74.85	87.29	76.37	80.41	72.14	55.15	75.48	64.64
Other VISN cumu. DOS, mean	3.65	0.00	0.02	0.00	0.37	2.06	0.00	0.00	0.00	0.23	2.22	0.32
SD	25.32	0.00	0.13	0.00	2.66	9.27	0.00	0.00	0.00	1.26	10.73	2.23
Other station cumu. DOS, mean	4.66	1.00	0.02	1.78	1.84	6.58	1.43	2.00	0.82	0.23	4.94	0.32
SD	26.23	5.18	0.13	8.95	7.55	24.72	9.77	10.30	4.80	1.26	13.49	2.23

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Bipolar Disorder	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<u>Nursing Home Care</u>												
(reported for those with some nursing home care)												
Patients with some nursing home care, %	2.2%	4.0%	3.6%	2.9%	2.5%	1.2%	2.0%	2.7%	1.1%	2.4%	2.9%	2.1%
Number stays, mean	1.22	1.19	1.19	1.22	1.32	1.08	1.14	1.29	1.17	1.20	1.35	1.25
SD	0.55	0.50	0.43	0.61	0.62	0.28	0.40	0.64	0.38	0.48	0.90	0.59
Average LOS, mean	90.92	130.71	55.78	82.35	56.27	87.80	82.38	40.21	95.95	55.32	90.58	79.01
SD	108.94	133.65	91.27	96.61	53.24	114.80	98.24	49.42	112.25	85.45	104.93	90.40
Cumu. DOS, mean	103.55	146.17	62.42	92.28	79.18	88.90	87.54	49.86	106.90	60.45	109.66	90.12
SD	116.47	140.46	96.70	98.11	89.89	114.13	99.29	59.47	120.73	86.39	116.33	95.76
Cumu. Days of Stay, %												
1 to 7	8.8%	5.6%	14.9%	6.3%	7.9%	10.4%	7.0%	8.8%	10.3%	14.0%	8.8%	4.5%
8 to 14	9.3%	6.3%	11.9%	6.3%	7.9%	8.3%	8.8%	15.0%	10.3%	12.8%	11.3%	13.5%
15 to 44	29.7%	27.0%	46.3%	37.5%	32.9%	31.3%	31.6%	45.0%	27.6%	39.5%	23.8%	22.5%
45 to 89	17.8%	14.3%	10.4%	15.6%	22.4%	25.0%	26.3%	17.5%	17.2%	19.8%	16.3%	29.2%
90 to 179	12.7%	11.1%	4.5%	21.9%	18.4%	10.4%	10.5%	6.3%	13.8%	4.7%	15.0%	15.7%
180 to 359	12.4%	15.9%	6.0%	6.3%	5.3%	2.1%	10.5%	7.5%	13.8%	5.8%	17.5%	11.2%
360+	9.4%	19.8%	6.0%	6.3%	5.3%	12.5%	5.3%	0.0%	6.9%	3.5%	7.5%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	30.8%	43.7%	16.4%	25.0%	21.1%	25.0%	24.6%	10.0%	34.5%	14.0%	32.5%	24.7%
Cumul. DOS, pts with a 100+ day NH stay, mean	254.31	288.38	255.36	216.00	215.56	256.92	235.64	192.75	248.70	251.75	249.77	229.09
SD	95.88	88.63	103.91	111.06	99.38	114.55	97.11	59.05	101.09	91.40	95.84	92.66
NH patients with 150+ day NH stay, %	22.6%	37.3%	11.9%	15.6%	9.2%	18.8%	15.8%	5.0%	24.1%	11.6%	21.3%	18.0%
Cumul. DOS, pts with a 150+ day NH stay, mean	295.35	313.55	304.50	272.60	301.00	301.44	287.22	217.50	298.71	275.80	301.35	265.13
SD	74.93	68.08	72.58	104.02	85.37	94.79	77.41	61.50	74.63	79.63	67.54	81.91
Other VISN cumu. DOS, mean	3.65	0.00	0.00	0.00	50.34	0.15	0.28	1.63	27.72	0.45	1.64	0.21
SD	25.32	0.00	0.00	0.00	79.57	1.01	2.12	12.47	88.80	3.17	9.88	1.51
Other station cumu. DOS, mean	4.66	1.70	0.36	0.00	50.71	0.73	0.28	2.13	27.90	1.10	2.95	0.90
SD	26.23	12.72	2.70	0.00	79.37	4.14	2.12	12.86	88.75	5.10	12.26	6.62

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
		65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
	<b>Outpatient utilization</b>												
(reported for those with some outpatient care)													
Patients with some outpatient care, %		99.5%	99.3%	99.4%	99.3%	99.4%	99.5%	99.4%	99.8%	99.6%	99.8%	99.5%	99.1%
annual visit days, mean		25.30	33.46	33.65	32.28	21.78	30.38	20.05	21.46	22.33	17.11	26.23	20.12
SD		31.91	42.93	38.12	41.60	29.62	37.57	25.60	26.55	24.46	19.00	29.86	28.08
Outpatient visit days, %													
1-12		41.8%	34.9%	31.0%	37.9%	46.0%	37.4%	49.9%	45.6%	41.1%	51.3%	37.8%	51.8%
13-24		26.7%	25.4%	26.8%	24.3%	29.1%	25.1%	26.0%	28.2%	29.4%	28.6%	26.6%	25.8%
25-36		12.6%	13.1%	13.7%	12.3%	10.8%	13.0%	11.4%	12.0%	13.4%	11.4%	13.6%	9.5%
37-48		6.6%	7.7%	8.5%	7.3%	5.4%	7.8%	5.2%	5.2%	7.0%	4.2%	7.9%	4.8%
49+		12.4%	18.9%	20.1%	18.2%	8.7%	16.7%	7.6%	9.0%	9.1%	4.5%	14.0%	8.1%
Total		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)		75.5%	75.0%	82.6%	72.3%	70.4%	72.0%	72.3%	74.1%	84.2%	73.0%	73.6%	75.3%
Mean PC visit days, among those with some PC		3.72	3.53	3.82	3.03	3.59	4.15	3.71	3.80	4.35	3.23	3.93	3.17
SD		3.29	3.07	2.89	2.59	3.04	4.15	3.54	4.12	3.55	2.40	3.37	2.47
Average number clinic stops per visit day, mean		1.54	1.44	1.45	1.43	1.49	1.55	1.59	1.53	1.53	1.60	1.50	1.53
SD		0.47	0.41	0.38	0.36	0.43	0.47	0.50	0.46	0.45	0.50	0.45	0.47
annual clinic stops (psych & non-psych), mean		40.19	50.36	53.09	49.58	32.78	49.41	31.78	33.84	34.59	27.26	42.01	31.86
SD		57.43	70.63	69.95	74.06	46.27	69.36	41.61	45.28	42.19	30.81	54.85	48.65
annual non-psych. clinic stops, mean		20.66	22.72	21.66	22.99	17.91	24.94	19.37	18.45	21.65	17.85	17.97	17.87
SD		25.34	29.75	25.37	27.15	24.40	32.11	23.27	21.00	22.36	19.72	19.55	26.90
annual psych. clinic stops (groupings below), mean		19.53	27.63	31.43	26.59	14.87	24.47	12.41	15.38	12.93	9.40	24.04	13.99
SD		43.20	54.14	55.12	59.19	32.20	48.15	28.07	32.15	29.43	19.36	45.18	32.31
1. general psych. clinic stops, mean		8.17	9.08	11.63	7.42	7.16	9.38	6.52	8.02	6.47	5.56	9.84	5.73
SD		13.67	13.12	14.04	9.80	9.17	14.77	8.92	10.70	9.89	7.38	15.07	8.81
2. psych. case management clinic stops, mean		0.64	2.57	0.75	0.72	0.37	0.09	0.18	0.31	0.22	0.15	0.78	0.96
SD		9.52	23.49	7.43	6.17	4.90	2.74	2.38	5.65	4.27	3.20	7.42	11.07
3. psych. day treatment clinic stops, mean		1.96	3.26	4.78	3.12	0.69	2.00	1.03	0.81	1.33	0.27	2.00	2.43
SD		17.21	17.57	26.56	21.20	7.02	12.55	12.21	10.59	12.39	6.30	14.27	18.11

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Bipolar Disorder	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<b><u>Outpatient utilization</u></b>												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	99.5%	98.6%	99.6%	99.7%	99.4%	99.6%	99.6%	99.8%	99.6%	99.7%	99.5%	99.7%
annual visit days, mean	25.30	36.68	26.73	26.66	25.10	21.05	25.63	21.33	23.99	26.37	24.42	25.75
SD	31.91	45.70	32.77	37.56	34.44	26.68	32.77	20.10	24.37	29.17	28.59	31.82
Outpatient visit days, %												
1-12	41.8%	36.5%	44.5%	46.6%	46.8%	47.3%	41.3%	40.8%	37.8%	37.1%	40.0%	39.6%
13-24	26.7%	21.1%	21.9%	22.3%	24.8%	28.5%	27.8%	28.0%	27.4%	27.5%	27.4%	26.3%
25-36	12.6%	11.8%	10.9%	11.5%	10.9%	10.4%	12.4%	15.6%	15.6%	13.3%	14.1%	14.1%
37-48	6.6%	7.2%	7.3%	6.2%	4.7%	5.1%	5.9%	7.5%	8.0%	8.8%	6.9%	7.1%
49+	12.4%	23.4%	15.4%	13.4%	12.8%	8.8%	12.6%	8.1%	11.2%	13.3%	11.7%	13.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Pts. with some OP primary care , %	75.5%	71.9%	61.4%	81.2%	75.3%	74.8%	81.4%	80.3%	79.4%	71.6%	76.4%	74.7%
OP visit days with primary care clinic stops, mean	3.72	3.86	3.09	3.41	3.18	3.10	4.10	3.87	3.82	3.73	4.08	4.27
SD	3.29	3.49	2.47	2.88	2.84	2.30	3.81	2.91	3.43	3.08	3.71	4.09
Average number clinic stops per visit day, mean	1.54	1.67	1.99	1.82	1.59	1.53	1.72	1.52	1.45	1.45	1.34	1.46
SD	0.47	0.61	0.77	0.62	0.53	0.44	0.66	0.41	0.39	0.37	0.35	0.41
annual clinic stops (psych & non-psych), mean	40.19	66.18	58.50	52.30	41.96	32.38	43.10	32.75	35.35	38.48	33.50	38.38
SD	57.43	96.35	86.41	88.86	61.99	43.68	56.09	34.28	40.53	45.19	42.21	53.82
annual non-psych. clinic stops, mean	20.66	26.90	22.51	23.25	19.59	17.70	27.42	20.70	19.09	19.09	17.56	21.15
SD	25.34	31.79	34.15	25.84	24.76	19.02	36.14	21.84	20.31	22.04	19.75	26.23
annual psych. clinic stops (groupings below), mean	19.53	39.27	35.99	29.04	22.37	14.68	15.68	12.05	16.26	19.39	15.94	17.23
SD	43.20	77.66	68.01	75.03	46.05	32.18	32.53	21.98	29.86	34.33	32.34	37.62
1. general psych. clinic stops, mean	8.17	10.76	16.13	10.49	10.23	5.87	6.57	7.60	8.22	7.43	8.38	8.35
SD	13.67	19.12	33.89	20.63	19.91	8.10	9.52	10.39	15.79	10.01	11.64	12.42
2. psych. case management clinic stops, mean	0.64	3.37	0.50	0.73	0.04	0.21	0.26	0.07	0.61	0.63	0.06	0.10
SD	9.52	25.51	4.58	6.65	1.28	3.09	4.73	0.94	6.57	6.92	1.53	2.24
3. psych. day treatment clinic stops, mean	1.96	4.94	5.23	6.76	1.15	1.36	0.84	0.38	1.54	0.59	2.00	2.22
SD	17.21	34.74	29.39	36.41	12.85	14.40	9.61	9.31	5.77	6.37	13.76	23.56

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
4. substance abuse clinic stops, mean	4.99	5.37	8.21	7.67	4.08	9.29	2.31	2.64	3.21	2.32	7.93	3.19
SD	21.56	19.13	22.22	29.76	23.40	35.12	12.21	11.65	17.80	11.63	26.41	16.36
5. psych. vocational clinic stops, mean	2.27	5.00	3.88	5.68	1.75	2.15	1.74	2.54	0.86	0.52	1.33	0.73
SD	16.88	25.18	22.39	28.77	13.09	13.52	15.04	18.00	8.85	5.76	11.51	8.67
6. PTSD clinic stops, mean	0.87	1.26	1.22	1.15	0.48	0.81	0.23	0.80	0.31	0.26	1.62	0.56
SD	5.92	6.88	6.67	7.50	3.22	4.86	2.20	5.40	2.73	3.52	10.50	4.27
7. psych. homeless clinic stops, mean	0.61	1.09	0.71	0.81	0.34	0.75	0.37	0.26	0.42	0.29	0.53	0.40
SD	4.15	7.47	4.11	5.01	1.93	4.20	2.34	1.74	2.70	1.58	3.34	2.63
Other VISN OP visit days, mean	0.54	0.29	0.94	0.60	0.37	0.69	0.48	0.53	0.40	0.69	0.57	0.28
SD	3.18	2.42	5.25	3.91	2.18	3.60	2.86	3.39	2.22	3.26	3.76	1.47
Other station OP visit days, mean	1.85	2.32	0.94	1.78	1.40	1.66	1.12	1.27	0.81	0.89	1.47	1.20
SD	7.67	8.50	5.25	6.68	4.84	6.33	3.74	5.08	3.22	3.63	5.44	3.42

**Table 3D: FY01 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)**

Patients w/ Bipolar Disorder	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
4. substance abuse clinic stops, mean	4.99	12.52	9.42	4.54	5.47	4.06	4.11	2.07	3.39	6.67	3.94	3.29
SD	21.56	43.33	27.19	24.27	19.52	18.76	14.19	8.88	15.54	22.05	20.20	16.02
5. psych. vocational clinic stops, mean	2.27	5.00	2.96	5.19	4.39	1.38	2.60	0.79	0.97	1.63	0.44	1.51
SD	16.88	25.59	17.83	40.41	22.16	10.86	17.39	7.67	11.55	12.32	5.48	13.07
6. PTSD clinic stops, mean	0.87	1.25	1.22	1.18	0.97	0.90	0.62	0.75	1.03	1.57	0.43	0.96
SD	5.92	8.71	7.95	8.57	5.99	6.38	3.89	4.47	5.80	6.52	2.77	6.46
7. psych. homeless clinic stops, mean	0.61	1.42	0.51	0.14	0.13	0.87	0.67	0.34	0.45	0.85	0.65	0.80
SD	4.15	9.86	4.11	1.04	1.03	4.47	3.40	1.88	2.50	3.93	4.33	3.20
Other VISN OP visit days, mean	0.54	0.64	0.91	0.59	0.64	0.57	0.68	0.55	0.52	0.67	0.49	0.40
SD	3.18	3.56	4.90	3.48	4.25	2.85	3.50	2.49	2.39	3.90	2.46	1.95
Other station OP visit days, mean	1.85	3.13	1.99	0.59	10.64	1.05	1.18	1.11	2.80	1.37	1.14	0.92
SD	7.67	9.52	6.45	3.48	23.83	3.82	5.24	3.86	8.94	4.90	3.92	3.21